Office	tate of New Mex		Form C-103
	linerals and Natur	al Resources:	Revised August 1, 2011
1625 N. French-Dr., Höbbs, NM 88240 <u>District II</u> - (575) 748-1283	to a second		WELL APTNO.
811 S. First St., Artesia, NM 88210 OIL CONSERVATION DIVISION		5., Indicate Type of Lease	
District III - (505) 334-6178. 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Azicc, NM 87410.		STATE FEE	
District IV - (505) 476-3460 Santa Te, NM 87505		6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505		i	
SUNDRY NOTICES AND REPO	ORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OF	TO DEEPEN OR PLU	GBACK TO A	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERM	IIT" (FORM C-ÌOĮ) FOI	RSUCH	D State Battery
PROPOSALS.) 1. Type of Well: Oil Well Gas Well C	Other		8. Well Number
2. Name of Operator		······································	9. OGRID Number
Apache Corporation		873	
3. Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705		10, Pool name of Wildcaf Yesö	
4. Well Location			Teso
, , , , , , , , , , , , , , , , , , , ,	rom the	lina and	feet from theline
	iship 17S Ran		NMPM County Eddy
	Show whether DR,		
13.2504111011 (onon unemer DR,	miss, m, om, etc.	
Loose a land and a land			
12. Check Appropriate Bo	ox.to Indicate Na	ture of Notice,	Report or Other Data
		•	
NOTICE OF INTENTION TO			SEQUENT REPORT OF:
PERFORM REMEDIÂL WORK PLUG AND AE TEMPORARILY ABANDON CHANGE PLA		REMEDIAL WOR	
			ILLING OPNS PANDA
PULL OR ALTER CASING MULTIPLE CO DOWNHOLE COMMINGLE	MPL 🗆	CASING/CEMEN	u jor □
· · · · · · · · · · · · · · · · · · ·		•	
OTHER: Flare Gas	Z	OTHER:	<u>`</u>
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date			
			mpletions: Attach wellbore diagram of
of starting any proposed work). SEE RULE proposed completion of recompletion.			mpletions: Attach wellbore diagram of
	19.15.7.14 NMAC.	For Multiple Co	·
proposed completion or recompletion.	19.15.7.14 NMAC.	For Multiple Co	·
proposed completion or recompletion. Apache is requesting an extension to temporarily fla	19.15.7.14 NMAC. Ire the D State Batte 30-015-38411	For Multiple Co	·
proposed completion or recompletion. Apache is requesting an extension to temporarily fla 30:015-31257 30:015-32490 30:015-32483	19.15.7.14 NMAC, are the D State Batte 30-015-38411 30-015-38412	For Multiple Co ery: The API# för.e 30-0 30-0	each well are as follows: 015-39069 015-39743
proposed completion or recompletion. Apache is requesting an extension to temporarily fla 30-015-31257 30-015-32490 30-015-314217 30-015-32491	19.15.7.14 NMAC are the D State Batte 30-015-38411 30-015-38412 30-015-38414	For Multiple Co gry. The API# for e 30-0 30-0 30-0 30-0	each well are as follows: 015-39069 015-39743 015-39742
proposed completion or recompletion. Apache is requesting an extension to temporarily flaton 30:015-32490 30:015-31421 30:015-32491 30:015-32649 30:015-32649 30:015-32649	19.15.7.14 NMAC are the D State Batte 30-015-38411 30-015-38412 30-015-38414 30-015-38585	For Multiple Co ary: The API# for e 30-0 30-0 30-0 30-0	2015-39069 2015-39743 2015-39742 2015-39742
proposed completion or recompletion. Apache is requesting an extension to temporarily flaton 30-015-31257 30-015-31257 30-015-32490 30-015-32491 30-015-32649 30-015-32649 30-015-31390	30-015-38411 30-015-38412 30-015-38414 30-015-38414 30-015-38585 30-015-38469	For Multiple Co ery: The API# for e 30-6 30-6 30-6 30-6 30-6	215-39069 215-39743 215-39742 215-39921 215-39922
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-31257 30-015-32490 30-015-32491 30-015-32649 30-015-32649 30-015-31390 30-015-32482 30-015-31586	30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38685 30-015-38469 30-015-38471	For Multiple Co ery: The API# for e 30-6 30-6 30-6 30-6 30-6 30-6	215-39069 215-39743 215-39742 215-39924 215-39922 215-39923
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32649 30-015-31900 30-015-31422 30-015-31586 30-015-31939	30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38685 30-015-38469 30-015-38588	For Multiple Co ery: The API# for e 30-6 30-6 30-6 30-6 30-6 30-6 30-6	215-39069 215-39743 215-39742 215-39924 215-39922 215-39923 215-49310
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-31257 30-015-32490 30-015-31424 30-015-32491 30-015-32649 30-015-31909 30-015-31422 30-015-31586 30-015-31424 30-015-31424 30-015-31424 30-015-32484	30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38469 30-015-38469 30-015-38588 30-015-38588 30-015-38588 30-015-38588	For Multiple Co ery: The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39923 015-40310 015-40311
proposed completion or recompletion. Apache is requesting an extension to temporarily flaton of temporarily f	30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38685 30-015-38469 30-015-38588	For Multiple Co ary: The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-0	215-39069 215-39743 215-39742 215-39924 215-39922 215-39923 215-49310
proposed completion or recompletion. Apache is requesting an extension to temporarily flaton of temporarily f	30-015-38411 30-015-38412 30-015-38414 30-015-38414 30-015-38469 30-015-38469 30-015-38588 30-015-38588 30-015-38588 30-015-38588	For Multiple Co ary: The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-0	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39923 015-40310 015-40313
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31424 30-015-31424 30-015-31425 30-015-31425 30-015-31426 30-015-31426 30-015-31426 30-015-31426 30-015-31426 30-015-31426 30-015-31428	30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38469 30-015-38469 30-015-38588 30-015-38588 30-015-38588 30-015-38589 30-015-39068	For Multiple Co ary: The API# for 6 30-6 30-6 30-6 30-6 30-6 30-6	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39923 015-40310 015-40313
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-31257 30-015-32490 30-015-31421 30-015-32491 30-015-32491 30-015-32491 30-015-31492 30-015-31586 30-015-31423 30-015-31424 30-015-31425 30-015-31425 30-015-31425 30-015-38408 30-015-3165 30-015-38409	30-015-38411 30-015-38412 30-015-38414 30-015-38414 30-015-38469 30-015-38469 30-015-38588 30-015-38588 30-015-38588 30-015-38588	For Multiple Co ary: The API# for 6 30-6 30-6 30-6 30-6 30-6 30-6	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39923 015-40310 015-40313
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31424 30-015-31424 30-015-31425 30-015-31425 30-015-31426 30-015-31426 30-015-31426 30-015-31426 30-015-31426 30-015-31426 30-015-31428	30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38469 30-015-38469 30-015-38588 30-015-38588 30-015-38588 30-015-38589 30-015-39068	For Multiple Co ary: The API# for 6 30-6 30-6 30-6 30-6 30-6 30-6	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39923 015-40310 015-40313
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-31421 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-31975 30-015-31422 30-015-31586 30-015-31423 30-015-31424 30-015-32484 30-015-31425 30-015-31426 30-015-31426 30-015-32489 Spud Date:	30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38469 30-015-38469 30-015-38588 30-015-38588 30-015-38588 30-015-38589 30-015-39068	For Multiple Co 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6	2015-39069 2015-39743 2015-39742 2015-39921 2015-39922 2015-39923 2015-40311 2015-40313 2015-40313
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31424 30-015-31424 30-015-31425 30-015-31425 30-015-31426 30-015-31426 30-015-31426 30-015-31426 30-015-31426 30-015-31426 30-015-31428	30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38469 30-015-38469 30-015-38588 30-015-38588 30-015-38588 30-015-38589 30-015-39068	For Multiple Co 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6	2015-39069 2015-39743 2015-39742 2015-39921 2015-39922 2015-39923 2015-40311 2015-40313 2015-40313
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-31975 30-015-31422 30-015-31586 30-015-31423 30-015-31424 30-015-31424 30-015-31425 30-015-31425 30-015-31425 30-015-32489 Spud Date: Lhereby certify that the information above is true and	19.15.7.14 NMAC, are the D State Batter 30-015-38411 30-015-38414 30-015-38469 30-015-38470 30-015-38588 30-015-38589 30-015-38589 30-015-39068 Rig Release Date complete to the best	For Multiple Co any: The API# for e 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6	2015-39069 2015-39743 2015-39742 2015-39921 2015-39922 2015-39923 2015-40310 2015-40313 2015-40314
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-31421 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-31975 30-015-31422 30-015-31586 30-015-31423 30-015-31424 30-015-32484 30-015-31425 30-015-31426 30-015-31426 30-015-32489 Spud Date:	30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38469 30-015-38469 30-015-38588 30-015-38588 30-015-38588 30-015-38589 30-015-39068	For Multiple Co any: The API# for e 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6	2015-39069 2015-39743 2015-39742 2015-39921 2015-39922 2015-39923 2015-40311 2015-40313 2015-40313
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-31990 30-015-31422 30-015-31586 30-015-31424 30-015-31424 30-015-31425 30-015-31425 30-015-31425 30-015-31489 Spud Date: Liberaby certify that the information above is true and SIGNATURE	19.15.7.14 NMAC, are the D State Batter 30-015-38411 30-015-38414 30-015-38489 30-015-38470 30-015-38589 30-015-38589 30-015-390684 Rig Release Date Complete to the best TITLE Regulat	ery. The API# for early. T	2015-39069 2015-39743 2015-39742 2015-39921 2015-39922 2015-39923 2015-40310 2015-40311 2015-40314 2015-40314
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30:015-31257 30:015-31421 30:015-32483 30:015-32481 30:015-32491 30:015-32491 30:015-31422 30:015-31586 30:015-31423 30:015-31424 30:015-31424 30:015-31425 30:015-31425 30:015-31425 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-32489 Spud Date: Type or print name: Fatima Vasquez	19.15.7.14 NMAC, are the D State Batter 30-015-38411 30-015-38414 30-015-38489 30-015-38470 30-015-38589 30-015-38589 30-015-390684 Rig Release Date Complete to the best TITLE Regulat	For Multiple Co any: The API# for e 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6 30-6	DATE 05/21/2013
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-31421 30-015-32483 30-015-32481 30-015-32481 30-015-31422 30-015-31586 30-015-31423 30-015-31424 30-015-31424 30-015-31425 30-015-31425 30-015-31426 30-015-31426 30-015-31426 30-015-31427 30-015-38408 30-015-32489 Spud Date: Type or print name: Fatima Vasquez For State Use Only	19.15.7.14 NMAC, are the D State Batter 30-015-38411 30-015-38414 30-015-38469 30-015-38470 30-015-38589 30-015-38589 30-015-38589 30-015-39068 Rig Release Dater Complete to the best TITLE Regulate E-mail address:	For Multiple Co	DATE 05/21/2013
proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30:015-31257 30:015-31421 30:015-32483 30:015-32481 30:015-32491 30:015-32491 30:015-31422 30:015-31586 30:015-31423 30:015-31424 30:015-31424 30:015-31425 30:015-31425 30:015-31425 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-31426 30:015-32489 Spud Date: Type or print name: Fatima Vasquez	19.15.7.14 NMAC, are the D State Batter 30-015-38411 30-015-38414 30-015-38489 30-015-38470 30-015-38589 30-015-38589 30-015-390684 Rig Release Date Complete to the best TITLE Regulat	For Multiple Co	2015-39069 2015-39743 2015-39742 2015-39921 2015-39922 2015-39923 2015-40310 2015-40311 2015-40314 2015-40314

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia; NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Apache Corporation Applicant A. 1945 Bluestem Road, Artesia, NM 88210 90 hereby requests an exception to Rule 19,15,18,12 for days or until , Yr ____, for the following described tank battery (or LACT): ____Name of Pool Yeso D State Battery Name of Lease Location of Battery: Unit Letter Section 36 Township 178 Range Number of wells producing into battery ____ 700 В. Based upon oil production of barrels per day, the estimated * volume of gas to be flared is _MCF; Value ___ C. Name and location of nearest gas gathering facility: DCP Artesia Distance Estimated cost of connection ___ D, This exception is requested for the following reasons: Frontier Gas has shut Apache out Æ. of their gas line as a secondary selling point. Our primary buyer is DCP. We need a way of relief if DCP slam valve shuts, which would be to flare. OIL CONSERVATION DIVISION **OPERATOR** I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature _ Printed Name Fatima Vasquez - Regulatory Tech & Title Fatima Vasquez@apachecorp.com E-mail Address (432) 818-1015 Telephone No.

* Gas-Oil ratio test may be required to verify estimated gas volume.

& SEE Attached COA'S

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red-flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here Lesses

11- May 24-2013

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey
Division Director
Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth
 within 30 feet of each structure. Single trees and shrubs may be retained if they are well
 spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for
 any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website:

http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.