Office <u>District 1 - (575)</u> 393-6161 Energy, Mi		the contract of the contract o
+	nerals and Natural Resources	Revised August 1, 2011
1625 N. French-Dr., Hobbs, NM 88240 <u>District II</u> - (575) 748-1283		WELL API'NO.
811 S. First St., Artesia, NM 88210 OIL CON	SERVATION DIVISION	5. Indicate Type of Lease
District III - (505) 334-6478 1220	South St. Francis Dr.	STATE EEE
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460. Sa	inta Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	į	
87505	DTC ONLINEET C	7 Table No. 11 Table 1 Table 1 American A Nicola
SUNDRY NOTICES AND REPORT OF THIS FORM FOR PROPOSALS TO DRILLOR		7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT	F" (EORM C-101) FOR SUCH	D State Battery
PROPOSALS.)		8: Well Number
1. Type of Well: Oil Well Gas Well. Of	ner	9. OGRID Number
2. Name of Operator Apache Corporation		873
3. Address of Operator		10. Pool name or Wildcar
303 Veterans Airpark Lane, Suite 3000 Midland, TX 7	79705	Yesö
4. Well Location		•
	om theline and	feet from the
	ship 17S Range 28E	,,,,
	how whether DR, RKB, RT, GR, etc	
11. Elevation (o	now whether DR, KKD, KI, GR, etc	
12 Charle Ammonitate Por	k to Indicate Nature of Notice	Panert or Other Date
i z. Glicck Appropriate Box	THE THE TARTETT OF TAOLICE	s, report of Office Data
NOTICE OF INTENTION TO	: SUI	BSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABA		
TEMPORARILY ABANDON CHANGE PLAN	S COMMENCE DI	RILLING OPNS PANDA
PULL OR ALTER CASING MULTIPLE COM	MPL CASING/CEME	NT JOB
DOWNHOLE COMMINGLE		
Flore Con 1		·
OTHER: Flare Gas	OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details! a	
of starting any proposed work). SEE RULE 1		
of starting any proposed work). SEE RULE I proposed completion or recompletion.	9.15.7.14 NMAC. For Multiple Co	ompletions: Attach wellbore diagram of
of starting any proposed work). SEE RULE 1	9.15.7.14 NMAC. For Multiple Co	ompletions: Attach wellbore diagram of
of starting any proposed work). SEE RULE I proposed completion or recompletion. Apache is requesting an extension to temporarily flare	9.15.7.14 NMAC. For Multiple Co	ompletions: Attach wellbore diagram of
of starting any proposed work). SEE RULE I proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490	9.15.7.14 NMAC. For Multiple Co e the D State Battery. The API# for 30-015-38411	ompletions: Attach wellbore diagram of each well are as follows:
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-314247 30-015-32483	9.15.7.14 NMAC. For Multiple Co e the D State Battery. The API# for 30-015-38411 30- 30-015-38412 30-	ompletions: Attach wellbore diagram of each well are as follows: -015-39069 -015-39743
of starting any proposed work). SEE RULE I proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491	9.15.7.14 NMAC. For Multiple Co e the D State Battery. The API# for 30-015-38411 30- 30-015-38412 30- 30-015-38444 30-	ompletions: Attach wellbore diagram of each well are as follows: -015-39069 -015-39743 -015-39742
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-30975	9.15.7.14 NMAC. For Multiple Co e the D State Battery. The API# for 30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30-	ompletions: Attach wellbore diagram of each well are as follows: -015-39069 -015-39743 -015-39742 -015-39921
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32649 30-015-32975 30-015-31390	9.15.7.14 NMAC. For Multiple Co e the D State Battery. The API# for 30-015-38411 30- 30-015-38412 30- 30-015-38444 30- 30-015-38585 30- 30-015-38469 30-	ompletions: Attach wellbore diagram of each well are as follows: -015-39069 -015-39743 -015-39742 -015-39921 -015-39922
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32649 30-015-32649 30-015-31390 30-015-31586	9.15.7.14 NMAC. For Multiple Co e the D State Battery. The API# for 30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38469 30- 30-015-38471 30-	ompletions: Attach wellbore diagram of each well are as follows: -015-39069 -015-39743 -015-39742 -015-39924 -015-39923
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-31421 30-015-32491 30-015-32491 30-015-32492 30-015-31390 30-015-31422 30-015-31586 30-015-31939	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38444 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38	ompletions: Attach wellbore diagram of each well are as follows: -015-39069 -015-39743 -015-39742 -015-39921 -015-39923 -015-39923 -015-40310
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32649 30-015-32649 30-015-31390 30-015-31586	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38588 30-015-38470 30-015-38470 30-015-38588 30-015-38	ompletions: Attach wellbore diagram of each well-are as follows: -0.15-39069 -0.15-39743 -0.15-39742 -0.15-39924 -0.15-39922 -0.15-39923 -0.15-40310 -0.15-40311
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-31422 30-015-31390 30-015-31422 30-015-31586 30-015-31423 30-015-31939 30-015-31424 30-015-31425 30-015-38408 30-015-38409	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589	ompletions: Attach wellbore diagram of each well are as follows: -015-39069 -015-39743 -015-39742 -015-39921 -015-39923 -015-39923 -015-40310
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31421	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589	ompletions: Attach wellbore diagram of each well-are as follows: -0.15-39069 -0.15-39743 -0.15-39742 -0.15-39924 -0.15-39922 -0.15-39923 -0.15-40310 -0.15-40311 -0.15-40313
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31425 30-015-32484 30-015-31425 30-015-38408 30-015-32489 30-015-32489	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-38068 30-015-39068 30-015-39068	ompletions: Attach wellbore diagram of each well-are as follows: -0.15-39069 -0.15-39743 -0.15-39742 -0.15-39924 -0.15-39922 -0.15-39923 -0.15-40310 -0.15-40311 -0.15-40313
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-31422 30-015-31390 30-015-31422 30-015-31586 30-015-31423 30-015-31939 30-015-31424 30-015-31425 30-015-38408 30-015-38409	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589	ompletions: Attach wellbore diagram of each well-are as follows: -0.15-39069 -0.15-39743 -0.15-39742 -0.15-39924 -0.15-39922 -0.15-39923 -0.15-40310 -0.15-40311 -0.15-40313
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31425 30-015-32484 30-015-31425 30-015-38408 30-015-32489 30-015-32489	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-38068 30-015-39068 30-015-39068	ompletions: Attach wellbore diagram of each well-are as follows: -0.15-39069 -0.15-39743 -0.15-39742 -0.15-39924 -0.15-39922 -0.15-39923 -0.15-40310 -0.15-40313
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31425 30-015-32484 30-015-31425 30-015-38408 30-015-32489 Spud Date:	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-39068 30-015-39068 Rig Release Date:	each well are as follows: -015-39069 -015-39743 -015-39742 -015-39924 -015-39922 -015-39923 -015-40310 -015-40313 -015-40314
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31425 30-015-32484 30-015-31425 30-015-38408 30-015-32489 30-015-32489	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-39068 30-015-39068 Rig Release Date:	each well are as follows: -015-39069 -015-39743 -015-39742 -015-39924 -015-39922 -015-39923 -015-40310 -015-40313 -015-40314
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31425 30-015-32484 30-015-31425 30-015-38408 30-015-32489 Spud Date:	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-39068 30-015-39068 Rig Release Date:	each well are as follows: -015-39069 -015-39743 -015-39742 -015-39924 -015-39922 -015-39923 -015-40310 -015-40313 -015-40314
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31424 30-015-31425 30-015-38408 30-015-31425 30-015-38409 30-015-32489 Spud Date:	9.15.7.14 NMAC. For Multiple Complete to the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-39068. Rig Release Date:	each well are as follows: -015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -015-40314 -015-40314
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31425 30-015-32484 30-015-31425 30-015-38408 30-015-32489 Spud Date:	9.15.7.14 NMAC. For Multiple Content of the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-39068 30-015-39068 Rig Release Date:	each well are as follows: -015-39069 -015-39743 -015-39742 -015-39924 -015-39922 -015-39923 -015-40310 -015-40313 -015-40314
of starting any proposed work). SEE RULE I proposed completion or recompletion. Apache is requesting an extension to temporarily flam 30-015-31257 30-015-31257 30-015-32483 30-015-32483 30-015-32483 30-015-32491 30-015-32491 30-015-31422 30-015-31422 30-015-31586 30-015-31423 30-015-31424 30-015-31424 30-015-32484 30-015-31425 30-015-32489 Spud Date: Linereby certify that the information above is true and constraints.	9.15.7.14 NMAC. For Multiple Complete to the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-39068. Rig Release Date:	each well are as follows: -015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -015-40314 -015-40314 -DATE_05/21/2013
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31424 30-015-31425 30-015-38408 30-015-31425 30-015-38409 30-015-32489 Spud Date:	9.15.7.14 NMAC. For Multiple Complete to the D State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-3858 30-015-38589 30-015-38	ompletions: Attach wellbore diagram of each well are as follows: -015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -015-40313 -015-40314 -015-40314-
of starting any proposed work). SEE RULE:1 proposed completion or recompletion. Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32480 30-015-32481 30-015-32481 30-015-32649 30-015-32481 30-015-31422 30-015-31586 30-015-31423 30-015-31423 30-015-31424 30-015-31424 30-015-32484 30-015-31425 30-015-32489 30-015-32489 Spud Date: Type or print name: Fatima Vasquez For: State Use Only	9.15.7.14 NMAC. For Multiple Complete to the D State Battery. The API# for. 30-015-38411 30-30-015-38412 30-30-015-38414 30-30-015-38585 30-30-015-38471 30-30-015-38588 30-30-015-38589 30-30-015-38589 30-30-015-39068. Rig Release Date: Complete to the best of my knowled Complete to the best of my k	ompletions: Attach wellbore diagram of each well are as follows: -0.15-39069 -0.15-39743 -0.15-39742 -0.15-39924 -0.15-39923 -0.15-39923 -0.15-40310 -0.15-40313 -0.15-40314 -DATE0.5/21/2013 PHONE: (432) 818-1015
of starting any proposed work). SEE RULE I proposed completion or recompletion. Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32490 30-015-32483 30-015-32481 30-015-32481 30-015-32481 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-32484 30-015-31424 30-015-32484 30-015-31425 30-015-32489 30-015-32489 Spud Date: Type or print name: Fatima Vasquez	9.15.7.14 NMAC. For Multiple Complete to the D State Battery. The API# for. 30-015-38411 30-30-015-38412 30-30-015-38414 30-30-015-38585 30-30-015-38471 30-30-015-38588 30-30-015-38589 30-30-015-38589 30-30-015-39068. Rig Release Date: Complete to the best of my knowled Complete to the best of my k	each well are as follows: -015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -015-40314 -015-40314 -DATE_05/21/2013

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. _

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC) **Apache Corporation** Applicant Α. 1945 Bluestem Road, Artesia, NM 88210 whose address is hereby requests an exception to Rule 19.15.18.12 for days or until , Yr _____, for the following described tank battery (or LACT): D State Battery Name of Pool Name of Lease Location of Battery: Unit Letter Section 36 Township Range Number of wells producing into battery ___ 700 В. Based upon oil production of barrels per day, the estimated * volume of gas to be flared is _MCF; Value _____ C. Name and location of nearest gas gathering facility: DCP Artesia Distance Estimated cost of connection D. This exception is requested for the following reasons: Frontier Gas has shut Apache out E. of their gas line as a secondary selling point. Our primary buyer is DCP. We need a way of relief if DCP slam valve shuts, which would be to flare. **OPERATOR** OIL CONSERVATION DIVISION Thereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above 30-2013 is true and complete to the best of my knowledge and belief. Signature / Printed Name sperisos Fatima Vasquez - Regulatory Tech & Title Fatima Vasquez@apachecorp.com E-mail Address (432) 818-1015 Telephone No.

* Gas-Oil ratio test may be required to verify estimated gas volume.

& SEE Attached COA'S

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- **6.** No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flagdays" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here LRIACLE

11 May 24-2013

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John Domio

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey
Division Director
Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth
 within 30 feet of each structure. Single trees and shrubs may be retained if they are well
 spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for
 any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.