Office	ite of New Mexico	Form C-103
	nerals and Natural Resources	Revised August 1, 2011
1625 N. French:Dr., Hobbs, NM 88240		WELL APINO.
District II - (575) 748-1283 811 S. First St., Artesia, NM 88210 OIL CON	SERVATION DIVISION	5. Indicate Type of Lease
District III - (505) 334-6178. 1220	South St. Francis Dr.	STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (503) 476-3460. Sa	nta Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM		
87505	2 TEMBURA ST	7 Forest Nicht Charles II A A Nicht Nicht
SUNDRY NOTICES AND REPORTS ON WELLS. (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A		7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT	f" (FORM C-101) FÓR SUCH	D State Battery
PROPOSALS.)		8. Well Number
	lier	
2. Name of Operator Apache Corporation		9. OGRÍÐ Number 873
3. Address of Operator		10. Pool name of Wildeat
303 Veterans Airpark Lane, Suite 3000 Midland, TX 7	9705	Yeso
4. Well Location		
	om the line and	feet from theline
	hip 17S Range 28E	
	how whether DR, RKB, RT, GR, etc	
13. Lievation (o	non, whether DR, AND, NY, ON, ER	
12. Check Appropriate Box	c to Indicate Nature of Notice	Report or Other Data
12. Check Appropriate Box	Tto maiono rancino or morno	s report of Onior Differ
NOTICE OF INTENTION TO	: SUF	BSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABA	NDON REMEDIAL WOL	RK ☐ ALTERING CASING ☐
TEMPORARILY ABANDON CHANGE PLAN		RILLING OPNS. PANDA .
PULL OR ALTER CASING MULTIPLE COM	MPL 🗌 CASING/CEMEN	NT JOB .
DOMNHOLE COMMINGLE		
OTHER: Flare Gas	CT CTUICS	·m
13. Describe proposed or completed operations.	Clearly state all morthwart details a	Li
of starting any proposed work). SEE RULE 1		
proposed completion or recompletion.	2.15.7.14 DAMC: FOR MENTINE CO	omprenous. Attach, wendore thagrain or
		•
Apache is requesting an extension to temporarily flar	e the D State Battery, The API# for	each well are as follows:
Apache is requesting an extension to temporarily flam	•	
Apache is requesting an extension to temporarily flam	30-015-38411 30-	.015-390 <u>6</u> 9
Apache is requesting an extension to temporarily flar	30-01 <u>5-38411</u> 30- 30-015-38412 .30-	.015-39069 .015-39743
Apache is requesting an extension to temporarily flar 30-015-31257 30-015-32490 30-015-31421 30-015-32483 30-015-30976 30-015-32491	30-015-38411 30- 30-015-38412 30- 30-015-38414 30-	.015-39069 .015-39743 .015-39742
Apache is requesting an extension to temporarily flar 30-015-31257 30-015-32490 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-30975	30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30-	.015-39069 .015-39743 .015-39742 .015-39921
Apache is requesting an extension to temporarily flar 30-015-31257 30-015-32490 30-015-31421 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-30975 30-015-31422 30-015-31390	30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30- 30-015-38469 30-	.015-39069 .015-39743 .015-39742 .015-39921 .015-39922
Apache is requesting an extension to temporarily flar 30-015-31257 30-015-32490 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-30975	30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30- 30-015-38469 30- 30-015-38471 30-	.015-39069 .015-39743 .015-39742 .015-39921
Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31390 30-015-31423 30-015-31939 30-015-31424 30-015-32484	30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30- 30-015-38469 30- 30-015-38588 30- 30-015-38588 30- 30-015-38580 30-	-015-39069 -015-39743 -015-39742 -015-39924 -015-39922 -015-39923
Apache is requesting an extension to temporarily flar 30-015-31257 30-015-32490 30-015-3421 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-31390 30-015-31422 30-015-31586 30-015-31423 30-015-31939 30-015-31424 30-015-32484 30-015-31425 30-015-38408	30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30- 30-015-38469 30- 30-015-38588 30- 30-015-38588 30- 30-015-38589 30-	-015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -045-40311
Apache is requesting an extension to temporarily flar 30-015-31257 30-015-32490 30-015-31421 30-015-32483 30-015-32649 30-015-32491 30-015-32649 30-015-31390 30-015-31422 30-015-31586 30-015-31423 30-015-31939 30-015-31424 30-015-32484 30-015-31425 30-015-38408 30-015-31165 30-015-38409	30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30- 30-015-38469 30- 30-015-38588 30- 30-015-38588 30- 30-015-38589 30-	-015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -045-40311
Apache is requesting an extension to temporarily flar 30-015-31257 30-015-32490 30-015-3421 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-31390 30-015-31422 30-015-31586 30-015-31423 30-015-31939 30-015-31424 30-015-32484 30-015-31425 30-015-38408	30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30- 30-015-38469 30- 30-015-38588 30- 30-015-38588 30- 30-015-38589 30-	-015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -045-40311
Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31939 30-015-31424 30-015-31425 30-015-38408 30-015-32489	30-015-38411 30-30-015-38412 30-015-38412 30-015-38585 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068	-015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -045-40311
Apache is requesting an extension to temporarily flar 30-015-31257 30-015-32490 30-015-31421 30-015-32483 30-015-32649 30-015-32491 30-015-32649 30-015-31390 30-015-31422 30-015-31586 30-015-31423 30-015-31939 30-015-31424 30-015-32484 30-015-31425 30-015-38408 30-015-31165 30-015-38409	30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30- 30-015-38469 30- 30-015-38588 30- 30-015-38588 30- 30-015-38589 30-	-015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -045-40311
Apache is requesting an extension to temporarily flare 30-015-31257 30-015-32490 30-015-32483 30-015-32491 30-015-32491 30-015-32491 30-015-31422 30-015-31586 30-015-31423 30-015-31939 30-015-31424 30-015-31425 30-015-38408 30-015-32489	30-015-38411 30-30-015-38412 30-015-38412 30-015-38585 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068	-015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -045-40311
Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32490 30-015-32483 30-015-32649 30-015-32649 30-015-31422 30-015-31423 30-015-31423 30-015-31424 30-015-31424 30-015-31424 30-015-31424 30-015-31425 30-015-38408 30-015-32489 Spud Date:	30-015-38411 30-30-015-38412 30-30-015-38414 30-30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 30-015-39068	-015-39069 -015-39743 -015-39924 -015-39922 -015-39923 -015-40310 -045-40311 -015-40314
Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32490 30-015-32483 30-015-32481 30-015-32491 30-015-32649 30-015-31390 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31939 30-015-31424 30-015-32484 30-015-31425 30-015-38408 30-015-32489	30-015-38411 30-30-015-38412 30-30-015-38414 30-30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 30-015-39068	-015-39069 -015-39743 -015-39924 -015-39922 -015-39923 -015-40310 -045-40311 -015-40314
Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32490 30-015-31424 30-015-32483 30-015-32649 30-015-31390 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31939 30-015-31424 30-015-32484 30-015-31425 30-015-38408 30-015-31489 Spud Date:	30-015-38411 30-30-015-38412 30-30-015-38414 30-30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 30-015-39068	-015-39069 -015-39743 -015-39924 -015-39922 -015-39923 -015-40310 -045-40311 -015-40314
Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32490 30-015-31424 30-015-32483 30-015-32649 30-015-31390 30-015-31422 30-015-31586 30-015-31423 30-015-31586 30-015-31424 30-015-31939 30-015-31424 30-015-32484 30-015-31425 30-015-38408 30-015-31489 Spud Date:	30-015-38411 30-30-015-38412 30-30-015-38414 30-30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 30-015-39068	-015-39069 -015-39743 -015-39924 -015-39922 -015-39923 -015-40310 -045-40311 -015-40314
Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32490 30-015-32483 30-015-32649 30-015-32649 30-015-31422 30-015-31390 30-015-31423 30-015-31423 30-015-31424 30-015-31424 30-015-31425 30-015-31465 30-015-31465 30-015-32489 Spud Date: Lhereby certify that the information above is true and of the street of the street of	30-015-38411 30-30-015-38412 30-015-38412 30-30-015-38414 30-30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 30-015-39068 TITLE Regulatory Tech I	015-39069 015-39743 015-39742 015-39921 015-39923 015-40310 015-40311 015-40314 015-40314 DATE 05/21/2013
Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32490 30-015-32483 30-015-32991 30-015-32991 30-015-32491 30-015-31997 30-015-31422 30-015-31586 30-015-31423 30-015-31424 30-015-32484 30-015-31425 30-015-32489 Spud Date: Type or print name: Fatima Vasquez	30-015-38411 30-30-015-38412 30-30-015-38414 30-30-015-38585 30-30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015	015-39069 015-39743 015-39742 015-39921 015-39923 015-40310 015-40311 015-40313 015-40314
Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32490 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-31422 30-015-31423 30-015-31586 30-015-31424 30-015-31424 30-015-31425 30-015-32489 Spud Date: I.hereby certify that the information above is true and of the street of the street of the street of the street and of the street of th	30-015-38411 30-30-015-38412 30-015-38412 30-30-015-38414 30-30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 30-015-39068 TITLE Regulatory Tech I	015-39069 015-39743 015-39742 015-39921 015-39923 015-40310 015-40311 015-40314 015-40314 DATE_05/21/2013
Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32490 30-015-32483 30-015-32976 30-015-32491 30-015-32649 30-015-31422 30-015-31390 30-015-31423 30-015-31423 30-015-31423 30-015-31424 30-015-31425 30-015-32489 Spud Date: Type or print name Fatima Vasquez For State Use Only	30-015-38411 30-30-015-38412 30-015-38412 30-30-015-38414 30-30-015-38585 30-30-015-38469 30-30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 30-015-39068 TITLE Regulatory Tech I E-mail address: Fatima Vasquez@s	015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313 015-40314 DATE 05/21/2013 PHONE: (432) 818-1015
Apache is requesting an extension to temporarily flam 30-015-31257 30-015-32490 30-015-32483 30-015-32991 30-015-32991 30-015-32491 30-015-31997 30-015-31422 30-015-31586 30-015-31423 30-015-31424 30-015-32484 30-015-31425 30-015-32489 Spud Date: Type or print name: Fatima Vasquez	30-015-38411 30-30-015-38412 30-015-38412 30-30-015-38414 30-30-015-38585 30-30-015-38469 30-30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 30-015-39068 TITLE Regulatory Tech I E-mail address: Fatima Vasquez@s	015-39069 015-39743 015-39742 015-39921 015-39923 015-40310 015-40311 015-40314 015-40314 DATE_05/21/2013

District 1
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

VFO Permit	No.	
	_	(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

	(See Rine 13.12.19.15 MANC	and Rule 19.15.7.57 NIMAC)			
Ą,	Applicant Apache Corporation		<u>.</u> ,9		
	whose address is 1945 Bluestem Road, Artesia, NM 38210				
	hereby requests an exception to Rule 19,15.1	Öα	days or until		
	, Yr,	for the following described tank battery (or	LACT):		
	Name of Lease D State Battery				
	Location of Battery: Unit Letter	Section 36 Township 178 Range	28E		
·	Number of wells producing into battery	41	 		
В.	Based upon oil production of	barrels per day, the estimated *	volume.		
	of gas to be flared is2.3M	MCF; Value	_per day.		
C.	Name and location of nearest gas gathering f				
.D.	Distance Estimated c				
Æ.	This exception is requested for the following	reasons: Frontier Gas has shut Apach	ne out		
	of their gas line as a secondary selling point. Our primary buyer is DCP: We				
	need a way of relief if DCP slam valve shuts, which would be to flare.				
OPERATOR	: that the rules and regulations of the Oil Conservation	OIL CONSERVATION DIVISION			
Division have be	en complied with and that the information given above lete to the best of my knowledge and belief.	Approved Until Aug 30-2013	PIN -		
Signature		By ADOOL			
Printed Name & Title	Fatima Vasquez - Regulatory Tech	Title Dist & Supervisor	7		
E-mail Addre	Fatima Vasquez@apachecorp.com	Date 5/34/2013			
Date 05/21/	2013 Telephone No. (432) 818-1015	:			

* Gas-Oil ratio test may be required to verify estimated gas volume.

X SEE Attached COA'S

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days.

 http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red-flagdays" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here LRICLe

1 1- May 24 = 2013

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey
Division Director
Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth
 within 30 feet of each structure. Single trees and shrubs may be retained if they are well
 spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for
 any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.