Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

	_	 , ,,
NOTICES AND REPORTS ON WELLS		
form for proposals to drill or to re-enter	an	

SUNDRY I Do not use this NMNM14768

5. Lease Serial No.

abandoned we	6. If Indian, Allotted	e or Tribe Name				
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				reement, Name and/or No.		
i. Type of Well ☑ Oil Well ☐ Gas Well ☐ Ot	her		8. Well Name and N CERF 10 FEDE			
2. Name of Operator DEVON ENERGY PRODUCT		TRINA C COUCH UCH@DVN.COM	9. API Well No. 30-015-41058			
3a. Address DEVON ENERGY PRODUCI OKLAHOMA CITY, OK: 7310		3b. Phone No. (include area code HEIRIDONAMONA (10. Field and Pool, CITY, OK 73102.450A5ON; BO			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. County or Paris	11. County or Parish, and State		
Sec 9 T21S R27E 1275FNL 300FEL			EDDY COUN	EDDY COUNTY COUNTY, NM		
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, REPORT, OR OTH	ER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION					
✓ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off		
Nonce of Attent	☐ Alter Casing	☐ Fracture Treat	■ Reclamation	■ Well Integrity		
■ Subsequent Report	□ Casing Repair	■ New Construction	☐ Recomplete	Other		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof.

If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

□ Plug Back

□ Plug and Abandon

Devon Energy Production Company L.P. respectfully requests to combine the conductor and surface casing for the Cerf 10 Fed 3H (API #30-015-41058 w/ Cerf 10 Fed 4H API # 30-015-41059). The proposal is to set surface casing (94# BT&C J/K-55 same as permitted) with a "rat-hole" rig at the same depth as originally permitted of 175' and cement. Cementing volumes remain as permitted.

☐ Change Plans

Convert to Injection

☐ Final Abandonment Notice

NMOCD

Change to Original A

NMOCD ARTESIA

SEE ATTACHED FOR **CONDITIONS OF APPROVAL**

■ Water Disposal

■ Temporarily Abandon

14. I hereby certify that the	ne foregoing is true and correct. Electronic Submissi For DEVON EN Committed to AFMSS	IERGY PRODUCIT C	ON CO.,	LP, sent to th	e Carls	oad .			
Name(Printed/Typed)	TRINA C COUCH		Title	REGULATO	PY AS	SQCIATE,	MILL		
Signature	(Electronic Submission)		Date	05/28/2013		APPI	TUVED		
THIS SPACE FOR FEDERAL OR STATE OFFICE USE AUN 6 2013									
Approved By Conditions of approval, if ar certify that the applicant hole	ny, are attached. Approval of this notice	does not warrant or in the subject lease	Title		BÜ	5 F 11 OF 1	JOHN MARIAGE		
which would entitle the applicant to conduct operations thereon.		Office							

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Mason, Jennifer <jamason@blm.gov>

Fwd: Cerf 10 Fed 3H & 4H Sundry

2 messages

Fernandez, Edward <efernand@blm.gov>
To: Jennifer Mason <jamason@blm.gov>

Thu, Jun 6, 2013 at 9:02 AM

Edward G. Fernandez
Petroleum Engineer
BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE
620 E. Greene St
Carlsbad, NM 88220

Ph: (575) 234-2220 FAX: (575) 234-5927

----- Forwarded message ------

From: Schmitz, Kurtis < Kurtis. Schmitz@dvn.com>

Date: Thu, Jun 6, 2013 at 9:00 AM

Subject: RE: Cerf 10 Fed 3H & 4H Sundry To: "efernand@blm.gov" <efernand@blm.gov>

Ed,

Below is what I submitted to regarding combining the conductor and surface casing. Please call me if you need further detail.

Dewon respectfully request to combine the conductor and surface casing for the Cerf 10 Fed 3H and 4H. The proposal is to set surface casing (94# BT&C J/K-55 same as permitted) with a "rat-hole" rig at the same depth as originally permitted of 175' and cement. Cementing volumes remain as permitted. Cactus 126 is planned to begin moving onto the Cerf 10 Fed 3H location by Thursday June 6th from the Burton Flat Deep Unit 55H. The Cerf 10 Fed 4H will be drilled following the Cerf 10 Fed 3H.

Wesley stated (below) there was missing information:

- 1) "did not specify that the cementing would be done using the float/plug method as would have been used if set inside of the conductor". This statement is added to the sundry at the bottom of the email.
- 2) "there was no timeline for when the big rig will arrive and commence the remainder of the hole". I did state in the sundry the rig will be moving onto this location Thursday June 6^{th.}. We are a few days delayed, but the Cerf 3H and the 4H are the next 2 wells. A revised date to move to the Cerf 3H would be 6-10-13. However we need time to arrange for the conductor/surface casing to be set.

Revised sundry request

Devon respectfully request to combine the conductor and surface casing for the Cerf 10 Fed 3H and 4H. The proposal is to set surface casing (94# BT&C J/K-55 same as permitted) with a "rat-hole" rig at the same depth as originally permitted of 175' and cement. Cementing method will be using the plug method by under displacing by 10-bbs and shutting in the casing while under pressure. Cementing volumes remain as permitted. Cactus 126 is planned to begin moving onto the Cerf 10 Fed 3H location by Thursday June 10th from the Burton Flat Deep Unit 55H. The Cerf 10 Fed 4H will be drilled following the Cerf 10 Fed 3H.

Thanks Kurtis Schmitz

405-420-6775

From: Ingram, Wesley [mailto:wingram@blm.gov]

Sent: Wednesday, June 05, 2013 10:50 PM

To: Schmitz, Kurtis

Subject: Re: Cerf 10 Fed 3H & 4H Sundry

I am in Albuquerque for meetings. I did talk to Ed about them and the sundries appear to be incomplete. He stated that they did not specify that the cementing would be done using the float/plug method as would have been used if set inside of the conductor. It did state that the cement program would not change.

Second, according to Ed, there was no timeline for when the big rig will arrive and commence the remainder of the hole. That was an item that you and I discussed.

Sincerely,

Wesley W. Ingram Supervisory Petroleum Engineer Bureau of Land Management Carlsbad Field Office 620 E. Greene Street

Phone: 575-234-5982 Fax: 575-234-5927

On Wed, Jun 5, 2013 at 1:46 PM, Schmitz, Kurtis <Kurtis.Schmitz@dvn.com> wrote:

Wesley,

We discussed using the surface & conductor as the same string. I submitted the sundry last week. We will be

Cerf 10 Federal 3H 30-015-41058 Devon Energy Production Co. June 06, 2013 Conditions of Approval

The original COAs still stand with the following changes:

- 1. Operator must contact BLM 4 hours prior to setting the conductor/surface casing at 575-200-7902. If no answer, leave a voice mail with the API#, workover purpose, and a call back phone number. Note the contact, time, & date in your subsequent report.
- 2. Operator must ensure that wildlife will not be in danger of falling into the cellar by constructing a fence or other structure to detour the wildlife.
- 3. Operator must contact BLM 24 hours prior to drilling the intermediate casing hole at 575-200-7902. If no answer, leave a voice mail with the API#, workover purpose, and a call back phone number. Note the contact, time, & date in your subsequent report.

JAM 060613