Form 3160-5 UNITED STATES OCD Arte March 2012) DEPARTMENT OF THE INTERIORECEIVED BUREAU OF LAND MANAGEMENT			ON Expi 5. Lease Serial No.	RM APPROVED MB No. 1004-0137 res: October 31, 2014	
SUNDRY NOTICES AND REPORTS ON WELLS 1 2013 Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for Such proposals SIA					
SUBMIT	on page 2.	7. If Unit of CA/Agreem	7. If Unit of CA/Agreement, Name and/or No. NM70798X		
I. Type of Well Gas W		8. Well Name and No. Burton Flat Deep Unit 52H			
2. Name of Operator Devon Energy Production Company		9. API Well No. 30-015-40693	API Well No. J-015-40693		
3a. Address 3b. Phone No. (333 W. Sheridan Avenue 405-228-4248 Oklahoma City, Oklahoma 73102 405-228-4248		lo. (include area code) 248		10. Field and Pool or Exploratory Area Avalon; Bone Spring, East	
4. Location of Well (Footage, Sec., T., SHL: 4000' FNL & 50' FEL, Lot 16, Sec 3, 215-2		11. County or Parish, State Eddy County, NM			
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA					
TYPE OF SUBMISSION TYPE OF ACTION					
Notice of Intent	= =	·	duction (Start/Resume)	Water Shut-Off Well Integrity	
Subsequent Report			complete	Other Spud Report	
Final Abandonment Notice		-	nporarily Abandon ater Disposal		
 testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.) 12/24/12 - 12/26/12: MIRU. Spud well @ 02:00 hrs. 10/23/12: TD 26" hole @ 300'. RIH w/7 jts 20" 94# J-55 BTC csg & set @ 300'. Lead w/685 sx Cl "C" cmt, yld: 1.35 cf/sx. Displace w/ 92 bbls FW. Circ 158 sx to surf. Test BOP's 250 psi L, 1500 psi H. Test annular 250 psi L 3000 psi H, 10 mins, Good Test. Test casing to 1050 psi and held for 30 minutes. (Good Test). 12/27/12 - 12/29/12: TD 17-1/2" hole @ 852'. RIH w/22 jts 13-3/8" 68# K-55 BTC csg & set @ 852'. Lead w/600 sx Cl "C" cmt, yld: 1.74 cf/sx. Tail w/300 sx cmt, yld: 1.34 cf/sx. Disp w/121 bbls FW. Circ 193 sx to surf. WOC. Test BOP's 250 psi L, 3000 psi H. Test Annular 250 psi L 2500 psi H, 10 mins, good test. Test casing to 1500 psi and held for 30 minutes. (Good Test) 12/30/12 - 12/31/12: TD 12-1/4" hole @ 2700'. RIH w/62 jts 9-5/8" 40# J-55 STC csg & set @ 2700'. Lead w/720 sx Cl C, yld 1.74 sf/sx. Tail w/600 sx Cl C, yld: 1.38 cf/sx; displ w/201 bbls FW. Circulated 484 sx cmt to surface. RD cmt equip. Test BOP's 250 psi L, 5000 psi H. Test Annular 250 psi L 2500 psi H, 10 mins, good test. Test casing to 1500 psi and held for 30 minutes. (Good Test). 1/01/13: Drilled 8-3/4" Pilot hole to 6852'. TIH w/whipstock and set @ 6165. Pumped 300 sx Cl H cmt, yield 1.18. 01/14/13 - 01/16/13: TD 8-3/4" production hole @ 11,457'. CHC. RIH w/163 jts 5-1/2" 17# HCP-110 BTC & 94 jts 5-1/2" HCP-110 LTC csg, set @ 11457'; CHC. 1st lead w/400 sx Cl H, Yld 2.0 cf/sx, Tail w/1,050 sx Cl "H" cmt, Yld 1.28 cf/sx; disp w/ 180 bbls 2% KCL; Land DV tool @ 3515'. Pump 250 sx Cl C cement, yield 1.378. Displace w/79 bbls FW. 					
01/17/13: RDMO. Release Rig @ 06:00 hrs. 14. Thereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			NOCO USDate		
Patti Riechers	······································	Title Regulatory Specia		6/7/2013	
Signature Patti Dieshero		Date 05/15/2013	ACCEPT	FD FOR RECORD	
THIS SPACE FOR FEDERAL OR STATE OFFICE USE					
Approved by			M	IAY 2 5 2013	
Conditions of approval, if any, are attache that the applicant holds legal or equitable entitle the applicant to conduct operations	n would Office	RUDEAU	and anot		
Title 18 U.S.C. Section 1001 and Title 43 fictitious or fraudulent statements or repre- (Instructions on page 2)	U.S.C. Section 1212, make it a crime for an esentations as to any matter within its jurisdi	y person knowingly and willfull ction.	y to make to any department	UF LAND MANAGEMENT engency of the United States any false, SBAU FIELD UFFICE	