

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.***SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other		5. Lease Serial No. NMNM05067
2. Name of Operator BURNETT OIL COMPANY INC		6. If Indian, Allottee or Tribe Name
Contact: LESLIE M GARVIS E-Mail: lgarvis@burnettoil.com		7. If Unit or CA/Agreement, Name and/or No.
3a. Address 801 CHERRY STREET UNIT 9 FORT WORTH, TX 76102-6881	3b. Phone No. (include area code) Ph: 817-332-5108 Ext: 6326	8. Well Name and No. GISSLER B 98
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 8 T17S R30E NENE 1160FNL 330FEL 32.853010 N Lat, 103.986128 W Lon		9. API Well No. 30-015-41368-00-X1
		10. Field and Pool, or Exploratory LOCO HILLS
		11. County or Parish, and State EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
☒ Notice of Intent	☐ Acidize ☐ Deepen ☐ Production (Start/Resume) ☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing ☐ Fracture Treat ☐ Reclamation ☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair ☐ New Construction ☐ Recomplete ☒ Other
	☐ Change Plans ☐ Plug and Abandon ☐ Temporarily Abandon ☐ Change to Original APD
	☐ Convert to Injection ☐ Plug Back ☐ Water Disposal

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Burnett Oil would like to change the bottom hole location on this well from 990 FNL 330 FEL to 955 FNL 352 FEL. This request is due to the fact that this location is close to the lease line and we would like to ensure that we do not get too close to the East Line and create an NSL location. I have attached the directional plan for your records.

Accepted for record

NMOCB

Wade July 23, 2013

RECEIVED

JUL 23 2013

Original COAs still stand

Provide C102 updated

14. I hereby certify that the foregoing is true and correct.	
Electronic Submission #213845 verified by the BLM Well Information System For BURNETT OIL COMPANY INC, sent to the Carlsbad Committed to AFMSS for processing by WESLEY INGRAM on 07/17/2013 (13WWI0225SE)	
Name (Printed/Typed) LESLIE M GARVIS	Title REGULATORY COORDINATOR
Signature (Electronic Submission)	Date 07/17/2013
THIS SPACE FOR FEDERAL OR STATE OFFICE USE	
Approved By _____	Title _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office _____
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.	


** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Burnett Oil Company, Inc

Gissler B 98

Eddy County, New Mexico

<= West East => 1 inch = 100 ft



Vertical Section on 353.69 deg azimuth with reference 0.00 N, 0.00 E

Coker Energy Services

Company: Burnett Oil Company, Inc.
Well: Gissler B #98
Location: Eddy County, New Mexico

Date: 16-Jul-2013

Rev 3

Page 1

Job#: 7224

NAD27 Nm East gr elev=3689

MD (feet)	Inclination (degrees)	Azimuth (degrees)	TVD RKB (feet)	N/-S (feet)	E/-W (feet)	DLS (deg/100')	VS @ 359.76° Az (feet)	Grid Y	Grid X	Comments
Surface Location								674211.60	606623.90	1160 FNL 330 FEL
2000.00	0.00	0.00	2000.00	0.00	0.00	0.00	0.00	674211.60	606623.90	KOP Begin 1.5°/100' Build
2100.00	1.50	353.69	2099.99	1.30	-0.14	1.50	1.31	674212.90	606623.76	
2200.00	3.00	353.69	2199.91	5.20	-0.58	1.50	5.23	674216.80	606623.32	
2300.00	4.50	353.69	2299.69	11.70	-1.29	1.50	11.77	674223.30	606622.61	
2341.38	5.12	353.69	2340.92	15.15	-1.67	1.50	15.24	674226.75	606622.23	Begin 5.12° Tangent Section
2400.00	5.12	353.69	2399.31	20.35	-2.25	0.00	20.48	674231.95	606621.65	
2500.00	5.12	353.69	2498.91	29.22	-3.23	0.00	29.40	674240.82	606620.67	
2600.00	5.12	353.69	2598.51	38.10	-4.21	0.00	38.33	674249.70	606619.69	
2700.00	5.12	353.69	2698.11	46.97	-5.19	0.00	47.25	674258.57	606618.71	
2800.00	5.12	353.69	2797.72	55.84	-6.17	0.00	56.18	674267.44	606617.73	
2900.00	5.12	353.69	2897.32	64.71	-7.15	0.00	65.10	674276.31	606616.75	
3000.00	5.12	353.69	2996.92	73.58	-8.13	0.00	74.03	674285.18	606615.77	
3100.00	5.12	353.69	3096.52	82.45	-9.11	0.00	82.95	674294.05	606614.79	
3200.00	5.12	353.69	3196.12	91.32	-10.09	0.00	91.88	674302.92	606613.81	
3300.00	5.12	353.69	3295.72	100.19	-11.07	0.00	100.80	674311.79	606612.83	
3400.00	5.12	353.69	3395.32	109.07	-12.05	0.00	109.73	674320.67	606611.85	
3500.00	5.12	353.69	3494.92	117.94	-13.04	0.00	118.66	674329.54	606610.86	
3600.00	5.12	353.69	3594.52	126.81	-14.02	0.00	127.58	674338.41	606609.88	
3700.00	5.12	353.69	3694.12	135.68	-15.00	0.00	136.51	674347.28	606608.90	
3800.00	5.12	353.69	3793.72	144.55	-15.98	0.00	145.43	674356.15	606607.92	
3900.00	5.12	353.69	3893.33	153.42	-16.96	0.00	154.36	674365.02	606606.94	
4000.00	5.12	353.69	3992.93	162.29	-17.94	0.00	163.28	674373.89	606605.96	
4100.00	5.12	353.69	4092.53	171.16	-18.92	0.00	172.21	674382.76	606604.98	
4200.00	5.12	353.69	4192.13	180.04	-19.90	0.00	181.13	674391.64	606604.00	
4300.00	5.12	353.69	4291.73	188.91	-20.88	0.00	190.06	674400.51	606603.02	
4312.32	5.12	353.69	4304.00	190.00	-21.00	0.00	191.16	674401.60	606602.90	Top of Glorietta Begin 1.5°/100'
4400.00	3.81	353.69	4391.41	196.78	-21.75	1.50	197.98	674408.38	606602.15	drop
4500.00	2.31	353.69	4491.27	202.08	-22.34	1.50	203.31	674413.68	606601.56	
4600.00	0.81	353.69	4591.23	204.78	-22.63	1.50	206.02	674416.38	606601.27	

Coker Energy Services

Company: Burnett Oil Company, Inc.
Well: Gissler B #98
Location: Eddy County, New Mexico

Date: 16-Jul-2013

Rev 3

Page 2

Job# : 7224

NAD27 Nm East gr elev=3689

MD (feet)	Inclination (degrees)	Azimuth (degrees)	TVD RKB (feet)	N/-S (feet)	E/-W (feet)	DLS (deg/100')	VS @ 359.76° Az (feet)	Grid Y	Grid X	Comments
4653.70	0.00	353.69	4644.92	205.15	-22.67	1.50	206.40	674416.75	606601.23	Begin Vertical Hold Section
4700.00	0.00	353.69	4691.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
4800.00	0.00	353.69	4791.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
4900.00	0.00	353.69	4891.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
5000.00	0.00	353.69	4991.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
5100.00	0.00	353.69	5091.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
5200.00	0.00	353.69	5191.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
5300.00	0.00	353.69	5291.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
5400.00	0.00	353.69	5391.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
5500.00	0.00	353.69	5491.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
5600.00	0.00	353.69	5591.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
5700.00	0.00	353.69	5691.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
5800.00	0.00	353.69	5791.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
5900.00	0.00	353.69	5891.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
6000.00	0.00	353.69	5991.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
6100.00	0.00	353.69	6091.23	205.15	-22.67	0.00	206.40	674416.75	606601.23	
6108.77	0.00	353.69	6100.00	205.15	-22.67	0.00	206.40	674416.75	606601.23	PBHL/TD