

Submit To Appropriate District Office
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 811 S. First St., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources
 Oil Conservation Division
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

RECEIVED
 JUL 19 2013
 OROCD ARTESIA

Form C-105
 Revised August 1, 2011

1. WELL API NO.
 30-015-22002
 2. Type of Lease
 STATE FEE FED/INDIAN
 3. State Oil & Gas Lease No.
 K-5115

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:
 COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
 C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name
 Stonewall EP State
 6. Well Number:
 2

7. Type of Completion:
 NEW WELL WORKOVER DEEPENING PLUGBACK DIFFERENT RESERVOIR OTHER **RECOMPLETION**

8. Name of Operator
 Yates Petroleum Corporation

9. OGRID
 025575

10. Address of Operator
 105 South Fourth Street, Artesia, NM 88210

11. Pool name or Wildcat
 Penlon; Bone Spring, East (Oil)

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	19	20S	28E		660	South	1980	West	Eddy
BH:										

13. Date Spudded RC 6/6/13
 14. Date T.D. Reached 2/6/77
 15. Date Rig Released NA
 16. Date Completed (Ready to Produce) 7/7/13
 17. Elevations (DF and RKB, RT, GR, etc.)
 3300'GR 3315'KB

18. Total Measured Depth of Well 11,500'
 19. Plug Back Measured Depth 8535'
 20. Was Directional Survey Made? No
 21. Type Electric and Other Logs Run CBL/GR/CCL

22. Producing Interval(s), of this completion - Top, Bottom, Name
 6274'-6360' Bone Spring

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED

REFER TO ORIGINAL COMPLETION

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	6175'	

26. Perforation record (interval, size, and number)
 6274'-6360' (38)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
6274'-6360'	Frac w/225,540# 20/40 Ottawa and Super LC resin coated sand

PRODUCTION

Date First Production 7/8/13		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping			Well Status (Prod. or Shut-in) Producing		
Date of Test 7/10/13	Hours Tested 24	Choke Size NA	Prod'n For Test Period 4	Oil - Bbl 4	Gas - MCF 103	Water - Bbl. 198	Gas - Oil Ratio NA
Flow Tubing Press. NA	Casing Pressure NA	Calculated 24-Hour Rate	Oil - Bbl. 4	Gas - MCF 103	Water - Bbl. 198	Oil Gravity - API - (Corr.) NA	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
 Sold

30. Test Witnessed By
 T. Vazquez

31. List Attachments
 Log

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude Longitude NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature  Printed Name Tina Huerta Title Regulatory Reporting Supervisor Date July 17, 2013

E-mail Address: tinah@yatespetroleum.com

TH

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T	T. Entrada	
T. Wolfcamp	T	T. Wingate	
T. Penn	T	T. Chinle	
T. Cisco (Bough C	T	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....
 No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
			REFER TO ORIGINAL COMPLETION				