ubmit 1 Copy To Appropriate Distric	t	State of New Mexico			Form C-10
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources		Revised August 1, 201		
625 N. French Dr., Hobbs, NM 8824(<u>District II</u> – (575) 748-1283	•	ONGEDUATION DIVIG	NIONI '	WELL APTNO:	
11 S. First St., Artesia, NM 88210 District III (505) 334-6178		OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		S. Indicate Type of Lease	
000 Rio Brazos Rd., Aztec, NM 8741 District IV - (505) 476-3460	0	Santa Fe, NM 87505		STATE [6. State Oil & Ga	
220 S. St. Francis Dr., Santa Fe, NM 7505					· · · · · · · · ·
		PORTS ON WELLS		7. Lease Name of	Unit Agreement Name
DO NOT USE THIS FORM FORM FORM DIFFERENT RESERVOIR, USE "AF ROPOSALS.)	PLICATION FOR PE	RMIT" (FORM C-101) FOR SUCH		Washington 33 Sta	ite
. Type of Well: Oil Well 🔽] Gas Well	Öther	•	8. Well Number	
2. Name of Operator ! Apache Corporation !			9. OGRID Numb 873	er	
Address of Operator		······································	· · ·	10. Pool name or	
03 Veterans Airpark Lane, Suit . Well Location	te 3000 Midland, 1	X 79705		Yeso (96830) & Gi	ayburg-San Andres (32
Unit Letter	:fee	t from the li	ne and	:feet fro	in the line
Section 33	Tc	wnship 17S Range 281		NMPM	County Eddy
	11. Elevatio	n (Show whether DR; RKB; R	RT, GR, etc)	2000 - 2000 2000 - 2000 2000 - 2000
12. Chec	ck Appropriate	Box to Índicate Nature o	of Notice,	Report or Other,	Data
NOTICE OF		TO:	SUE	SEQUENT RE	PORT OF:
PERFORM REMEDIAL WORK			DIAL WÖF	к 🗌	ALTERING CASING
EMPORARILY ABANDON PULL OR ALTER CASING	CHANGE P MULTIPLE		IENCE DR		:P'AND:A [
		housed a second	c .		
DTHER: Flare Gas		0THE	R:		
13. Describe proposed or co	ompleted operation	is. (Clearly state all pertinent	t details, an	id give pertinent date	es, including estimated d
		LE 19.15.7.14 NMAC: For N	Auttiple Co	mpletions: Attach v	vellbore diagram of
proposed completion of Apache is requesting permission	recompletion. on to temporarily fl	are all of the Washington 33 s	••••		~~~
proposed completion of Apache is requesting permission measured prior to flaring. 'The	r recompletion. on to temporarily fl API# for each wel	are all of the Washington 33 s l are as follows:	Staté wells.	Intermittent flaring	will occur and gas will be
proposed completion or Apache is requesting permissi measured prior to flaring. 'The 30-015-30299 30 30-015-30276 30	r recompletion. on to temporarily fl API# for each wel 0-015-22821 0-015-30332	are all of the Washington 33 S are as follows: .30-015-39895 .30-015-39883	State wells. 30-(30-(Intermittent flaring \ 015-40020 015-40021	vill occur and gas will be 30-015-40078 30-015-40114
proposed completion of Apache is requesting permissi measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30277 31	r recompletion. on to temporarily fl API# for each wel D-015-22821	are all of the Washington 33 S lare as follows: 30-015-39895 30-015-39883 30-015-39883	State wells. 30-(30-(30-0)	Intermittent flaring A	vill occur and gas will be 30-015-40078- 30-015-40114 30-015-40110
proposed completion or Apache is requesting permissi measured prior to flaring. 'The 30-015-30299 30 30-015-30276 30 30-015-30138 30 30-015-30138 30 30-015-30189 30	r:recompletion. on to temporarily fl API# for each wel 0-015-22821 0-015-30332 0-015-30195 0-015-30195 0-015-30196 0-015-30334	are all of the Washington 33 S l are as follows: 30-015-39895 30-015-39883 30-015-39884 30-015-39885 30-015-39886	State wells. 30-(30-(30-(30-(30-(30-(Intermittent flaring 015-40020 015-40021 015-40022 015-40023 015-40087	will occur and gas will be 30-015-40078- 30-015-40114 30-015-40110 30-015-40115 30-015-40115 30-015-40111
proposed completion of Apache is requesting permissi measured prior to flaring. 'The 30-015-30299 30 30-015-30276 30 30-015-30138 30 30-015-30189 30 30-015-30190 30	r:recompletion. on to temporarily fl API# for each wel 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-30334 0-015-01690	are all of the Washington 33 S l are as follows: 30-015-39895 30-015-39883 30-015-39884 30-015-39885 30-015-39886 30-015-39886 30-015-40015	Staté wells. 30-(30-(30-(30-(30-(30-(30-(30-(Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40087 015-40088	will occur and gas will be 30-015-40078- 30-015-40114 30-015-40110 30-015-40115 30-015-40111 30-015-40111
proposed completion of Apache is requesting permissi measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30138 30 30-015-30189 30 30-015-30190 30 30-015-30191 30	r:recompletion. on to temporarily fl API# for each wel 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-30334 0-015-01690 0-015-22464 0-015-22605	are all of the Washington 33 5 l are as follows: 30-015-39895 30-015-39883 30-015-39884 30-015-39885 30-015-39886 30-015-40015 30-015-40014 -30-015-40016	Staté wells. 30-(30-(30-(30-(30-(30-(30-(30-(Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40087 015-40088 015-40089 015-40089	will occur and gas will be 30-015-40078- 30-015-40114 30-015-40110 30-015-40115 30-015-40111 30-015-40111 30-015-40116 30-015-40117 30-015-40112
proposed completion of Apache is requesting permissi measured prior to flaring, 'The 30-015-30299 30 30-015-30276 30 30-015-30138 30 30-015-30138 30 30-015-30190 30 30-015-30191 30 30-015-30193 30 30-015-22524 30	recompletion. on to temporarily fl API# for each well 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-30334 0-015-01690 0-015-22464 0-015-22605 0-015-22124	are all of the Washington 33 S l are as follows: 30-015-39895 30-015-39883 30-015-39884 30-015-39885 30-015-39886 30-015-39886 30-015-40015 30-015-40014 -30-015-40016 -30-015-40017	Staté wells. 30-(30-(30-(30-(30-(30-(30-(30-(Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40087 015-40088 015-40089 015-40089 015-40090	will occur and gas will be 30-015-40078 30-015-40114 30-015-40110 30-015-40115 30-015-40111 30-015-40111 30-015-40116 30-015-40117 30-015-40112 30-015-40118
proposed completion of Apache is requesting permissi measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30138 30 30-015-30199 30 30-015-30191 30 30-015-30193 30 30-015-22524 30 30-015-20194 30	r:recompletion. on to temporarily fl API# for each wel 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-30334 0-015-01690 0-015-22464 0-015-22605	are all of the Washington 33 5 l are as follows: 30-015-39895 30-015-39883 30-015-39884 30-015-39885 30-015-39886 30-015-40015 30-015-40014 -30-015-40016	State wells. 30-(30-(30-(30-(30-(30-(30-(30-(Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40087 015-40088 015-40089 015-40089	will occur and gas will be 30-015-40078 30-015-40114 30-015-40110 30-015-40115 30-015-40111 30-015-40111 30-015-40116 30-015-40117 30-015-40112
proposed completion of Apache is requesting permissi measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30138 30 30-015-30199 30 30-015-30191 30 30-015-30193 30 30-015-22524 30 30-015-20194 30	recompletion. on to temporarily fl API# for each wel 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-30334 0-015-01690 0-015-22464 0-015-22605 0-015-22124 0-015-22124	are all of the Washington 33 5 are as follows: 30-015-39895 30-015-39883 30-015-39884 30-015-39885 30-015-39886 30-015-39886 30-015-40015 30-015-40014 -30-015-40017 -30-015-40018	State wells. 30-(30-(30-(30-(30-(30-(30-(30-(Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40087 015-40088 015-40089 015-40089 015-40090 015-40090	will occur and gas will be 30-015-40078- 30-015-40114 30-015-40110 30-015-40115 30-015-40115 30-015-40111 30-015-40116 30-015-40117 30-015-40112 30-015-40118 30-015-40119
proposed completion of Apache is requesting permissi measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30138 30 30-015-30189 30 30-015-30190 30 30-015-30191 30 30-015-30193 30 30-015-22524 30 30-015-22524 30 30-015-22524 30 a0-015-22822 30 mid.Date:	r recompletion. on to temporarily fl API# for each wel 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-30334 0-015-01690 0-015-22464 0-015-22605 0-015-22405 0-015-22417 0-015-22465	are all of the Washington 33 S l are as follows: 30-015-39895 30-015-39883 30-015-39885 30-015-39886 30-015-39886 30-015-40015 30-015-40014 30-015-40016 30-015-40017 30-015-40018 30-015-40019 Rig Release Date:	Staté wells. 30-(30-(30-(30-(30-(30-(30-(30-(Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40087 015-40088 015-40089 015-40090 015-40076 015-40077	will occur and gas will be 30-015-40078 30-015-40114 30-015-40110 30-015-40115 30-015-40111 30-015-40111 30-015-40116 30-015-40112 30-015-40118 30-015-40119
proposed completion of Apache is requesting permissi measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30138 30 30-015-30189 30 30-015-30190 30 30-015-30191 30 30-015-30193 30 30-015-22524 30 30-015-22524 30 30-015-22822 30	r recompletion. on to temporarily fl API# for each wel 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-30334 0-015-01690 0-015-22464 0-015-22605 0-015-22405 0-015-22417 0-015-22465	are all of the Washington 33 S l are as follows: 30-015-39895 30-015-39883 30-015-39885 30-015-39886 30-015-39886 30-015-40015 30-015-40014 30-015-40016 30-015-40017 30-015-40018 30-015-40019 Rig Release Date:	Staté wells. 30-(30-(30-(30-(30-(30-(30-(30-(Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40087 015-40088 015-40089 015-40090 015-40076 015-40077	will occur and gas will be 30-015-40078- 30-015-40114 30-015-40110 30-015-40115 30-015-40115 30-015-40111 30-015-40116 30-015-40117 30-015-40112 30-015-40118 30-015-40119
proposed. completion of Apache is requesting permissi measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30138 30 30-015-30189 30 30-015-30190 30 30-015-30191 30 30-015-22524 30 30-015-22524 30 30-015-22822 30 mid.Date:	r recompletion. on to temporarily fl API# for each wel 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-30334 0-015-01690 0-015-22464 0-015-22605 0-015-22405 0-015-22417 0-015-22465	are all of the Washington 33 S are as follows: 30-015-39895 30-015-39883 30-015-39885 30-015-39886 30-015-39886 30-015-40015 30-015-40016 30-015-40016 30-015-40018 30-015-40019 Rig Release Date:	State wells. 30-(30-(30-(30-(30-(30-(30-(30-(Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40088 015-40088 015-40089 015-40090 015-40076 015-40077	will occur and gas will be 30-015-40078- 30-015-40114 30-015-40110 30-015-40115 30-015-40116 30-015-40116 30-015-40112 30-015-40118 30-015-40119 30-015-40120
proposed. completion of Apache is requesting permission measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30189 30 30-015-30189 30 30-015-30190 30 30-015-30191 30 30-015-30193 30 30-015-20193 30 30-015-22524 30 30-015-30193 30 30-015-22822 30 mud.Date:	r recompletion. API# for each well 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-01690 0-015-22464 0-015-22605 0-015-22124 0-015-22417 0-015-22465 10-015-22465	are all of the Washington 33 S l are as follows: 30-015-39895 30-015-39883 30-015-39886 30-015-39886 30-015-39886 30-015-40015 30-015-40016 30-015-40016 30-015-40017 30-015-40019 Rig Release Date: md complete to the best of my	State wells. 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-	Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40088 015-40088 015-40080 015-40090 015-40076 015-40077 ge and belief. DA	will occur and gas will be 30-015-40078- 30-015-40114 30-015-40110 30-015-40115 30-015-40116 30-015-40117 30-015-40112 30-015-40119 30-015-40120
proposed. completion of Apache is requesting permissi measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30138 30 30-015-30189 30 30-015-30190 30 30-015-30191 30 30-015-22524 30 30-015-22524 30 30-015-22822 30 mid.Date:	r recompletion. API# for each well 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-01690 0-015-22464 0-015-22605 0-015-22124 0-015-22417 0-015-22465 10-015-22465	are all of the Washington 33 S are as follows: 30-015-39895 30-015-39883 30-015-39885 30-015-39886 30-015-39886 30-015-40015 30-015-40016 30-015-40016 30-015-40018 30-015-40019 Rig Release Date:	State wells. 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-	Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40087 015-40088 015-40089 015-40090 015-40076 015-40077 ge and belief. DA pachiecorp.com PH	will occur and gas will be 30-015-40078- 30-015-40114 30-015-40116 30-015-40115 30-015-40116 30-015-40116 30-015-40117 30-015-40118 30-015-40119 30-015-40120 TE 06/06/2013 ONE: (432) 818-1015
proposed.completion of Apache is requesting permission measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30189 30 30-015-30189 30 30-015-30190 30 30-015-30191 30 30-015-30193 30 30-015-30194 30 30-015-22524 30 30-015-22822 30 aud.Date:	r recompletion. on to temporarily fl API# for each well 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-01690 0-015-22464 0-015-22464 0-015-22465 0-015-22465	are all of the Washington 33 S l are as follows: 30-015-39895 30-015-39883 30-015-39886 30-015-39886 30-015-39886 30-015-40015 30-015-40016 30-015-40016 30-015-40017 30-015-40019 Rig Release Date: md complete to the best of my	State wells. 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-	Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40087 015-40088 015-40089 015-40090 015-40076 015-40077 ge and belief. DA pachiecorp.com PH	will occur and gas will be 30-015-40078- 30-015-40114 30-015-40116 30-015-40115 30-015-40116 30-015-40116 30-015-40117 30-015-40118 30-015-40119 30-015-40120 TE 06/06/2013 ONE: (432) 818-1015
proposed.completion of Apache is requesting permission measured prior to flaring. The 30-015-30299 30 30-015-30276 30 30-015-30189 30 30-015-30189 30 30-015-30190 30 30-015-30191 30 30-015-30193 30 30-015-30194 30 30-015-22524 30 30-015-22822 30 aud.Date:	r recompletion. on to temporarily fl API# for each well 0-015-22821 0-015-30332 0-015-30195 0-015-30196 0-015-01690 0-015-22464 0-015-22464 0-015-22465 0-015-22465	are all of the Washington 33 S l are as follows: 30-015-39895 30-015-39883 30-015-39886 30-015-39886 30-015-39886 30-015-40015 30-015-40016 30-015-40016 30-015-40017 30-015-40019 Rig Release Date: md complete to the best of my	State wells. 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-	Intermittent flaring A 015-40020 015-40021 015-40022 015-40023 015-40088 015-40088 015-40080 015-40090 015-40076 015-40077 ge and belief. DA	will occur and gas will be 30-015-40078- 30-015-40114 30-015-40116 30-015-40115 30-015-40116 30-015-40116 30-015-40117 30-015-40112 30-015-40119 30-015-40120 TE 06/06/2013 ONE: (432) 818-1015

See Att Acked

а А А

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811.S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule	19.15.18.12	2 NMAC and Rule	19.15.7.37 NMAC)

À.	Applicant Apache Corporation							
	whose address is1945 Bluestem Road, Artesia, NM 88210,							
	hereby requests an exception to Rule 19.15.	18.12 for90	days or until					
	, Yr, for the following described tank battery (or LACT):							
	Name of Lease Washington 33 State BatteryName of Pool Yeso & Grayburg-SA							
		Section 33 Township 17S Range						
	Number of wells producing into battery	55						
B.	Based upon oil production of	DObarrels per day, the estimated * ·	volume					
	of gas to be flared is	MCF; Value	per day.					
Ċ.	Name and location of nearest gas gathering facility: DCP / Frontier Empire Abo Plant							
Ď.	DistanceEstimated cost of connection							
E <u>.</u>	This exception is requested for the following	This exception is requested for the following reasons. DCP & Frontier curtails their gas						
	due to repairs or plant problems.							
Division have t is true; and com	that the rules and regulations of the Oil Conservation been complied with and that the information given above plete to the best of my knowledge and belief.	OIL CONSERVATION DIVISION Approved Until AUS 30 - 2	2013					
Signature		By Made						
Printed Nam & Title	^c Fatima Vasquez - Regulatory Tech I	Title 155 ASycu	nsol					
E-mạil Addr	Fatima Vasquez@apachecorp.com	Date 0/7 0013						
Date 06/06	/2013 Telephone No. (432) 818-1015							
* Gas-Oil ra	tio test may be required to verify estimated gas	volüme.						

W See Attached OAS

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- **5.** Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here PODade11 6[7]2013

State of New Mexico Energy, Minerals and Natural Resources Department

> Jami Bailey Division Director

Oil Conservation Division

Susana Martinez Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 19, 2013

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned-25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <u>http://activefiremaps.fs.fed.us/current.php</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.