1412

Logic Properties Logic Prope	'y Form 2160 5)	3-176					
BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 316-03 (APP) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well	(August 2007)			0 \	OMB N	IO. 1004-0135			
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (AP) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well Submit Su	В	UREAU OF LAND MANA	\mathcal{OO}	artesia	S. Lease Serial No.	: July 31, 2010			
### Submit in Triplicate of the Name and/or No. Numit in Triplicate of the Name and/or No. Numit in Triplicate of Numit in Numit in Triplicate of Numit in Numit in Numit in Triplicate of Numit in									
Type of Well Gas Well Other See	abandoned we	ell. Use form 3160-3 (AF	PD) for such proposals.		6. If Indian, Allottee	or Tribe Name			
BIG EDOY UNIT 143 143 2. Name of Operator BOP OO, L.P. B. Address BOP OO, L.P. B. E-Mail: casey, sowers 8 ymail.com Sover Sover 8 ymail.com Sover Sover 8 ymail.com Sover Sover 8 ymail.com Sover Sover 8 ymail.com Sover 19 7215 P232E Mor MIDLAND, TX 79702-2760 MIDLAND, TX 79702-2760 Location of Well (Foorage, Sec., T. R., M., or Survey Description) Soc 19 7215 P232E Mor MMP E25W 660FSL 1896FWL 32.460190 N Lat, 104.127680 W Lon 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Alter Casing Practure Treat Reclamation Well Integrity Change Plans Plug and Abandonment Notice Change Plans Plug and Abandon Temporarily Abandon Convert to Injection Sove subsequent Report Change Plans Plug and Abandon Temporarily Abandon Convert to Injection Describe Proposed or Completed Operation (clashy state all pertinent deaths, including customed auting act of any proposed work and approximate duration thereof. If the proposal is to depend interctionally or recomplete horizontally, give substrace locations and measured and rure vertical depths of all pertinent markers and zones. Attach the Bord under which the work will be performed or provide the Bond No. on it live with SLMRIAR. A Required subsequent shall be filed within 30 days following completion of the involved operations. If the operations is an antique completion or recompletion in sew increal, a Form 31604 shall be filed once determined that the size is readly for final inspection. Scholar before the substance of the involved operations. If the operation results in a multiple completion or recompletion in sew increal, a Form 31604 shall be filed once determined that the size is readly for final inspection. Scholar before filed and and classified control to the Cariabate. ACCOPICAL To respectfully requests approval to install a 4-inch buried steel gas pipeline that will run from the BELVEL AVID of final inspection. Scholar before the sevent processing t	SUBMIT IN TR	IPLICATE - Other instru	ctions on reverse side.		7. If Unit or CA/Agre NMNM111784	eement, Name and/o	r No.		
BOPCO, L.P. E-Mali: casey_sowers@ymail.com 3a. Address An Address BOPCO, L.P. Bob SOX 2780 ALDCaston of Well (Fordinge, Sec., T., R., M., or Survey Description) See 19 T21S R28E Mer NMP E2SW 660FSL 1896FWL 32.460190 N Lat, 104.127680 W Lon TYPE OF SUBMISSION Alter Casing Practure Treat Alter Casing Practure Treat Casing Repair New Construction Recomplete Casing Repair New Construction Recomplete Other The proposal is to depen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the site is reaffy for final inspections have determined but the site is reaffy for final inspections have determined but the site is reaffy for final inspections have determined but the site is reaffy for final inspections and the submission of the submission of the repair of meet federal requirements and demonstrate our environmental stewardship as much as possible. The new pipeline will utilize an existing pipeline control. (Sea Sea Not 10 the Central Submission) Name(Printed/Typed) GRADY GIST Title PIPELINE OPERATIONS TECH. Signature (Electronic Submission) Date 06/27/2013	• •	her							
PO BOX 2760 MIDLAND, TX 79702-2760 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 19 T215 R28E Mer NMP E2SW 660FSL 1896FWL 32.460190 N Lat, 104.127680 W Lon 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Alter Casing Fracture Treat Reclamation Well Integrity Casing Repair Plug and Abandon Temporarily Abandon Convert to injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation Convert to Injection Convert to Injection Convert to Injection Plug Back Repair Subverged and Subverged S									
Sec 19 T21S R28E Mer NMP E2SW 660FSL 1896FWL 32.460190 N Lat, 104.127680 W Lon 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent	PO BOX 2760))			
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize	_ 						11. County or Parish, and State		
TYPE OF SUBMISSION Acidize					EDDY COUNTY, NM				
Notice of Intent Acidize Deepen Production (Start/Resume) Water Shut-Off Subsequent Report Acidize Reclamation Well Integrity Recomplete Other Change Plans Plug and Abandon Temporarily Abandon Convert to Injection Plug Back Water Disposal Subsequent Report If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed once testing has been completed. Final Abandomment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operation results in a multiple completion or recomplet the introduced performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed once testing has been completed. Final Abandomment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) BOPCO, L.P. respectfully requests approval to install a 4-inch buried steel gas pipeline that will run from the BEU#143 well in section 19, T.21S., H.28E., NMPM and connect to an Enterprise Pipeline in the same section used for transporting gas to market. (See attached Plats and topo map) The new pipeline will utilize an existing pipeline corridor previously constructed and arch cleared to meet federal requirements and demonstrate our environmental stewardship as much as possible. The new 4-inch buried steel pipeline will be 687.7 ft in length and initially should not exceed 15 ft in width during construction unless it is deemed unsafe for construction crews. The existing ROW will be used during construction as much as possible to minimize disturbance to meet federal requirements and demonstrate our environmental stewardship as much as possible. The new 4-inch buried steel pipeline will be 687.7 ft in lengt	12. CHECK APP	ROPRIATE BOX(ES) TO	O INDICATE NATURE OF I	NOTICE, RE	EPORT, OR OTHE	R DATA			
Notice of Intent	TYPE OF SUBMISSION	TYPE OF ACTION							
Subsequent Report Casing Repair See New Construction Recomplete Other	Notice of Intent	☐ Acidize	□ Deepen	☐ Production	on (Start/Resume)	☐ Water Shut-	Off		
Final Abandonment Notice	_	☐ Alter Casing	☐ Fracture Treat	Reclama	tion	■ Well Integri	ty		
Convert to Injection Plug Back Water Disposal	☐ Subsequent Report	□ Casing Repair		☐ Recompl	lete	Other			
13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file wild. MBIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandoment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) BOPCO, L.P. respectfully requests approval to install a 4-inch buried steel gas pipeline that will run from the BEU#143 well in section 19, T.21S., R.28E.,NMPM and connect to an Enterprise Pipeline in the same section used for transporting gas to market. (See attached Plats and topo map) The new pipeline will utilize an existing pipeline corridor previously constructed and arch cleared to meet federal requirements and demonstrate our environmental stewardship as much as possible. The new 4-inch buried steel pipeline will be 687.7 ft in length and initially should not exceed 15 ft in width during construction unless it is deemed unsafe for construction crews. The existing ROW will be used during construction as much as possible to minimize disturbance to If the properties of the prope	☐ Final Abandonment Notice	☐ Change Plans	Plug and Abandon	☐ Tempora	rily Abandon				
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandomment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) BOPCO, L.P. respectfully requests approval to install a 4-inch buried steel gas pipeline that will run from the BEU#143 well in section 19, T.21S., R.28E,NMPM and connect to an Enterprise Pipeline in the same section used for transporting gas to market. (See attached Plats and topo map) The new pipeline will utilize an existing pipeline corridor previously constructed and arch cleared to meet federal requirements and demonstrate our environmental stewardship as much as possible. The new pipeline has been surveyed and staked to identify the chosen route while keeping disturbance to a minimum. The new 4-inch buried steel pipeline will be 687.7 ft in length and initially should not exceed 15 ft in width during construction unless it is deemed unsafe for construction crews. The existing ROW will be used during construction as much as possible to minimize disturbance to the carlshad committed to AFMSS for processing by KURT SIMMONS on 07/02/2013 () Name(Printed/Typed) GRADY GIST Name(Printed/Typed) GRADY GIST Date 06/27/2013		Convert to Injection	☐ Plug Back	☐ Water Di	isposal				
in the same section used for transporting gas to market. (See attached Plats and topo map) The new pipeline will utilize an existing pipeline corridor previously constructed and arch cleared to meet federal requirements and demonstrate our environmental stewardship as much as possible. The new pipeline has been surveyed and staked to identify the chosen route while keeping disturbance to a minimum. The new 4-inch buried steel pipeline will be 687.7 ft in length and initially should not exceed 15 ft in width during construction unless it is deemed unsafe for construction crews. The existing ROW will be used during construction as much as possible to minimize disturbance to 14. I hereby certify that the foregoing is true and correct. Electronic Submission #212077 verified by the BLM Well Information System For BOPCO, L.P., sent to the Carlsbad Committed to AFMSS for processing by KURT SIMMONS on 07/02/2013 () Name (Printed/Typed) GRADY GIST Date 06/27/2013	If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f BOPCO, L.P. respectfully required.	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil final inspection.) uests approval to install a	give subsurface locations and measure the Bond No. on file with BLM/BLA sults in a multiple completion or recorded only after all requirements, included the completion of the	red and true ver N. Required sub- completion in a na- ling reclamation, ne that will	tical depths of all perting sequent reports shall be ew interval, a Form 316, have been completed,	nent markers and zor filed within 30 days 60-4 shall be filed on and the operator has	nes. S ace		
The new 4-inch buried steel pipeline will be 687.7 ft in length and initially should not exceed 15 ft in width during construction unless it is deemed unsafe for construction crews. The existing ROW will be used during construction as much as possible to minimize disturbance to 14. I hereby certify that the foregoing is true and correct. Electronic Submission #212077 verified by the BLM Well Information System For BOPCO, L.P., sent to the Carlsbad Committed to AFMSS for processing by KURT SIMMONS on 07/02/2013 () Name (Printed/Typed) GRADY GIST Title PIPELINE OPERATIONS TECH Signature (Electronic Submission) Date 06/27/2013	in the same section used for t The new pipeline will utilize ar	ransporting gas to marke n existing pipeline corrido	 (See attached Plats and top r previously constructed and a 	o map) irch cleared		NIVIOCD $1\ell'$	مهامله		
The new 4-inch buried steel pipeline will be 687.7 ft in length and initially should not exceed 15 ft in width during construction unless it is deemed unsafe for construction crews. The existing ROW will be used during construction as much as possible to minimize disturbance to 14. I hereby certify that the foregoing is true and correct. Electronic Submission #212077 verified by the BLM Well Information System For BOPCO, L.P., sent to the Carlsbad Committed to AFMSS for processing by KURT SIMMONS on 07/02/2013 () Name (Printed/Typed) GRADY GIST Title PIPELINE OPERATIONS TECH Signature (Electronic Submission) Date 06/27/2013		irveyed and staked to ide	ntify the chosen route while ke	eeping	REC	EIVED			
14. I hereby certify that the foregoing is true and correct. Electronic Submission #212077 verified by the BLM Well Information System For BOPCO, L.P., sent to the Carlsbad Committed to AFMSS for processing by KURT SIMMONS on 07/02/2013 () Name(Printed/Typed) GRADY GIST Title PIPELINE OPERATIONS TECH Signature (Electronic Submission) Date 06/27/2013	ft in width during construction		^ I						
Electronic Submission #212077 verified by the BLM Well Information System For BOPCO, L.P., sent to the Carlsbad Committed to AFMSS for processing by KURT SIMMONS on 07/02/2013 () Name(Printed/Typed) GRADY GIST Title PIPELINE OPERATIONS TECH Signature (Electronic Submission) Date 06/27/2013					NMOCD	AHIESA	k 		
Name(Printed/Typed) GRADY GIST Title PIPELINE OPERATIONS TECH Signature (Electronic Submission) Date 06/27/2013	14. I hereby certify that the foregoing is	Electronic Submission #	212077 verified by the BLM Wel	I Information	System				
Signature (Electronic Submission) Date 06/27/2013	Name(Printed/Typed) GRADY G	NS on 07/02/2	v						
		THIS SPACE FO							

Title

/s/George MacDonell Approved By 🔍

FIELD MANAGER

JUL Date 1 9 2013

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CARLSBAD FIELD OFFICE


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #212077 that would not fit on the form

32. Additional remarks, continued

the area in question.


SECTION 19, TOWNSHIP 21 SOUTH, RANGE 28 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.




LEGAL DESCRIPTION

A STRIP OF LAND 30.0 FEET WIDE, LOCATED IN SECTION 19, TOWNSHIP 21 SOUTH, RANGE 28 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING 15.0 FEET LEFT AND RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

687.7 FEET = 0.13 MILES = 41.68 RODS = 0.47 ACRES





PROPOSED BEU 143 PIPELINE Section 19, Township 21 South, Range 28 East, N.M.P.M., Eddy County, New Mexico.



P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (575) 393-7316 - Office (575) 392-2206 - Fax basinsurveys.com

W.O. Number:	JG - 28823P
Survey Date:	6-7-2013
Scale: 1" = 2	000,
Date: 6-11-:	2013

BOPCO, L.P.

BLM LEASE NUMBER: NMNM 111784

COMPANY NAME: BOPCE

ASSOCIATED WELL NAME: Big Eddy Unit 143

BURIED PIPELINE STIPULATIONS

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way. 6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level. 7. The maximum allowable disturbance for construction in this right-of-way will be 30 feet: Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed 20 feet. The trench is included in this area. (Blading is defined as the complete removal of brush and ground vegetation.) Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed 30 feet. The trench and bladed area are included in this area. (Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.) The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (Compressing can be caused by vehicle tires, placement of equipment, etc.) 8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately ____6__ inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding. 9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer. 10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade. 11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices. 12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix. () seed mixture 3 () seed mixture 1) seed mixture 2 (X) seed mixture 4 () seed mixture 2/LPC () Aplomado Falcon Mixture

- 13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2.
- 14. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.
- 15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.
- 16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.
- 17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 18. <u>Escape Ramps</u> The operator will construct and maintain pipeline/utility trenches that are not otherwise fenced, screened, or netted to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:
 - a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
 - b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.