Form 3160-5 (August 2007)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

EA-13- 185

FURM A	APPROVED	
OMB NO	D. 1004-0135	
	July 31, 2010	
DAPITOS.	our or to	_

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			NMLC028	Lease Serial No.     NMLC028793C     If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.			7. If Unit or C NMNM88	7. If Unit or CA/Agreement, Name and/or No. NMNM88525X	
Type of Well     Gas Well    ☐ Oth	ner			8. Well Name and No. BURCH KEELY UNIT 338	
2. Name of Operator COG OPERATING LLC	Contact: ROBYN ODOM E-Mail: rodom@conchoresources.com			9. API Well No. 30-015-32756-00-S1	
3a. Address ONE CONCHO CENTER 600 MIDLAND, TX 79701	3b. Phone No. (include area code) Ph: 432-685-4385			10. Field and Pool, or Exploratory BURCH KEELY-GLORIETA-UPPER YI	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		11. County or	11. County or Parish, and State		
Sec 23 T17S R29E SESE 660	DFSL 660FEL		EDDY CO	DUNTY, NM	
12. CHECK APPR	ROPRIATE BOX(ES) TO I	NDICATE NATURE OF	NOTICE, REPORT, OR (	OTHER DATA	
TYPE OF SUBMISSION		ТҮРЕ О	F ACTION		
■ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Resu	me) 🗖 Water Shut-Off	
	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	■ Well Integrity	
☐ Subsequent Report	□ Casing Repair	■ New Construction	□ Recomplete	Other	
☐ Final Abandonment Notice	□ Change Plans	□ Plug and Abandon	☐ Temporarily Abandon	Surface Disturbance	
	□ Convert to Injection	☐ Plug Back	■ Water Disposal		
13. Describe Proposed or Completed Opt If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit COG Operating LLC respectfulease road. The working psi with BKU 23-A Federal Battery The line will parallel the existing be 30' in width.	ally or recomplete horizontally, give will be performed or provide the operations. If the operation result andonment Notices shall be filed of the performance of the	e subsurface locations and meast Bond No. on file with BLM/BIA in a multiple completion or recomply after all requirements, included a buried 6" poly line aloud to transport produced gaptop Gas line shown in the	ired and true vertical depths of a  N. Required subsequent reports in proposed in a new interval, a Fo ling reclamation, have been com  Ing the existing s beginning at attached aerial.  W space will	Il pertinent markers and zones. shall be filed within 30 days orm 3160-4 shall be filed once pleted, and the operator has	
0k - 7(N - 5 - 1)		NOOD	F	JUL 2 6 2013 MOCD ARTESIA	
OK- TEN - See AH.  14. I hereby certify that the foregoing is	true and correct.	15/13		MICOL	
	Electronic Submission #204	RATING LLC. sent to the C	arisbad	E)	
Name(Printed/Typed) ROBYN O		- ·	N RESPONSIBLE	<del>-,</del>	
Signature (Electronic S		Date 04/17/2			


THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Conditions of approval, hany, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CARLSBAD FIELD OFFICE Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



# COG OPERATING, LLC

6" BURIED GAS LINE - BURCH KEELY UNIT 23-A BATTERY SEC. 23, T17S, R29E, N.M.P.M., EDDY CO., N.M.

#### DESCRIPTION

A strip of land being 30 feet in width 1,854.29 feet or 112.381 rods in length lying in Section 23, Township 17 South, Range 29 East, N. M. P. M., Eddy County, New Mexico, being 15 feet left and 15 feet right of the following described survey of centerline across the land of the B. L...M.;

Beginning at Engr. Sta. 0+00, a point which lies N 31°20'21" W, 935.83' feet from a 2" Galvinized IP, found for the Southeast corner of said Section 23;

Thence S 00'00'02" E, 262.64 feet to Engr. Sta. 2+62.64, a P. I. of 89'59'54" right;

Thence S 89'59'52" W, 705.84 feet to Engr. Sta. 9+68.48, a P. I. of 86'12'42" right;

Thence N 03'47'26" W, 235.13 feet to Engr. Sta. 12+03.61, a P. I. of 04'10'27" left;

Thence N 07'57'53" W, 237.23 feet to Engr. Sta. 14+40.84, a P. I. of 18'03'33" right;

Thence N 10°05′40″ E, 413.45 feet to Engr. Sta. 18+54.29, the end of the survey and a point which bears S 43°31′46″ W, 1689.49 feet from a  $\frac{3}{4}$ ″ IP, found for the East quarter corner of said Section 23.

Said strip of land contains 1.277 acres, more or less, and is allocated by forties as follows:

SE 1/4 SE 1/4 1.210 Ac.

NE 1/4 SE 1/4 0.067 Ac.

SCALE: 1" = 1000'

BEARINGS: NAD 27-NM EAST DISTANCES: HORIZ.

+ LEG€ND

( ) RECORD DATA

BC1942 FOUND BRASS CAP "YEAR"

I, R. M. Howett, a N. M. Professional Surveyor, hereby certify that this plot was prepared from an actual ground survey made under my direct supervision, said survey and plot meet the Min. Stds. for Land Surveying in the State of N. M. and are true and correct to the best of my knowledge and belief.

Hobert M. Howell

Robert M. Howett

NM PS 19680

SERT M. HOWELL SURED

Copyright 2013 - All Rights Reserved

NO. REVISION DATE
JOB NO.: LS130178

DWG. NO.: 130178

PROSPERITY CONSULTANTS, LLC



SCALE: 1" = 1000'

DATE: 5/3/13

SURVEYED BY: GB/SM

DRAWN BY: LWB

APPROVED BY: LWB

SHEET: 2 OF 2

2251 Double Creek Drive, Suite 602, Round Rock, Texas 78664 o (512) 992-2087 f (512) 251-2518



Dalajuse subject to license.
© Dellorme XMap® 7.
www.delorme com:





BLM LEASE NUMBER: NMLC28793C COMPANY NAME: COG Operating, LLC

ASSOCIATED WELL NAME: Burch Keely Unit #338

## BURIED PIPELINE STIPULATIONS

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way.
6. The pipeline will be buried with a minimum cover of <u>36</u> inches between the top of the pipe and ground level.
7. The maximum allowable disturbance for construction in this right-of-way will be $\underline{30}$ feet:
• Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed <u>30</u> feet. The trench is included in this area. ( <i>Blading is defined as the complete removal of brush and ground vegetation</i> .)
• Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed 30 feet. The trench and bladed area are included in this area. (Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.)
• The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (Compressing can be caused by vehicle tires, placement of equipment, etc.)
8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately6 inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding.
9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.
11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.
12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.
<ul> <li>( ) seed mixture 1</li> <li>( x ) seed mixture 2</li> <li>( ) seed mixture 4</li> <li>( ) seed mixture 4</li> <li>( ) Aplomado Falcon Mixture</li> </ul>

- 13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2.
- 14. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.
- 15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.
- 16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.
- 17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 18. <u>Escape Ramps</u> The operator will construct and maintain pipeline/utility trenches that are not otherwise fenced, screened, or netted to prevent.livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:
  - a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
  - b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.

## 19. Special Stipulations:

## Lesser Prairie-Chicken

Oil and gas activities will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration

other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.