

Submit To Appropriate District Office
Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised August 1, 2011

1. WELL API NO.
30-015-27417
2. Type of Lease
☐ STATE ☒ FEE ☐ FED/INDIAN
3. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:

- ☒ **COMPLETION REPORT** (Fill in boxes #1 through #31 for State and Fee wells only)
- ☐ **C-144 CLOSURE ATTACHMENT** (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name
Barbara

6. Well Number:
17

7. Type of Completion:

☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☒ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER **RECOMPLETION**

8. Name of Operator
Yates Petroleum Corporation

9. OGRID
025575

10. Address of Operator
105 South Fourth Street, Artesia, NM 88210

11. Pool name or Wildcat
N. Seven Rivers; Glorieta-Yeso (Oil)

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	K	17	19S	25E		1650	South	1650	West	Eddy
BH:										

13. Date Spudded RC 6/4/13	14. Date T.D. Reached 12/2/93	15. Date Rig Released NA	16. Date Completed (Ready to Produce) 7/22/13	17. Elevations (DF and RKB, RT, GR, etc.) 3534' GR 3547' KB
18. Total Measured Depth of Well 9370'		19. Plug Back Measured Depth 4246'	20. Was Directional Survey Made? No	21. Type Electric and Other Logs Run CBL/GR/CCL
22. Producing Interval(s), of this completion - Top, Bottom, Name 2420'- 2562' Yeso				

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED

REFER TO ORIGINAL COMPLETION

24. LINER RECORD				25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET
					2-7/8"	2700'

26. Perforation record (interval, size, and number) 2420'-2562' (67)	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL 2420'-2562' AMOUNT AND KIND MATERIAL USED Acidized with 2000g 15% HCL acid, frac with a total 302,080# 100 mesh, 40/70 and 16/30 Arizona sand
---	---

28. PRODUCTION

Date First Production 7/23/13		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping			Well Status (Prod. or Shut-in) Producing		
Date of Test 7/25/13	Hours Tested 24	Choke Size NA	Prod'n For Test Period	Oil - Bbl 3	Gas - MCF 3	Water - Bbl. 151	Gas - Oil Ratio NA
Flow Tubing Press. 180 psi	Casing Pressure 80 psi	Calculated 24- Hour Rate	Oil - Bbl. 3	Gas - MCF 3	Water - Bbl. 151	Oil Gravity - API - (Corr.) NA	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
Sold


30. Test Witnessed By
D. Lopez

31. List Attachments
Log

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature  Printed Name Tina Huerta Title Regulatory Reporting Supervisor Date July 29, 2013

E-mail Address: tinah@yatespetroleum.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon 7608	T. Ojo Alamo	T. Penn A
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 2129	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 7410	T. Todilto	
T. Abo	T. yeso 2286	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
			REFER TO ORIGINAL COMPLETION