District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC) Apache Corporation Applicant A. 1945 Bluestem Road, Artesia, NM 88210 90 hereby requests an exception to Rule 19.15.18.12 for days or until ____, Yr_____, for the following described tank battery (or LACT): Name of Lease N B Tween State __Name of Pool Yeso Location of Battery: Unit Letter ____H Section 25 Township 178 Range Number of wells producing into battery ____ 1000 Based upon oil production of barrels per day, the estimated * volume В. 1700 MCF; Value \$4000 of gas to be flared is ____ C, Name and location of nearest gas gathering facility: Frontier Empire Abo Unit Distance Estimated cost of connection D. This exception is requested for the following reasons: _____ This is for an extension on the E. previous one that will expire June 15, 2013. OIL CONSERVATION DIVISION **OPERATOR** I hereby certify that the rules and regulations of the Oil Conservation 16,2013 Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature Printed Name xpcm130 Fatima Vasquez - Regulatory Tech I Title & Title Fatima.Vasquez@apachecorp.com Date E-mail Address 06/06/2013 Telephone No. (432) 818-1015

* Gas-Oil ratio testimay be required to verify estimated gas volume.



	State of New Mex	KICO	Form C-103
Office District I.	Energy, Minerals and Natural Resources		June 19, 2008
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.
District II 1301 W. Grand Ave., Artesia, NM-88210 OIL CONSERVATION DIVISION 5. Indicate 7			
District III	1220 South St. Francis Dr.		5. Indicate Type of Lease
000 Rio Brazos Rd., Aztec, NM 87410 Souto Fe NIM 97505		STATE FEE 6. State Oil & Gas Lease No:	
District IV 1220 S. St. Francis Dr., Santa Fe, NM		·	
87505		•	X0-0647-0405
	ES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSA DIFFERENT RESERVOIR. USE "APPLICA			N B Tween State Wells
PROPOSALS.)	TION FOR FERMIT (FORM C-101) FO	K SUCH	
1. Type of Well: Moil Well G	ns Well Dother:	,	8. Well Number
2. Name of Operator			9. OGRID Number
Apache Corporation			873 10. Pool name or Wildcat
3. Address of Operator	· · · · · · · · · · · · · · · · · · ·		
303 Veterans Airpark Lane, Suite 3000) Midland, TX 79705	į	Artesia; Glorieta-Yeso (96830)
4. Well Location			
Unit Letter H :	feet from the	line and	feet from theline
Section 25 Township 17S Range NMPM 28E County Eddy			
	11. Elevation (Show whether DR,		
	,	, , , , , , , , , , , , , , , , , , , ,	
,		7,000	
12 Check An	propriate Box to Indicate Na	iture of Notice	Report or Other Data
12. Chock rip	propriate Box to mendate 14	ittire of riotiee	, report of other bala
NOTICE OF INT	ENTION TO:	SUE	BSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK ☐ ALTERING CASING ☐			
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ COMMENCE DRILLING OPNS ☐ P AND A ☐			RILLING OPNS: P AND A
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ CASING/CEMENT JOB ☐			
DOWNHOLE COMMINGLE			
";			,,,,,,
OTHER: Flare Gas	X	OTHER:	
			nd give pertinent dates, including estimated date
or recompletion.). SEE ROLE 1103. For Multiple	e Completions: A	Attach wellbore diagram of proposed completion
or recompletion.			
Apache is requesting permission to temporarily flare the NB Tween State wells 1-30. Intermittent flaring will occur and gas will be			
measured prior to flaring. The API	f for each well are as follows:		
10 015 05015			
30-015-35915	30-015-36789		30-015-38502
30-015-35915 30-015-35974	30 -015- 36789 30-015-37592		30-015-38592 30-015-38467
30-015-35915 30-015-35974 30-015-35916			30-015-38592 30-015-38467 30-015-38593
30-015-35974 30-015-35916 30-015-35917	30-015-37592 30-015-37593 -30-015-37597		30-015-38467 30-015-38593 30-015-39074
30-015-35974 30-015-35916 30-015-35917 30-015-36603	30-015-37592 30-015-37593 30-015-37597 30-015-38405		30-015-38467 30-015-38593 30-015-39074 30-015-39075
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626	30-015-37592 30-015-37593 -30-015-37597 30-015-38405 30-015-38406		30-015-38467 30-015-38593 30-015-39074 -30-015-39075 30-015-39744
30-015-35974 30-015-35916 30-015-35917 30-015-36603	30-015-37592 30-015-37593 30-015-37597 30-015-38405		30-015-38467 30-015-38593 30-015-39074 30-015-39075
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	30-015-37592 30-015-37593 -30-015-37597 30-015-38405 30-015-38406 30-015-38407		30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796	30-015-37592 30-015-37593 -30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070		30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590		30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36798	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591	·c:	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590	te:	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36798	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591	te:	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Dat		30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36798	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Dat		30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Dat		30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release Date	st of my knowled	30-015-38467 30-015-38593 30-015-39074 30-015-39744 30-015-39746 30-015-39746 30-015-39747 30-015-39748
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Dat	st of my knowled	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release Date ove is true and complete to the best	st of my knowled	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748 ge and belief.
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: I hereby certify that the information about the series of the series	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release Date ove is true and complete to the best	st of my knowled	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39746 30-015-39747 30-015-39748 ge and belief. DATE 06/06/2013 pachecorp.com PHONE: (432) 818-1015
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information about the series of the series	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release Date ove is true and complete to the best over the be	st of my knowled tory Tech I Fatima.Vasquez@a	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39746 30-015-39747 30-015-39748 ge and belief. DATE 06/06/2013 pachecorp.com PHONE: (432) 818-1015
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information about the series of the series	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release Date ove is true and complete to the best over the be	st of my knowled tory Tech I Fatima.Vasquez@a	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39746 30-015-39747 30-015-39748 ge and belief. DATE 06/06/2013 pachecorp.com PHONE: (432) 818-1015
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information about the content of the content o	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release Date ove is true and complete to the best over the be	st of my knowled	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748 ge and belief.
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information about the content of the content o	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release Date ove is true and complete to the best over the be	st of my knowled tory Tech I Fatima.Vasquez@a	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39746 30-015-39747 30-015-39748 ge and belief. DATE 06/06/2013 pachecorp.com PHONE: (432) 818-1015
30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information about the series of the series	30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38407 30-015-38407 30-015-38590 30-015-38591 Rig Release Date ove is true and complete to the best over the be	st of my knowled tory Tech I Fatima.Vasquez@a	30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39746 30-015-39747 30-015-39748 ge and belief. DATE 06/06/2013 pachecorp.com PHONE: (432) 818-1015

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- **4.** Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- **5.** Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey
Division Director
Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.