| , | UNITED STATE DEPARTMENT OF THE I | NTERIOR | · OMB I | I APPROVED NO. 1004-0135 s: July 31, 2010 | |
|--|--|---|--|---|--|
| BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS | | 5. Lease Serial No. | | | |
| Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. | | | 6. If Indian, Allottee or Tribe Name | | |
| SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well Image: Solid Well Gas Well Image: Gas Well Other 2. Name of Operator Contact: SM ENERGY COMPANY E-Mail: VMARTINEZ@SM-ENERGY.COM | | | 7. If Unit or CA/Agr | 7. If Unit or CA/Agreement, Name and/or No. 8. Well Name and No. PARKWAY DELAWARE UNIT 101 9. API Well No. 30-015-26112 | |
| | | | | | |
| | | | | | |
| 3300 N "A" STREET BLDG 7-200 P | | 3b. Phone No. (include area code Ph: 432-688-1709 Fx: 432-688-1701 | 10. Field and Pool, or Exploratory PARKWAY;DELAWARE | | |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) | | | 11. County or Parish, and State | | |
| Sec 26 T19S R29E 330FSL 1980FEL | | | EDDY COUNT | EDDY COUNTY, NM | |
| 12. CHECK | APPROPRIATE BOX(ES) T | O INDICATE NATURE OF | NOTICE, REPORT, OR OTHI | ER DATA | |
| · TYPE OF SUBMISSION | ٧ | TYPE OF ACTION | | | |
| Notice of Intent | | Deepen | Production (Start/Resume) | 🗖 Water Shut-Off | |
| - | Alter Casing | Fracture Treat | C Reclamation | U Well Integrity | |
| D Subsequent Report | Casing Repair | □ New Construction | Recomplete | ☑ Other Venting and/or Fl | |
| 🗖 Final Abandonment No | Change Plans | Plug and Abandon Plug Back | Temporarily Abandon Water Disposal | ng | |
| Attach the Bond under which following completion of the i testing has been completed. I determined that the site is rea | the work will be performed or provide nvolved operations. If the operation re Final Abandonment Notices shall be fi dy for final inspection.) | e the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu | ared and true vertical depths of all perti A. Required subsequent reports shall b ompletion in a new interval, a Form 31 ding reclamation, have been completed | e filed within 30 days 60-4 shall be filed once , and the operator has | |
| Attach the Bond under which following completion of the i testing has been completed. I determined that the site is rea SM ENERGY BEGAN F THEY ARE PROJECTIN WE ARE FLARING APF | the work will be performed or provide nvolved operations. If the operation re Final Abandonment Notices shall be fi dy for final inspection.) FLARING THIS MORNING DUE NG US TO BE BACK TO SALE PROXIMATELY 230 MFCPD A | e the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu E TO DCP REPLACING THE S SOMETIME ON FRIDAY, N ND WILL SUBMIT THIS ON T | A. Required subsequent reports shall b ompletion in a new interval, a Form 31 fing reclamation, have been completed BOTTOMS-SIDE CRYOGENIC MAY 10TH. THE C-115 FORM. PLEASE SE | e filed within 30 days 60-4 shall be filed once , and the operator has REBOILER. EE LIST | |
| Attach the Bond under which following completion of the i testing has been completed. I determined that the site is rea SM ENERGY BEGAN F THEY ARE PROJECTIN WE ARE FLARING APF BELOW OF ALL WELLS Lease Name UL:Sec:TC PARKWAY DELAWARE PARKWAY DELAWARE | the work will be performed or provide nvolved operations. If the operation re Final Abandonment Notices shall be fi dy for final inspection.) FLARING THIS MORNING DUE NG US TO BE BACK TO SALE PROXIMATELY 230 MFCPD A S IMPACTED WITH THE ONE S IMPACTED WITH THE ONE DWNship:Range API Number Lo E UNIT #201 C-35-19S-29E 30 E UNIT #202 B-35-19S-29E 30 E UNIT #202 A-35-19S-29E 30 | e the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu E TO DCP REPLACING THE S SOMETIME ON FRIDAY, N ND WILL SUBMIT THIS ON T SUBMITTED: cation County -015-26063 990 FNL & 2310 -015-26079 890 FNL & 990 F | A. Required subsequent reports shall b ompletion in a new interval, a Form 31 fing reclamation, have been completed BOTTOMS-SIDE CRYOGENIC MAY 10TH. THE C-115 FORM. PLEASE SE | e filed within 30 days 60-4 shall be filed once , and the operator has E REBOILER. EE LIST RECEIVE | |
| Attach the Bond under which following completion of the i testing has been completed. I determined that the site is rea SM ENERGY BEGAN F THEY ARE PROJECTIN WE ARE FLARING APF BELOW OF ALL WELLS Lease Name UL:Sec:To PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE | the work will be performed or provide nvolved operations. If the operation re Final Abandonment Notices shall be fi dy for final inspection.) FLARING THIS MORNING DUE NG US TO BE BACK TO SALE PROXIMATELY 230 MFCPD AI S IMPACTED WITH THE ONE WINShip:Range API Number Lo E UNIT #201 C-35-19S-29E 30 E UNIT #202 B-35-19S-29E 30 E UNIT #203 A-35-19S-29E 30 E UNIT #204 D-35-19S-29E 30 E UNIT #208 H-35-19S-29E 30 E UNIT #208 H | e the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu E TO DCP REPLACING THE S SOMETIME ON FRIDAY, M ND WILL SUBMIT THIS ON T SUBMITTED: cation County -015-26063 990 FNL & 2310 -015-26063 990 FNL & 2310 -015-26079 890 FNL & 1980 -015-26143 990 FNL & 990 F -015-34433 1438 FNL & 969 | A. Required subsequent reports shall b ompletion in a new interval, a Form 31 fing reclamation, have been completed BOTTOMS-SIDE CRYOGENIC MAY 10TH. THE C-115 FORM. PLEASE SE FWL Eddy County EL Eddy County WL Eddy County WL Eddy County FEL Eddy County FEL Eddy County | e filed within 30 days 60-4 shall be filed once , and the operator has E REBOILER. EE LIST RECEIVE ATTACHEDOI ONSO OF APS | |
| Attach the Bond under which following completion of the i testing has been completed. I determined that the site is rea SM ENERGY BEGAN F THEY ARE PROJECTIN WE ARE FLARING APF BELOW OF ALL WELLS Lease Name UL:Sec:TC PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE | the work will be performed or provide nvolved operations. If the operation of Final Abandonment Notices shall be fi dy for final inspection.) *LARING THIS MORNING DUE NG US TO BE BACK TO SALE PROXIMATELY 230 MFCPD A S IMPACTED WITH THE ONE wmship:Range API Number Lo E UNIT #201 C-35-19S-29E 30 E UNIT #202 B-35-19S-29E 30 E UNIT #203 A-35-19S-29E 30 E UNIT #204 D-35-19S-29E 30 E UNIT #208 H-35-19S-29E 30 E UNIT #208 H-3 | e the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu E TO DCP REPLACING THE S SOMETIME ON FRIDAY, M ND WILL SUBMIT THIS ON T SUBMITTED: cation County -015-26063 990 FNL & 2310 -015-26063 990 FNL & 2310 -015-26083 990 FNL & 1980 -015-26079 890 FNL & 990 F -015-26143 990 FNL & 940 F -015-34433 1438 FNL & 969 -015-34433 1438 FNL & 969 | A. Required subsequent reports shall b ompletion in a new interval, a Form 31 fing reclamation, have been completed BOTTOMS-SIDE CRYOGENIC MAY 10TH. THE C-115 FORM. PLEASE SE FWL Eddy County EL Eddy County WL Eddy County WL Eddy County WL Eddy County FEL Eddy County FEL Eddy County TEL Eddy County | e filed within 30 days 60-4 shall be filed once , and the operator has E REBOILER. EE LIST RECEIVE ATTACHEDOI OCOORD OF APS | |
| Attach the Bond under which following completion of the i testing has been completed. I determined that the site is rea SM ENERGY BEGAN F THEY ARE PROJECTIN WE ARE FLARING APF BELOW OF ALL WELLS Lease Name UL:Sec:TC PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE | the work will be performed or provide nvolved operations. If the operation of Final Abandonment Notices shall be fi- dy for final inspection.) FLARING THIS MORNING DUE NG US TO BE BACK TO SALE PROXIMATELY 230 MFCPD AI S IMPACTED WITH THE ONE WINSHIP:Range API Number Lo E UNIT #201 C-35-19S-29E 30 E UNIT #202 B-35-19S-29E 30 E UNIT #203 A-35-19S-29E 30 E UNIT #204 D-35-19S-29E 30 E UNIT #208 H-35-19S-29E 30 | e the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu E TO DCP REPLACING THE S SOMETIME ON FRIDAY, M ND WILL SUBMIT THIS ON T SUBMITTED: cation County -015-26063 990 FNL & 2310 -015-26063 990 FNL & 2310 -015-26079 890 FNL & 990 F -015-26143 990 FNL & 990 F -015-26143 990 FNL & 940 F -015-34433 1438 FNL & 969 -015-34433 1438 FNL & 969 | A. Required subsequent reports shall b ompletion in a new interval, a Form 31 fing reclamation, have been completed BOTTOMS-SIDE CRYOGENIC MAY 10TH. THE C-115 FORM. PLEASE SE FWL Eddy County EL Eddy County WL Eddy County WL Eddy County FEL Eddy County FEL Eddy County WL Eddy County ML Eddy County FEL Eddy County ML Eddy | e filed within 30 days 60-4 shall be filed once , and the operator has E REBOILER. EE LIST RECEIVE ATTACHEDDI Costo OFAPS | |
| Attach the Bond under which following completion of the i testing has been completed. I determined that the site is rea SM ENERGY BEGAN F THEY ARE PROJECTIN WE ARE FLARING APF BELOW OF ALL WELLS Lease Name UL:Sec:TC PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE | the work will be performed or provide nvolved operations. If the operation re- Final Abandonment Notices shall be fi- dy for final inspection.) FLARING THIS MORNING DUE NG US TO BE BACK TO SALE PROXIMATELY 230 MFCPD A S IMPACTED WITH THE ONE DWNShip:Range API Number Lo E UNIT #201 C-35-19S-29E 30 E UNIT #202 B-35-19S-29E 30 E UNIT #202 B-35-19S-29E 30 E UNIT #204 D-35-19S-29E 30 E UNIT #208 H-35-19S-29E 30 | e the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu E TO DCP REPLACING THE S SOMETIME ON FRIDAY, M ND WILL SUBMIT THIS ON T SUBMITTED: cation County -015-26063 990 FNL & 2310 -015-26083 990 FNL & 2310 -015-26083 990 FNL & 2310 -015-26083 990 FNL & 990 F -015-26143 990 FNL & 990 F -015-34433 1438 FNL & 969 206283 verified by the BLM We ERGY COMPANY, sent to the C for processing by KURT SIMMO Title ENGIN | A. Required subsequent reports shall b ompletion in a new interval, a Form 31 fing reclamation, have been completed BOTTOMS-SIDE CRYOGENIC MAY 10TH. THE C-115 FORM. PLEASE SE FWL Eddy County EL Eddy County EL Eddy County WL Eddy County FEL Eddy County FEL Eddy County FEL Eddy County TEL Eddy County FEL Eddy County FE | e filed within 30 days 60-4 shall be filed once , and the operator has E REBOILER. EE LIST RECEIVE ATTACHEDDI Costo OFAPS | |
| Attach the Bond under which following completion of the i testing has been completed. I determined that the site is rea SM ENERGY BEGAN F THEY ARE PROJECTIN WE ARE FLARING APF BELOW OF ALL WELLS Lease Name UL:Sec:To PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE Name(Printed/Typed) VIC Signature (Elec | the work will be performed or provide nvolved operations. If the operation re- Final Abandonment Notices shall be fi- dy for final inspection.) FLARING THIS MORNING DUE NG US TO BE BACK TO SALE PROXIMATELY 230 MFCPD A S IMPACTED WITH THE ONE DWNShip:Range API Number Lo E UNIT #201 C-35-19S-29E 30 E UNIT #202 B-35-19S-29E 30 E UNIT #202 B-35-19S-29E 30 E UNIT #204 D-35-19S-29E 30 E UNIT #208 H-35-19S-29E 30 | e the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu E TO DCP REPLACING THE S SOMETIME ON FRIDAY, M ND WILL SUBMIT THIS ON T SUBMITTED: cation County -015-26063 990 FNL & 2310 -015-26063 990 FNL & 2310 -015-26079 890 FNL & 990 F -015-26143 990 FNL & 990 F -015-26143 990 FNL & 940 F -015-34433 1438 FNL & 969 -015-34433 1438 FNL & 969 | A. Required subsequent reports shall b ompletion in a new interval, a Form 31 fing reclamation, have been completed BOTTOMS-SIDE CRYOGENIC MAY 10TH. THE C-115 FORM. PLEASE SE FWL Eddy County EL Eddy County EL Eddy County WL Eddy County FEL Eddy County FEL Eddy County FEL Eddy County TEL Eddy County FEL Eddy County FE | e filed within 30 days 60-4 shall be filed once , and the operator has E REBOILER. EE LIST RECEIVE ATTACHEDDI Costo OFAPS | |
| Attach the Bond under which following completion of the i testing has been completed. I determined that the site is rea SM ENERGY BEGAN F THEY ARE PROJECTIN WE ARE FLARING APF BELOW OF ALL WELLS Lease Name UL:Sec:To PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE Name(Printed/Typed) VIC Signature (Elec Approved By | the work will be performed or provide nvolved operations. If the operation re- Final Abandonment Notices shall be fi- dy for final inspection.) FLARING THIS MORNING DUE NG US TO BE BACK TO SALE PROXIMATELY 230 MFCPD AI S IMPACTED WITH THE ONE DWNShip:Range API Number Lo E UNIT #201 C-35-19S-29E 30 E UNIT #202 B-35-19S-29E 30 E UNIT #203 A-35-19S-29E 30 E UNIT #204 D-35-19S-29E 30 E UNIT #208 H-35-19S-29E 3 | e the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu E TO DCP REPLACING THE S SOMETIME ON FRIDAY, N ND WILL SUBMIT THIS ON T SUBMITTED: cation County -015-26063 990 FNL & 2310 -015-26083 990 FNL & 2310 -015-26083 990 FNL & 2310 -015-26079 890 FNL & 980 -015-26143 990 FNL & 990 F -015-34433 1438 FNL & 969 -015-34433 1438 FNL & 960 -015-34433 1438 FNL & 969 -015-34433 1438 FNL & 969 -015-3448 FNL & 960 -015-3448 FNL & 960 -0 | A. Required subsequent reports shall b ompletion in a new interval, a Form 31 fing reclamation, have been completed BOTTOMS-SIDE CRYOGENIC MAY 10TH. THE C-115 FORM. PLEASE SE FWL Eddy County EL Eddy County EL Eddy County WL Eddy County FEL Eddy County FEL Eddy County FEL Eddy County TEL Eddy County FEL Eddy County FE | e filed within 30 days 60-4 shall be filed once , and the operator has EREBOILER. EE LIST RECEIVE ATTACHEDBI OCOMPARS Control for reco | |
| Attach the Bond under which following completion of the i testing has been completed. I determined that the site is rea SM ENERGY BEGAN F THEY ARE PROJECTIF WE ARE FLARING APF BELOW OF ALL WELLS Lease Name UL:Sec:To PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE PARKWAY DELAWARE Signature (Elec Approved By onditions of approval, if ary, are rtify that the applicant the logical the signature the participant of the second the second second second second second participant the second second second part of the second second second second second second second second second second part of the second s | the work will be performed or provide nvolved operations. If the operation re- Final Abandonment Notices shall be fi- dy for final inspection.) FLARING THIS MORNING DUE NG US TO BE BACK TO SALE PROXIMATELY 230 MFCPD A S IMPACTED WITH THE ONE DWNShip:Range API Number Lo E UNIT #201 C-35-19S-29E 30 UNIT #202 B-35-19S-29E 30 UNIT #203 A-35-19S-29E 30 UNIT #204 D-35-19S-29E 30 UNIT #208 H-35-19S-29E 30 UNIT #208 H-35-19S-29E 30 E UNIT #208 H-35-19S-29E 30 KIE MARTINEZ tronic Submission) THIS SPACE FO Attached. Approval of his notice does attached. Approval of his notice does atta | e the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu E TO DCP REPLACING THE S SOMETIME ON FRIDAY, N ND WILL SUBMIT THIS ON T SUBMITTED: cation County -015-26063 990 FNL & 2310 -015-26083 990 FNL & 2310 -015-26083 990 FNL & 2900 -015-26079 890 FNL & 990 F -015-26143 990 FNL & 940 F -015-34433 1438 FNL & 969 -015-34433 1438 FNL & 969 -015-34438 FNL & 969 -015-34488 FNL & 969 -015-34488 FNL & 969 -015-34488 FNL & 969 -015-34488 FNL & 960 -015-3488 FNL & 960 - | A. Required subsequent reports shall b ompletion in a new interval, a Form 31 fing reclamation, have been completed BOTTOMS-SIDE CRYOGENIC MAY 10TH. THE C-115 FORM. PLEASE SE FWL Eddy County FEL Eddy County EL Eddy County WL Eddy County WL Eddy County FEL Eddy County FEL Eddy County CONDENS WL Eddy County FEL Eddy County EER TECH II | e filed within 30 days 60-4 shall be filed once , and the operator has EREBOILER. EE LIST RECEIVE ATTACHEDSI OCOMPARS Control for reco | |

Additional data for EC transaction #206283 that would not fit on the form

32. Additional remarks, continued

PARKWAY DELAWARE UNIT #401 F-35-19S-29E 30-015-25985 1980 FNL & 1980 FWL Eddy County PARKWAY DELAWARE UNIT #301 G-35-19S-29E 30-015-26006 2230 FNL & 760 FWL Eddy County PARKWAY DELAWARE UNIT #305 G-35-19S-29E 30-015-33071 2000 FNL & 1564 FEL Eddy County PARKWAY DELAWARE UNIT #307Y G-35-19S-29E 30-015-33997 1500 FNL & 2060 FEL Eddy County PARKWAY DELAWARE UNIT #402 F-35-19S-29E 30-015-34129 1437 FNL & 1986 FWL Eddy County PARKWAY DELAWARE UNIT #501 J-35-19S-29E 30-015-25960 1980 FSL & 1980 FWL Eddy County PARKWAY DELAWARE UNIT #502 K-35-19S-29E 30-015-25984 1980 FSL & 1980 FWL Eddy County PARKWAY DELAWARE UNIT #503 0-35-19S-29E 30-015-26007 660 FSL & 1980 FWL Eddy County PARKWAY DELAWARE UNIT #504 N-35-19S-29E 30-015-26007 660 FSL & 1980 FWL Eddy County PARKWAY DELAWARE UNIT #504 N-35-19S-29E 30-015-26029 1980 FSL & 760 FWL Eddy County PARKWAY DELAWARE UNIT #505 L-35-19S-29E 30-015-26029 1980 FSL & 760 FWL Eddy County PARKWAY DELAWARE UNIT #504 N-35-19S-29E 30-015-33072 1870 FSL & 1480 FEL Eddy County PARKWAY DELAWARE UNIT #510 J-35-19S-29E 30-015-33073 2570 FSL & 2225 FEL Eddy County PARKWAY DELAWARE UNIT #512 K-35-19S-29E 30-015-33073 2570 FSL & 1245 FWL Eddy County PARKWAY DELAWARE UNIT #512 K-35-19S-29E 30-015-34130 1210 FSL & 2065 FEL Eddy County PARKWAY DELAWARE UNIT #512 K-35-19S-29E 30-015-34130 1210 FSL & 2065 FEL Eddy County PARKWAY DELAWARE UNIT #515 K-35-19S-29E 30-015-34130 1210 FSL & 1675 FWL Eddy County PARKWAY DELAWARE UNIT #705 H-35-19S-29E 30-015-34130 1210 FSL & 1075 FWL Eddy County PARKWAY DELAWARE UNIT #705 H-35-19S-29E 30-015-26025 1980 FSL & 990 FEL Eddy County PARKWAY DELAWARE UNIT #701 H-35-19S-29E 30-015-26076 1980 FNL & 300 FWL Eddy County PARKWAY DELAWARE UNIT #701 H-35-19S-29E 30-015-26077 1980 FSL & 300 FWL Eddy County PARKWAY DELAWARE UNIT #901 E-36-19S-29E 30-015-26077 1980 FSL & 330 FWL Eddy County PARKWAY DELAWARE UNIT #921 L-36-19S-29E 30-015-26078 660 FNL & 330 FWL Eddy County PARKWAY DELAWARE UNIT #922 M-36-19S-29E 30-015-26077 1980 FSL & 330 FWL Eddy County PARKWAY DELAWARE

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

7/2/2013 Condition of Approval to Flare Gas

- 1. Report all volumes on OGOR reports.
- 2. Comply with NTL-4A requirements

Frank

- 3. Subject to like approval from NMOCD
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days for date of approval.
- 9. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared.
- 10. If flaring is still required past 90 days submit new request for approval.
- 11. If a portable unit is used to flare gas it must be monitored at all times.
- 12. Comply with any restrictions or regulations when on State or Fee surface.

JDB722013