Forin 3160-5 (August 2007)

Dat york 87600/5/24/13;

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

OCD Artesia

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

٦.	Lease Serial No.
	NMNM0473362

SUNDRY N	OTICES AND REPORTS ON WELLS
Do not use this	form for proposals to drill or to re-enter an
abandoned well.	Use form 3160-3 (APD) for such proposals

6. If Indian, Allottee or Tribe Name
7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.		
	8. Well Name and No. DWU FEDERAL 6	
2. Name of Operator Contact: JENNIFER A DUARTE OXY USA WTP LIMITED PTNRSHIP E-Mail: jennifer_duarte@oxy.com		
3b. Phone No. (include area code) Ph: 713-513-6640	10. Field and Pool, or Exploratory WINCHESTER (ゅうり)	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		
Sec 34 T19S R28E NESE 1980FSL 660FEL		
	Contact: JENNIFER A DUARTE : jennifer_duarte@oxy.com 3b. Phone No. (include area code) Ph: 713-513-6640	

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

			·	
TYPE OF SUBMISSION	TYPE OF ACTION			
□ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
_	☐ Alter Casing	Fracture Treat	□ Reclamation	■ Well Integrity
Subsequent Report	□ Casing Repair	☐ New Construction	■ Recomplete	Other
☐ Final Abandonment Notice	☐ Change Plans	Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

DWU FEDERAL # 6 05/15/13 ? RU Pulling Unit. Unseat packer and POH tubing. 05/20/13 ? Set CIBP at 10153?.

which would entitle the applicant to conduct operations thereon.

05/24/13 ? Set a balanced Class ?H? cement plug from 10948?. Tag the plug at 10207? (CP1). This plug is to cover the Morrow formation top. Set CIBP at 10153?.

05/Ž9/13 ? Set a balanced Class ?H? cement plug from 10153?. Tag the plug at 9768? (CP2). This plug is to cover the Strawn formation top.

05/30/13 ? Set a balanced Class ?H? cement plug from 9030?. Tag the plug at 8702? (CP3). This plug is to cover the Wolfcamp formation top.

05/31/13 ? RU Schlumberger. Ran CBL & USIT from 8702? to surface.

06/01/13 ? Set a balanced Class ?C? cement plug from 7071?. Tag the plug at 6810? (CP4). This plug is to cover the DV Tool at 6997?.

RECEIVANG 20 2013

allale	Accepted for record	8/20/	/3

Electronic Submission #215271 verified by the BLM Well Information System For OXY USA WTP LIMITED PTNRSHIP, sent to the Carlsbad Committed to AFMSS for processing by KURT SIMMONS on 08/07/2013 (13KMS6932SE)					
	Name (Printed/Typed)	JENNIFER A DUARTE	Title	REGULATORY ANALYST	
	Signature	(Electronic Submission)	Date	07/30/2013	
THIS SPACE FOR FEDERAL OR STATE OFFICE USE					

Signature	(Electronic Submission)	Date	07/30/2013	
	THIS SPACE FOR FEDERA	AL OR	STATE OFFICE USE	
Approved By A	CCEPTED		AMES A AMOS SUPERVISOR EPS	Date 08/17/2013
Conditions of approve	al, if any, are attached. Approval of this notice does not warrant or			

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Additional data for EC transaction #215271 that would not fit on the form

32. Additional remarks, continued

06/03/13? Performed charted casing integrity test of 500 psi. 06/17/20? RU Schlumberger. Perforate Bone Spring interval 6592?-6596? (8 holes), 6533?-6536? (6 holes) and 6485?-6487? (4 holes); 0.42? EHD. 06/20/13? RU Halliburton and frac Bone Spring with: Fluid? 118,332 glns HYBOR G-20 (crosslinked gel); 2,000 glns 15% HCl. Sand - 237,000 lbs 16/30 white sand with ?Expedite? 06/27/13? RIH bit and tag at 6620?. Complete after frac clean out to 6771? (PBTD). RIH 2-3/8? L-80 production tubing to 6640?. 06/28/13? RIH rod string. 07/01/13? Released Rig.

