Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

OCD Artesia

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No. NMNM81220

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or C	A/Agreement	, Name and/or No.
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Other					8. Well Name and No. OLD RANCH KNOLL 8 FEDERAL 3		
2. Name of Operator Contact: DAVID STEWART OXY USA INC. E-Mail: david_stewart@oxy.com					9. API Well No. 30-015-30489		
3a. Address 3b. Phone No P.O. BOX 50250 Ph: 432-68 MIDLAND, TX 79710 Fx: 432-685				2)	10. Field and Pool, or Exploratory INDIAN BASIN (UP. PENN)		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, and State		
Sec 8 T22S R24E NWNE 660FNL 2426FEL 32.411040 N Lat, 104.519140 W Lon					EDDY COUNTY, NM		
12. СНЕСК АРРІ	ROPRIATE BOX(ES) TO	INDICATI	ENATURE OF	NOTICE, RI	EPORT, OR (THER DA	ATA
TYPE OF SUBMISSION	TYPE OF ACTION						
Notice of Intent ■ Notice of Intent Notice of	☐ Acidize	☐ Dee	□ Deepen		☐ Production (Start/Resume)		Water Shut-Off
	☐ Alter Casing	Casing		☐ Reclama	ation	0	Well Integrity
☐ Subsequent Report	Casing Repair	☐ Nev	v Construction	□ Recomp	Recomplete		Other
☐ Final Abandonment Notice			_		porarily Abandon		
			Ig Back ☐ Water I ding estimated starting date of any p		isposal		
9-5/8" 36# csg @ 1607' w/ 570sx cmt, 12-1/4" hole, TOC-Surf-Circ					ATTACHED FOR DITIONS OF APPROVAL		
Circulate 10# MLF between plugs						'	MAYE
1. RIH & set CIBP @ 7948', M 2. M&P 40sx cmt @ 7843-717 3. M&P 40sx cmt @ 7015-684 4. Perf @ 4635', sqz 60sx cmt 5. Perf @ 3705', sqz 55sx cmt	&P 30sx cmt (1500) 0".WOC-Tag 73 93 - 5' WOC-Tag to 4490' WOC-Tag to 3565' WOC-Tag) - 722. 55-36	3 (Wolf Co	sap). Sporting	RECLAI	ATTACHE	
14. I hereby certify that the foregoing is	Electronic Submission #21	5452 verifie	d by the BLM We	II Information	System	REC	EIVED
Electronic Submission #215452 verified by the BLM Well Information For OXY USA INC., sent to the Carlsbad Committed to AFMSS for processing by KURT SIMMONS on 08/07						ALIG	21 2013
Name(Printed/Typed) DAVID STEWART Titl				REGULATORY ADVISOR			
				NMOCD ARTESIA			
Signature (Electronic Submission) Date 07/31/2013					<u>.</u>		
	THIS SPACE FOR	R FEDER	L OR STATE	OFFICE US	SE		
Approved By Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office CFD			Date 8-20-13	
Title 18 U.S.C. Section 1001 and Title 43 U.S. States any false, fictitious or fraudulent s	J.S.C. Section 1212, make it a critatements or representations as to	ime for any pe any matter w	erson knowingly and ithin its jurisdiction.	willfully to ma	ke to any departr	nent or agenc	y of the United

'Additional data for EC transaction #215452 that would not fit on the form

32. Additional remarks, continued

4-1-1

6. Perf @ 2750; sqz 50sx cmt to 2620; WOC-Tag
7. Perf @ 1657; sqz 45sx cmt to 1540; WOC-Tag
8. Perf @ 250; sqz 100sx cmt to Surface

OXY USA WTP LP - Proposed Old Ranch Knoll 8 Federal #3 API No. 30-015-30489

100sx @ 250'-Surface

45sx @ 1657-1540' WOC-Tag

50sx @ 2750-2620' WOC-Tag


55sx @ 3705-3565' WOC-Tag

60sx @ 4635-4490' WOC-Tag

40sx @ 7015-6845' WOC-Tag


40sx @ 7343-7170' WOC-Tag

CIBP @ 7948' w/ 30sx



PB-8459'

OXY USA WTP LP - Current Old Ranch Knoll 8 Federal #3 API No. 30-015-30489



12-1/4" hole @ 1607' 9-5/8" csg @ 1607' w/ 570sx-TOC-Surf-Circ

8-3/4" hole @ 8550' 7" csg @ 8550' w/ 475sx-TOC-5770'-CBL

Perfs @ 7998-8347'

PB-84591

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

5 8 1 1 ×

Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification</u>: Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10th day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>
- 8. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation procedure.

J. Amos 3/6/11



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Inspection & Enforcement

1 10 8 8 8

Jim Amos Supervisory Environmental Protection Specialist 575-234-5909, 575-361-2648 (Cell)

Mike Burton Environmental Protection Specialist 575-234-2226

Jeffery Robertson Natural Resource Specialist 575-234-2230

Jennifer Van Curen Environmental Protection Specialist 575-234-5905

Doug Hoag Civil Engineering Technician 575-234-5979

Linda Denniston Environmental Protection Specialist 575-234-5974

Solomon Hughes Natural Resource Specialist 575-234-5951

Permitting

Cody Layton Natural Resource Specialist 575-234-5959

Trishia Bad Bear Natural Resource Specialist 575-393-3612

Todd Suter Surface Protection Specialist 575-234-5987

Tanner Nygren Natural Resource Specialist 575-234-5975

Amanda Lynch Natural Resource Specialist 575-234-5922

Legion Brumley Environmental Protection Specialist 575-234-5957

Realty, Compliance

Randy Pair Environmental Protection Specialist 575-234-6240