District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC) **Apache Corporation** Applicant A. 1945 Bluestem Road, Artesia, NM 88210 whose address is 90 hereby requests an exception to Rule 19.15.18.12 for days or until Yr _____, Yr _____, for the following described tank battery (or LACT): N B Tween State ____Name of Pool Yeso Name of Lease Section 25 Township 17S Location of Battery: Unit Letter Range 30 Number of wells producing into battery 1000 B. Based upon oil production of barrels per day, the estimated * volume \$4000 1700 MCF; Value ____ of gas to be flared is per day. C. Name and location of nearest gas gathering facility: Frontier Empire Abo Unit Distance _____Estimated cost of connection D. This exception is requested for the following reasons: This is for an extension on the E. previous one that will expire August 30, 2013. **OPERATOR** OIL CONSERVATION DIVISION I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature Printed Name Fatima Vasquez - Regulatory Tech II & Title Fatima.Vasquez@apachecorp.com E-mail Address

Telephone No.

(432) 818-1015

of SEE AHACKED COA.

08/09/2013

^{*} Gas-Oil ratio test may be required to verify estimated gas volume.

Office District I	State of New Mexico		Form C-103	
	Energy, Minerals and Natural Resources		June 19, 2008 WELL API NO.	
1625 N. French Dr., Hobbs, NM 88240 District II			WELL API NO.	
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		5. Indicate Type of Lease	
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505		STATE S FEE	
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM	Santa re, Nivi 6750	15	6. State Oil & Gas Lease No. X0-0647-0405	
87505	AND DEPORTS ON WELLS			(-it A None
	ES AND REPORTS ON WELLS ALS TO DRILL OR TO DEEPEN OR PLUG	BACK TO A	7. Lease Name or Unit Agreement Name	
DIFFERENT RESERVOIR. USE "APPLICA" PROPOSALS.)	ATION FOR PERMIT" (FORM C-101) FOR S	SUCH	N B Tween State We	IIS
1. Type of Well: 🗵 Oil Well	Gas Well		8. Well Number	
2. Name of Operator			9. OGRID Number 873	
Apache Corporation 3. Address of Operator			10. Pool name or W	/ildcat
303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705			Artesia; Glorieta-Yeso (96830)	
4. Well Location	1-10			
Unit Letter_H :	feet from the	line and		theline
Section 25	Township 17S Rang			County Eddy
	11. Elevation (Show whether DR, R.	KB, RT, GR, etc		
大學 \$15 最高的 \$4 \$15 \$15 \$15 \$15 \$15 \$15 \$15 \$15 \$15 \$15			1 200	Section of the sectio
12. Check A	ppropriate Box to Indicate Natu	ire of Notice.	Report or Other D	ata
			•	
NOTICE OF INT PERFORM REMEDIAL WORK ☐	Į.	SUE EMEDIAL WOR	SSEQUENT REP	ORT OF: LTERING CASING □
TEMPORARILY ABANDON	_		_	AND A
PULL OR ALTER CASING	_	ASING/CEMEN		
DOWNHOLE COMMINGLE				
OTHER: Flare Gas	N C	THER:		
	eted operations. (Clearly state all per		nd give pertinent dates,	including estimated date
of starting any proposed wor or recompletion.	k). SEE RULE 1103. For Multiple (Completions: A	ttach wellbore diagram	of proposed completion
Apache is requesting permission to measured prior to flaring. The AP	o temporarily flare the NB Tween States # for each well are as follows:	te wells 1-30. Ir	ntermittent flaring will oc	ccur and gas will be
30-015-35915	30-015-36789		30-015-38592	RECEIVE
30-015-35913	30-015-37592		30-015-38467	,
30-015-35916	00 045 07500			
	30-015-37593		30-015-38593	AUG 1 4 2013
30-015-35917	30-015-37597		30-015-39074	
30-015-35917 30-015-36603 30-015-36626	30-015-37597 30-015-38405 30-015-38406		30-015-39074 30-015-39075 30-015-39744	
30-015-35917 30-015-36603 30-015-36626 30-015-36627	30-015-37597 30-015-38405 30-015-38406 30-015-38407		30-015-39074 30-015-39075 30-015-39744 30-015-39745	
30-015-35917 30-015-36603 30-015-36626	30-015-37597 30-015-38405 30-015-38406		30-015-39074 30-015-39075 30-015-39744	
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070		30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746	
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590		30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590		30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591		30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747	
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591 Rig Release Date:		30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591 Rig Release Date:		30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Date:	of my knowled	30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591 Rig Release Date:	of my knowled	30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748	
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: I hereby certify that the information a SIGNATURE Type or print name Fatima Vasquez	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Date:	of my knowled	30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748 ge and belief.	NMOCD ARTES
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591 Rig Release Date: bove is true and complete to the best	of my knowled	30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748 ge and belief.	E 08/09/2013 NE: (432) 818-1015
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: I hereby certify that the information a SIGNATURE Type or print name Fatima Vasquez	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590 30-015-38591 Rig Release Date: bove is true and complete to the best	of my knowled	30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748 ge and belief.	NE: (432) 818-1015
30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: Thereby certify that the information a SIGNATURE Type or print name Fatima Vasquez For State Use Only APPROVED BY:	30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Date:	of my knowled	30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748 ge and belief.	E 08/09/2013 NE: (432) 818-1015

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- **6.** No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here 8/19/3013

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey
Division Director
Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth
 within 30 feet of each structure. Single trees and shrubs may be retained if they are well
 spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for
 any vegetation near structures.
- · Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.