SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well Image: Contact: JENNIFER A DUARTE OXY USA WTP 2. Name of Operator OXY USA WTP Contact: JENNIFER A DUARTE E-Mail: jennifer_duarte@oxy.com 3a. Address PO BOX 4294 HOUSTON, TX 77210 3b. Phone No. (include area code) Ph: 713-513-6640 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 21 T17S R28E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF Motice of Intent Bubsequent Report Acidize Deepen Casing Repair New Construction Image: Final Abandonment Notice Change Plans Plug and Abandon Image: Convert to Injection Plug Back 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting if the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure attach the Bond under which the work will be performed or provide the Bond No. on file with BL/BIA	ACTION Product Reclam Recomp	tion (Start/Resume) 🗖 Water Shut-Off nation 🗖 Well Integrity plete 🛛 🛛 Other rarily Abandon
SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well Gas Well Other 2. Name of Operator OXY USA WTP Contact: JENNIFER A DUARTE E-Mail: jennifer_duarte@oxy.com 3a. Address PO BOX 4294 HOUSTON, TX 77210 3b. Phone No. (include area code) Ph: 713-513-6640 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 21 T17S R28E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF Alter Casing Subsequent Report Acidize Deepen Subsequent Report Casing Repair New Construction Final Abandonment Notice Change Plans Plug and Abandon 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting of the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure	ACTION Product Reclam Recomp	7. If Unit or CA/Agreement, Name and/or No. NMNM128925X 8. Well Name and No. VARIOUS VARIOUS 9. API Well No. Piglet 21 Jed', Chris Robin, 10. Field and Pool, or Exploratory ARTESIA; GLORIETA-YESO 11. County or Parish, and State EDDY COUNTY, NM EPORT, OR OTHER DATA tion (Start/Resume) □ Water Shut-Off □ Well Integrity plete ☑ Other rarily Abandon □
1. Type of Well Ø Oil Well Gas Well Other 2. Name of Operator OXY USA WTP Contact: JENNIFER A DUARTE E-Mail: jennifer_duarte@oxy.com 3a. Address PO BOX 4294 HOUSTON, TX 77210 3b. Phone No. (include area code) Ph: 713-513-6640 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 21 T17S R28E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION I Acidize Deepen I Acidize	ACTION Product Reclam Recomp	NMNM128925X 8. Well Name and No. VARIOUS VARIOUS 9. API Well No. Piglot 21 Fed ' Chris Robin 10. Field and Pool, or Exploratory ARTESIA; GLORIETA-YESO 11. County or Parish, and State EDDY COUNTY, NM EPORT, OR OTHER DATA tion (Start/Resume) UWater Shut-Off nation Well Integrity plete Ø Other rarily Abandon
Oil Well Gas Well Other 2. Name of Operator OXY USA WTP 2. Name of Operator OXY USA WTP 2. Name of Operator OXY USA WTP Contact: JENNIFER A DUARTE E-Mail: jennifer_duarte@oxy.com 3a. Address PO BOX 4294 HOUSTON, TX 77210 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 21 T17S R28E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF Intent Subsequent Report Final Abandonment Notice Generation Charge Plans Plug and Abandon Convert to Injection Plug Back Subsequent details, including estimated starting If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure	ACTION Product Reclam Recomp	VARIOUS VARIOUS 9. API Well No. Piglet 21 Fed ', Chris Robin 10. Field and Pool, or Exploratory ARTESIA; GLORIETA-YESO 11. County or Parish, and State EDDY COUNTY, NM EPORT, OR OTHER DATA tion (Start/Resume) Tation Water Shut-Off tation Well Integrity plete Water County Coun
2. Name of Operator OXY USA WTP Contact: JENNIFER A DUARTE E-Mail: jennifer_duarte@oxy.com 3a. Address PO BOX 4294 HOUSTON, TX 77210 3b. Phone No. (include area code) Ph: 713-513-6640 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 21 T17S R28E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF Ø Notice of Intent Acidize Ø Subsequent Report Alter Casing Final Abandonment Notice Change Plans Ø Convert to Injection Plug and Abandon Ø Convert to Injection Plug Back	ACTION Product Reclam Recomp	Piglet 21 4ed', Chris Robin 10. Field and Pool, or Exploratory ARTESIA; GLORIETA-YESO 11. County or Parish, and State EDDY COUNTY, NM EPORT, OR OTHER DATA tion (Start/Resume) Image: Water Shut-Off Well Integrity plete Image: Water Shut-Off Trainin Image: Water Shut-Off Deter Plate Image: State Image: St
3a. Address 3b. Phone No. (include area code) PO BOX 4294 Ph: 713-513-6640 HOUSTON, TX 77210 Ph: 713-513-6640 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 21 T17S R28E Sec 21 T17S R28E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF SUBMISSION Obsequent Report Subsequent Report Acidize Casing Repair New Construction Final Abandonment Notice Change Plans Convert to Injection Plug Back Subseries Proposed or Completed Operation (clearly state all pertinent details, including estimated starting if the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure of the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure of the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure of the proposal is to deepen directionally or recomplete horizontally.	ACTION Product Reclam Recomp	10. Pield and Pool, or Exploratory ARTESIA; GLORIETA-YESO 20 Fee 11. County or Parish, and State EDDY COUNTY, NM EPORT, OR OTHER DATA tion (Start/Resume) □ Water Shut-Off nation □ Well Integrity plete ☑ Other rarily Abandon □
 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 21 T17S R28E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF Notice of Intent Acidize Deepen Alter Casing Fracture Treat Casing Repair New Construction Change Plans Plug and Abandon Convert to Injection Plug Back 	ACTION Product Reclam Recomp	EDDY COUNTY, NM EPORT, OR OTHER DATA tion (Start/Resume) URATER Shut-Off nation Well Integrity plete IN Other rarily Abandon
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF Image: Subsequent Report Acidize Deepen Image: Subsequent Report Alter Casing Fracture Treat Image: Subsequent Report Casing Repair New Construction Image: Final Abandonment Notice Change Plans Plug and Abandon Image: Convert to Injection Plug Back 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting if the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure	ACTION Product Reclam Recomp	EPORT, OR OTHER DATA tion (Start/Resume) URATE Water Shut-Off nation Well Integrity plete Souther rarily Abandon
TYPE OF SUBMISSION TYPE OF Notice of Intent Acidize Deepen Subsequent Report Alter Casing Fracture Treat Casing Repair New Construction Final Abandonment Notice Change Plans Plug and Abandon Convert to Injection Plug Back 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure	ACTION Product Reclam Recomp	tion (Start/Resume) 🗖 Water Shut-Off nation 🗖 Well Integrity plete 🛛 Other rarily Abandon
 Notice of Intent Subsequent Report Final Abandonment Notice Acidize Casing Repair Change Plans Plug and Abandon Convert to Injection Plug Back Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured for the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured for the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured starting If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured starting Interview of the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured starting Interview of the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured starting Interview of the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured starting Interview of the proposal is to deepen directional proposal p	 Product Reclam Recomp Tempor 	nation Image: Well Integrity plete Image: Well Integrity rarily Abandon
 Notice of Intent Subsequent Report Final Abandonment Notice Change Plans Convert to Injection Plug and Abandon Convert to Injection Plug Back 	□ Reclam □ Recomp □ Tempor	nation Image: Well Integrity plete Image: Other rarily Abandon
 Alter Casing Fracture Treat Casing Repair New Construction Change Plans Plug and Abandon Convert to Injection Plug Back Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure 	☐ Recom ☐ Tempor	plete 🛛 Other rarily Abandon
Final Abandonment Notice Change Plans Plug and Abandon Convert to Injection Plug Back Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure	Tempor	rarily Abandon
Convert to Injection Plug Back 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measur		
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure	🗖 Water I	Disposal
following completion of the involved operations. If the operation results in a multiple completion or reco testing has been completed. Final Abandonment Notices shall be filed only after all requirements, includi determined that the site is ready for final inspection.) OXY USA WTP respectfully requests to change the names on our Piglet 21 Federal v Robin 20 Federal wells to the now Artesia Yeso Federal Unit. The naming conversion specific well in the attached spreadsheet. Should you have any questions or concern free to contact me at any time.	ng reclamatio vells and C n is listed p s, please fe SUE APE Information ad ISON on 05/	n, have been completed, and the operator has her eel BJECT TO LIKE PROVAL BY STATE n System /01/2013 ()
Name(Printed/Typed) JENNIFER A DUARTE Title REGUL/	ATORY SP	
Signature (Electronic Submission) Date 05/01/20		APPROVED
THIS SPACE FOR FEDERAL OR STATE (
Approved By Title		MAY 7 2010
onditions of approval, if any, are attached. Approval of this notice does not warrant or rtify that the applicant holds legal or equitable title to those rights in the subject lease nich would entitle the applicant to conduct operations thereon. Office		BUREAU OF LAND MANAGEMENT CARLSBAD FIELD OFFICE

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

	Ĩ	0 91 92 BAR 129884			
		mol 96830	3988 1	_	
	Old Well Name	API #	New Well Name		
	Piglet 21 Federal #8	30-015-40669,/MD-48343	Artesia Yeso Federal Unit #1		
	Piglet 21 Federal #9	30-015-40709J/MO48343 ~	Artesia Yeso Federal Unit #2		
	Piglet 21 Federal #10'	<u>30</u> =015-40948 <u>LCO</u> \$\$\$\$\$\$	Artesia Yeso Federal Unit #3		
•	Piglet 21 Federal #11	30-015-40708 M.0 48 343	Artesia Yeso Federal Unit #4		
	Piglet 21 Federal #12	30-015-40716 NMD48344	Artesia Yeso Federal Unit #5		
	Piglet 21'Federal #13	30-015-40670 _{NM0} +8'34+	Artesia Yeso Federal Unit #6		
	Chris Robin 20 Federal #5	30-015-40671 2065 729	Artesia Yeso Federal Unit #7 🧳	•	
	Chris Robin 20 Federal #6	30-015-40672 LC028456	Artesia Yeso Federal Unit #8	۲	
	Chris Robin 20 Federal #7	30-015-40 <u>7</u> 94-1_065729	Artesia Yeso Federal Unit #9	•	
	Chris Robin 20 Federal #8	30-015-40673 LCD 48479 A	Artesia Yeso Federal Unit #10 🔍		
ł	Chris-Robin ⁻ 20 Federal #9	30-015-40674/06484 74 B ⁷	Artesia Yeso Federal Unit #11	7	
	Chris Robin 20 Federal #10	30-015-40675 <u>/ 2048 ቁንዓ</u> እ ⁷ -	Artesia Yeso_Eederal Unit #12	1	
,	Ghris Robin 20-Federal #11-	30-015-40833 _{NM048} 345 ´	Artesia Yeso Federal Unit #13		
	Chris Robin 20 Federal #12	30-015-40676 <u>८</u> ℃ ० 484 7 9 8′	Artesia Yeso Federal Unit #14		

eff 5-14-13

Created by Neevia Document Converter trial version http://www.neevia.com

17

Footages	Location
727 FNL, 462 FWL	Sec. 21, T-17-S, R-28-E
488 FNL, 1574 FWL	Sec. 21, T-17-S, R-28-E
1673 FNL, 893 FWL	Sec. 21, T-17-S, R-28-E
1,635 FNL & 2,220 FWL	Sec. 21, T-17-S, R-28-E
445 FNL, 1865 FEL	Sec. 21, T-17-S, R-28-E
965 FNL, 1038 FEL	Sec. 21, T-17-S, R-28-E
380' FNL, 440' FEL	Sec. 20, T-17-S, R-28-E
1860' FNL, 570' FEL	Sec. 20, T-17-S, R-28-E
1650' FNL, 1980' FEL	Sec. 20, T-17-S, R-28-E
402' FNL, 2183' FEL	Sec. 20, T-17-S, R-28-E
875' FNL, 2140' FWL	Sec. 20, T-17-S, R-28-E
1790' FNL, 1780' FWL	Sec. 20, T-17-S, R-28-E
990' FNL, 880' FWL	Sec. 20, T-17-S, R-28-E
1980' FNL, 430' FWL	Sec. 20, Т-17-S, R-28-Е

Created by Neevia Document Converter trial version http://www.neevia.com