	UNITED STATE EPARTMENT OF THE I	NTERIOR OCD Arte	sia	OMB N	APPROVED IO. 1004-0135 : July 31, 2010
BUREAU OF LAND MANAGEMENT			F	5. Lease Serial No. NMLC029419A	
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			ŀ	6. If Indian, Allottee or Tribe Name	
abandoned we					
SUBMIT IN TRI	IPLICATE - Other instruc	ctions on reverse side.		7. If Unit or CA/Agre	eement, Name and/or No
I. Type of Well □ Gas Well □ Other				8. Well Name and No. SKELLY UNIT 611	
2. Name of Operator ` Contact: KANICIA CASTILLO COG OPERATING LLC E-Mail: kcastillo@conchoresources.com				9. API Well No. 30-015-36887	
3a. Address 3b. Phone No. (include area concerning of the second sec) 10. Field and Pool, or Exploratory FREN;GLORIETA-YESO		
4. Location of Well (Footage, Sec., 7	4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. County or Parish,	and State
Sec 22 T17S R31E Mer NMP	2380FNL 990FEL			EDDY COUNTY, NM	
		O INDICATE NATURE OF	NOTICE DE	DORT OD OTUT	
TYPE OF SUBMISSION			F ACTION		
Notice of Intent		Deepen		on (Start/Resume)	U Water Shut-Off
Subsequent Report	Alter Casing	Fracture Treat	Reclamat		Well Integrity
☐ Final Abandonment Notice	 Casing Repair Change Plans 	New Construction Plug and Abandon	Recompl	rily Abandon	Other Venting and/or Fla
					ng
3. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide operations. If the operation re bandonment Notices shall be fil	Plug Back nt details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BI sults in a multiple completion or rec	Water Di mg date of any pro ured and true ver A. Required subs completion in a ne	sposal posed work and appro- tical depths of all perti- equent reports shall be winterval, a Form 316	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil inal inspection.)	Plug Back nt details, including estimated startii give subsurface locations and mease the Bond No. on file with BLM/BI sults in a multiple completion or rec led only after all requirements, inclu	Water Di mg date of any pro ured and true ver A. Required subs completion in a ne	sposal posed work and appro- tical depths of all perti- equent reports shall be winterval, a Form 310 have been completed,	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involvec testing has been completed. Final Al determined that the site is ready for f	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil inal inspection.) fully request to flare at the	Plug Back Int details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu Skelly Unit #611 Battery.	Water Di mg date of any pro ured and true ver A. Required subs completion in a ne	sposal posed work and appro- tical depths of all perti- equent reports shall be winterval, a Form 310 have been completed,	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC, respect	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil inal inspection.) fully request to flare at the	Plug Back Int details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu Skelly Unit #611 Battery.	Water Di mg date of any pro ured and true ver A. Required subs completion in a ne	sposal posed work and appro- tical depths of all perti- equent reports shall be winterval, a Form 310 have been completed,	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC, respectf Number of wells to flare: (48)	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil inal inspection.) fully request to flare at the	Plug Back nt details, including estimated startii give subsurface locations and mease the Bond No. on file with BLM/BI sults in a multiple completion or rec led only after all requirements, inclu	☐ Water Di ng date of any pro ured and true vert A. Required subs completion in a ne ding reclamation,	sposal posed work and appro- tical depths of all perti- isequent reports shall be we interval, a Form 310 have been completed, AUG SEE ADEA	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has CHED/FOR
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC, respectf Number of wells to flare: (48) See attachment for API #'s. 502 Oil/Day	Convert to Injection eration (clearly state all pertinent ally or recomplete horizontally, rk will be performed or provide operations. If the operation re bandonment Notices shall be fil inal inspection.) fully request to flare at the clear rom 6/20/13 to 9/20/13	Plug Back nt details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BI sults in a multiple completion or rec led only after all requirements, inclu Skelly Unit #611 Battery.	☐ Water Di ng date of any pro ured and true vert A. Required subs completion in a ne ding reclamation,	sposal posed work and appro- tical depths of all perti- isequent reports shall be we interval, a Form 310 have been completed, AUG SEE ADEA	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC, respectf Number of wells to flare: (48) See attachment for API #'s. 502 Oil/Day 1888 MCF/Day	Convert to Injection eration (clearly state all pertiner ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil inal inspection.) fully request to flare at the fill fully request for flare at the fill fully flare at the fill flare at the fill fully flare at the fill flare at the fill flare at	Plug Back Int details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu Skelly Unit #611 Battery. Skelly Unit #611 Battery. DOLENTO LIKE ROVAL BY STATE 210729 verified by the BLM We	Water Di Ing date of any pro- ured and true veri- A. Required subs- completion in a ne ding reclamation, CO	sposal posed work and appro lical depths of all perti- equent reports shall be winterval, a Form 310 have been completed, AUG SEEVEDFAC	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has CHED FOR
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC, respectf Number of wells to flare: (48) See attachment for API #'s. 502 Oil/Day 1888 MCF/Day Requesting 90 day approval fu	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil inal inspection.) fully request to flare at the fully request to flare at the force 6/20/13 to 9/20/13SU APPI	Plug Back Int details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BI. Issults in a multiple completion or rec led only after all requirements, inclu Skelly Unit #611 Battery. Skelly Unit #611 Battery. Skelly Unit #611 Battery. DIBJECT TO LIKE ROVAL BY STATE 210729 verified by the BLM We DERATING LLC, sent to the O or processing by KURT SIMMO	Water Di Ing date of any pro- ured and true veri- A. Required subs- completion in a ne ding reclamation, CO ell Information S carlsbad DNS on 06/20/2	sposal posed work and appro- tical depths of all perti- tical depths of all perti- house the perturbation of all perturbations of all perturb	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has CHED FOR
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC, respectf Number of wells to flare: (48) See attachment for API #'s. 502 Oil/Day 1888 MCF/Day Requesting 90 day approval fu	Convert to Injection eration (clearly state all pertinent ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil inal inspection.) fully request to flare at the fill fully request to flare at the for COG O	Plug Back Int details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BI. Isults in a multiple completion or rec led only after all requirements, inclu Skelly Unit #611 Battery. Skelly Unit #611 Battery. Skelly Unit #611 Battery. Dodd School 8/20/3 UBJECT TO LIKE ROVAL BY STATE 210729 verified by the BLM We DEFRATING LLC. sent to the O	Water Di Ing date of any pro- ured and true veri- A. Required subs- completion in a ne ding reclamation, CO ell Information S carlsbad DNS on 06/20/2	sposal posed work and appro- tical depths of all perti- tical depths of all perti- house the perturbation of all perturbations of all perturb	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has CHED FOR
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC, respectf Number of wells to flare: (48) See attachment for API #'s. 502 Oil/Day 1888 MCF/Day Requesting 90 day approval fu	Convert to Injection eration (clearly state all pertinent ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices shall be fil inal inspection.) fully request to flare at the fill fully request to flare at the for COG O Committed to AFMSS fill CASTILLO	Plug Back Int details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BI. Issults in a multiple completion or rec led only after all requirements, inclu Skelly Unit #611 Battery. Skelly Unit #611 Battery. Skelly Unit #611 Battery. DIBJECT TO LIKE ROVAL BY STATE 210729 verified by the BLM We DERATING LLC, sent to the O or processing by KURT SIMMO	Water Di ang date of any pro- ured and true veri- A. Required subs- completion in a ne- ding reclamation, COI ell Information S- carlsbad DNS on 06/20/2 ARER	sposal posed work and appro- tical depths of all perti- tical depths of all perti- house the perturbation of all perturbations of all perturb	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has CHED FOR
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC, respectf Number of wells to flare: (48) See attachment for API #'s. 502 Oil/Day 1888 MCF/Day Requesting 90 day approval finant (4. Thereby certify that the foregoing is Name(Printed/Typed) KANICIA (Convert to Injection eration (clearly state all pertiner ally or recomplete horizontally, rk will be performed or provide bandonment Notices shall be fil- inal inspection.) fully request to flare at the file for 6/20/13 to 9/20/13 CAN APPI strue and correct. Electronic Submission # For COG O Committed to AFMSS fr CASTILLO	Plug Back Int details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BI. Issults in a multiple completion or rec led only after all requirements, inclu Skelly Unit #611 Battery. Skelly Unit #611 Battery. Skelly Unit #611 Battery. DISJECT TO LIKE ROVAL BY STATE 210729 verified by the BLM We DERATING LLC, sent to the C or processing by KURT SIMMO Title PREPA	Water Di Ing date of any pro- ured and true veri- A. Required subs- completion in a ne ding reclamation, COI ell Information 1 arlsbad DNS on 06/20/2 ARER 2013	sposal posed work and appro- lical depths of all pertii- requent reports shall be winterval, a Form 310 have been completed, AUG SEELADFAC NDITIONS C	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has CHED FOR
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC, respectf Number of wells to flare: (48) See attachment for API #'s. 502 Oil/Day 1888 MCF/Day Requesting 90 day approval finant (4. Thereby certify that the foregoing is Name(Printed/Typed) KANICIA (Convert to Injection eration (clearly state all pertiner ally or recomplete horizontally, rk will be performed or provide bandonment Notices shall be fil- inal inspection.) fully request to flare at the file for 6/20/13 to 9/20/13 CAN APPI strue and correct. Electronic Submission # For COG O Committed to AFMSS fr CASTILLO	Plug Back Int details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BI sults in a multiple completion or rec led only after all requirements, inclu Skelly Unit #611 Battery. Skelly Unit #611 Battery. DIBJECT TO LIKE ROVAL BY STATE 210729 verified by the BLM We DERATING LLC, sent to the C or processing by KURT SIMMO Title PREPA	Water Di Ing date of any pro- ured and true veri- A. Required subs- completion in a ne ding reclamation, COI ell Information 1 arlsbad DNS on 06/20/2 ARER 2013 OFFICAUS	sposal posed work and appro- lical depths of all perti- lical depths of all perti- all perti- AUG AUG AUG SEE ADFA AUG SEE ADFA NDITIONS C System 013 ()	ximate duration thereof. nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has CHED FOR
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC, respectf Number of wells to flare: (48) See attachment for API #'s. 502 Oil/Day 1888 MCF/Day Requesting 90 day approval final 14. Thereby certify that the foregoing is Name (Printed/Typed) KANICIA (Signature (Electronic S	Convert to Injection eration (clearly state all pertinen- ally or recomplete horizontally, rk will be performed or provide bandonment Notices shall be fil- inal inspection.) fully request to flare at the file for 6/20/13 to 9/20/13SU APPI true and correct. Electronic Submission # For COG O Committed to AFMSS from CASTILLO Submission) THIS SPACE FO Manual of this notice does intable title to mose rights in the for operations thereon.	Plug Back Int details, including estimated starting give subsurface locations and meas the Bond No. on file with BLM/BI Esults in a multiple completion or rec led only after all requirements, inclu e Skelly Unit #611 Battery. Skelly Unit #611 Battery. DBJECT TO LIKE ROVAL BY STATE 210729 verified by the BLM We DPERATING LC, sent to the C or processing by KURT SIMMO Title PREPA Date 06/14/2 DR FEDERAL OR STATE Intel Int	Water Di Ing date of any pro- ured and true veri- A. Required subs- completion in a ne ding reclamation, COI ell Information 12 arisbad DNS on 06/20/2 ARER 2013 OFFICAUS AUC	sposal posed work and appro- lical depths of all perti- lical depths of all perti- sequent reports shall be all perti- all perti	ximate duration thereof. nent markers and zones. a filed within 30 days 50-4 shall be filed once and the operator has CEIVED CHED/FOR FAPPROVA Date

ý.

•

Additional data for EC transaction #210729 that would not fit on the form

ł

.

32. Additional remarks, continued

Due to DCP Shut in.

~

.

Schematic attached.

Flare Request Form

Ì

Battery-	Skelly #611
Production-	502 oil, 5057 wtr, 1888 mcf
Total BTU of Htrs-	1,500,000
Flare Start Date-	6/13/2013 Flare End Date- 9/13/2013
UL Sec-T-R-	Unit I, Sec.22-T17S-R31E GPS- N 32 49.155 W 103 51.127
# of wells in bty-	48 # of wells to be flared- 48 Gas purchaser- Frontier
Reason For Flare-	Frontier Curtailment
	Site Diagram
A.	
Ŷ	Skelly #611
	Pumping Unit
($\overline{}$
	Flare
Road	
ה א	
	Wells and API's on 2nd tab

Battery Name					
Well # API Number					
605	30-015-36885				
· 620 *	30-015-36779				
621 ″	30-015-36832				
622 🖉	30-015-36831				
623 🖌	30-015-36833				
624 `*	30-015-36780				
633 -	30-015-36966				
641	30-015-39696				
642 🐖	30-015-37613				
651 🖉	30-015-38224				
654	30-015-37979				
658 -	30-015-37980				
659	30-015-39697				
685 **	30-015-37222				
967 🧭	30-015-35871				
969 🐔	30-015-35867				
971 <i>I</i>	30-015-35947				
974 🧭	30-015-36597				
991 <i>-</i>	30-015-36471				
992 -	30-015-36598				
993 *	30-015-36472				
604 🧹	30-015-36445				
609 1	30-015-36886				
610 1	30-015-36888				
611 1	30-015-36887				
627 1	30-015-36968				
628 🖌	30-015-36981				
629 -	30-015-36964				
632 💞	30-015-36974				
942	30-015-34645				
977	30-015-36061				
981	30-015-36516				
982 ~	30-015-36515				
986	30-015-36446 30-015-36880				
988 -** 600 -***	30-015-36470				
601 -	30-015-36447				
602 [°]	30-015-36596				
606 <i>*</i>	30-015-36765				
607	30-015-36764				
608 -	30-015-36766				
	30-015-36967				
625 -	30-015-36980				
626 <i>4</i> 704 **					
704 **	30-015-38054 30-015-36184				
972	20-012-20104				

.

973	30-015-36283
985	30-015-36454
999	30-015-36475

.

.

.

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

6/27/2013 Condition of Approval to Flare Gas

- 1. Report all volumes on OGOR reports.
- 2. Comply with NTL-4A requirements
- 3. Subject to like approval from NMOCD
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days for date of approval.
- 9. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared.
- 10. If flaring is still required past 90 days submit new request for approval.
- 11. If a portable unit is used to flare gas it must be monitored at all times.
- 12. Comply with any restrictions or regulations when on State or Fee surface.

JDB6272013