

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-129
Revised August 1, 2011

Submit one copy to appropriate
District Office

NFO Permit No. _____
(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

- A. Applicant COG Operating LLC,
whose address is One Concho Center, 600 W. Illinois Ave., Midland, TX 79701,
hereby requests an exception to Rule 19.15.18.12 for 90 days or until
December 30th, Yr 2013, for the following described tank battery (or LACT):
Name of Lease GJ West Coop Unit Central Battery Name of Pool GJ;7RVS-QN-GB-Glorieta-Yeso.
Location of Battery: Unit Letter P Section 16 Township 17S Range 29E
Number of wells producing into battery 42
- B. Based upon oil production of 343 barrels per day, the estimated * volume
of gas to be flared is 1119 MCF; Value _____ per day.
- C. Name and location of nearest gas gathering facility:
DCP
- D. Distance _____ Estimated cost of connection _____
- E. This exception is requested for the following reasons: DCP Curtailment.
(API # 30-015-02996)

OPERATOR

I hereby certify that the rules and regulations of the Oil Conservation
Division have been complied with and that the information given above
is true and complete to the best of my knowledge and belief.

Signature _____

Printed Name

& Title Chasity Jackson

E-mail Address cjackson@concho.com

Date 10/1/13

Telephone No. 432-686-3087

OIL CONSERVATION DIVISION

Approved Until Dec 31, 2013

By _____

Title _____

Date _____

* Gas-Oil ratio test may be required to verify estimated gas volume.

* See Attached COA's

Flare Request Form

Battery-	GJ West COOP Unit Central Battery		
Production-	343 Oil, 1119 Gas		
Total BTU of Htrs-	1,000,000		
Flare Start Date-	9/30/2013	Flare End Date-	12/30/2013
UL Sec-T-R-	Unit P Sec. 16-T17S-R29E	GPS-	N32.8133 W104.0781
# of wells in bty-	42	# of wells to be flared-	42
Reason For Flare-	DCP Curtailment		

Site Diagram

The site diagram is a large rectangular area. In the top left corner, there is a compass rose with 'N' at the top, 'S' at the bottom, 'E' on the right, and 'W' on the left. Below the compass rose, on the left side, is a horizontal arrow pointing to the right, labeled 'Road'. In the top right corner, there is a small circle labeled 'Flare'. In the bottom center, there is a rectangle labeled 'Pumping Unit' with the text 'GJWCU 241' above it, and a small circle to its right.

Battery Name

Well #	API Number
GJWCU#52	P 30-015-02996
GJWCU#55	I 30-015-10819
GJWCU#146	O 30-015-35236
GJWCU#155	P 30-015-35577
GJWCU#161	J 30-015-35651
GJWCU#162	K 30-015-35652
GJWCU#166	I 30-015-35718
GJWCU#167	N 30-015-35719
GJWCU#178	H 30-015-35985
GJWCU#179	M 30-015-35986
GJWCU#180Y	O 30-015-36239
GJWCU#182	A 30-015-36054
GJWCU#183	B 30-015-36055
GJWCU#188	G 30-015-36225
GJWCU#189	L 30-015-36228
GJWCU#195	K 30-015-36240
GJWCU#196	J 30-015-36242
GJWCU#198	N 30-015-36309
GJWCU#199	P 30-015-36308
GJWCU#202	A 30-015-36790
GJWCU#217	E 30-015-36702
GJWCU#224	G 30-015-37570
GJWCU#225	G 30-015-37570
GJWCU#227	H 30-015-37568
GJWCU#228	I 30-015-36791
GJWCU#229	I 30-015-37071
GJWCU#231	J 30-015-37567
GJWCU#233	K 30-015-37566
GJWCU#235	M 30-015-37564
GJWCU#236	M 30-015-36938
GJWCU#237	N 30-015-36994
GJWCU#238	N 30-015-36937
GJWCU#239	O 30-015-37563
GJWCU#240	P 30-015-37562
GJWCU#241	P 30-015-36935
GJWCU#242	I 30-015-37561
GJWCU#243	O 30-015-36936
GJWCU#244	A 30-015-37534
GJWCU#245	A 30-015-40361
GJWCU#246	B 30-015-37553
GJWCU#250	D 30-015-37436
GJWCU#262	D 30-015-36991

**NEW MEXICO OIL CONSERVATION DIVISION
DISTRICT 2 OFFICE
811 SOUTH FIRST STREET
ARTESIA, NM 88210
(575)748-1283**

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

1. Venting gas is absolutely not allowed.
2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
3. Flared volumes of gas are to be metered & reported.
4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
5. Flares WILL NOT be left unattended.
6. No flaring operations to be conducted during red-flag days.
<http://www.gacc.nifc.gov/swcc> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
7. Follow safe practices for flaring guidelines.
8. Permit may be rescinded at any time by NMOCD.
9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
 - 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here *AWade*

11

Oct 11, 2013

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website:

<http://activefiremaps.fs.fed.us/current.php>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.