

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2014

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

NM 04827B

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE – Other instructions on page 2.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

OXY USA WTP Limited Partnership

192463

3a. Address

P.O. Box 50250
Midland, TX 79710

3b. Phone No. (include area code)

432-685-5717

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.

MOC Federal #6

9. API Well No.

30-015-28285

10. Field and Pool or Exploratory Area

Daguerre Draw Up. Penn S. (Assoc)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

B60 FSL 660FWL SWSW(4m) Sec 1 T21S R23E

11. County or Parish, State

Eddy NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

TD-8022' PBTD-7939' Perfs-7528-7880'

9-5/8" 36# csg @ 1206' w/ 655sx, 12-1/4" hole, TOC-Surf-Circ

7" 23-26# csg @ 8021', DVT @ 6323' w/ 1250sx, 8-3/4" hole, TOC-Surf-Circ

1. RIH & set CIBP @ 7478', M&P 25sx cmt to 7378'

2. M&P 40sx cmt @ 6375-6210' WOC-Tag

3. M&P 40sx cmt @ 6000-5840' WOC-Tag

4. M&P 35sx cmt @ 3850-3710' WOC-Tag


5. M&P 30sx cmt @ 2255-2130' WOC-Tag

6. M&P 30sx cmt @ 1260-1148' WOC-Tag

7. M&P 60sx cmt @ 250' to Surface

10# MLF between plugs

Above ground steel tanks will be utilized.



14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

David Stewart

Title Sr. Regulatory Advisor

david_stewart@oxy.com

Signature

Date

10/8/13

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

OXY USA WTP LP - Proposed
MOC Federal #6
API No. 30-015-28285

60sx @ 250'-Surface

30sx @ 1260-1148' WOC-Tag

30sx @ 2255-2130' WOC-Tag


35sx @ 3850-3710' WOC-Tag

40sx @ 6000-5840' WOC-Tag

40sx @ 6375-6210' WOC-Tag

CIBP @ 7478' w/ 25sx

PB-7939'



TD-8022'

12-1/4" hole @ 1215'
9-5/8" csg @ 1206'
w/ 655sx-TOC-Surf-Circ

8-3/4" hole @ 8022'
7" csg @ 8021'
w/ 1250sx-TOC-Surf-Circ
DVT @ 6323'

Perfs @ 7528-7880'

OXY USA WTP LP - Current
MOC Federal #6
API No. 30-015-28285

12-1/4" hole @ 1215'
9-5/8" csg @ 1206'
w/ 655sx-TOC-Surf-Circ

8-3/4" hole @ 8022'
7" csg @ 8021'
w/ 1250sx-TOC-Surf-Circ
DVT @ 6323'

Perfs @ 7528-7880'

PB-7939'

TD-8022'