

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED  
OMB NO. 1004-0137  
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other  
b. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resrv.,  
Other: \_\_\_\_\_

2. Name of Operator  
Devon Energy Production Company, L.P.

3. Address 333 West Sheridan Avenue  
Oklahoma City, OK 73102

3a. Phone No. (include area code)  
405-228-4248

4. Location of Well (Report location clearly and in accordance with Federal requirements)\*

1275 FNL, 300 FEL, A  
At surface

At top prod. interval reported below 951 FNL, 375 FWL Sec 10 T21S R27E

At total depth 594 FNL, 330 FEL Sec 10 T21S R27E

14. Date Spudded  
06/17/2013

15. Date T.D. Reached  
07/03/2013

16. Date Completed 10/03/2013  
☐ D & A ☒ Ready to Prod.

17. Elevations (DF, RKB, RT, GL)\*  
3211.8

18. Total Depth: MD 11,559'  
TVD 6534'

19. Plug Back T.D.: MD 11,527'  
TVD

20. Depth Bridge Plug Set: MD  
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)  
Gamma Ray/CCL

22. Was well cored? ☒ No ☐ Yes (Submit analysis)  
Was DST run? ☒ No ☐ Yes (Submit report)  
Directional Survey? ☐ No ☒ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

| Hole Size | Size/Grade  | Wt. (#/ft.) | Top (MD) | Bottom (MD) | Stage Cement Depth | No. of Sks. & Type of Cement | Slurry Vol. (BBL) | Cement Top* | Amount Pulled          |
|-----------|-------------|-------------|----------|-------------|--------------------|------------------------------|-------------------|-------------|------------------------|
| 17-1/2"   | 13-3/8" J55 | 68#         | 0        | 751.3'      | Lead               | Class C                      | 183.7             | 0           | Circ 52 bbl to surface |
| 12-1/4"   | 9-5/8" J55  | 40#         | 0        | 2834'       | Lead               | 300sx E                      |                   | 0           |                        |
|           |             |             |          |             | Tail               | 430sx H                      |                   |             | Circ 64 bbl to surf    |
|           |             |             |          |             | 2nd Lead           | 430sx H                      |                   |             | Circ 18 bbl to surf    |
| 8-3/4"    | 5-1/2" P110 | 17#         | 0        | 11527'      | Lead               | Class C                      | 414               | 0           |                        |
|           |             |             |          |             | Tail               | Class H                      | 316               |             | Circ 87 bbl to surf    |

24. Tubing Record

| Size   | Depth Set (MD) | Packer Depth (MD) | Size | Depth Set (MD) | Packer Depth (MD) | Size | Depth Set (MD) | Packer Depth (MD) |
|--------|----------------|-------------------|------|----------------|-------------------|------|----------------|-------------------|
| 2-7/8" | 6207'          |                   |      |                |                   |      |                |                   |

25. Producing Intervals

| Formation      | Top | Bottom | Perforation Record | Size | No. Holes | Perf. Status |
|----------------|-----|--------|--------------------|------|-----------|--------------|
| A) Bone Spring |     |        | 6881'-11,516'      |      | 330       | open         |
| B)             |     |        |                    |      |           |              |
| C)             |     |        |                    |      |           |              |
| D)             |     |        |                    |      |           |              |

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

| Depth Interval | Amount and Type of Material                                                                    |
|----------------|------------------------------------------------------------------------------------------------|
| 6881'-11,516'  | 11 stage frac: 33,200g acid, 54,762# 100 mesh, 1,274,757# 40/70 sand, 356,856# 20/40 SB Excell |

RECLAMATION  
DUE 4-3-14

28. Production - Interval A

|                     |                      |              |                 |         |         |           |                       |             |                     |
|---------------------|----------------------|--------------|-----------------|---------|---------|-----------|-----------------------|-------------|---------------------|
| Date First Produced | Test Date            | Hours Tested | Test Production | Oil BBL | Gas MCF | Water BBL | Oil Gravity Corr. API | Gas Gravity | Production Method   |
| 10/6/13             | 10/13/13             | 24           | ➡               | 580     | 2382    | 1834      |                       |             | pumping             |
| Choke Size          | Tbg. Press. Flwg. SI | Csg. Press.  | 24 Hr. Rate     | Oil BBL | Gas MCF | Water BBL | Gas/Oil Ratio         | Well Status |                     |
|                     | 440psi               | 900psi       | ➡               |         |         |           |                       |             | ACCEPTED FOR RECORD |

28a. Production - Interval B

|                     |                      |              |                      |         |         |           |                       |             |                                           |
|---------------------|----------------------|--------------|----------------------|---------|---------|-----------|-----------------------|-------------|-------------------------------------------|
| Date First Produced | Test Date            | Hours Tested | Test Production<br>➡ | Oil BBL | Gas MCF | Water BBL | Oil Gravity Corr. API | Gas Gravity | Production-Method                         |
| Choke Size          | Tbg. Press. Flwg. SI | Csg. Press.  | 24 Hr. Rate<br>➡     | Oil BBL | Gas MCF | Water BBL | Gas/Oil Ratio         | Well Status | <div>OCT 26 2013<br/>J. [Signature]</div> |

ACCEPTED FOR RECORD

OCT 26 2013

BUREAU OF LAND MANAGEMENT  
CARLSBAD FIELD OFFICE

\*(See instructions and spaces for additional data on page 2)

## 28b. Production - Interval C

| Date First Produced | Test Date            | Hours Tested | Test Production | Oil BBL | Gas MCF | Water BBL | Oil Gravity Corr. API | Gas Gravity | Production Method |
|---------------------|----------------------|--------------|-----------------|---------|---------|-----------|-----------------------|-------------|-------------------|
|                     |                      |              | →               |         |         |           |                       |             |                   |
| Choke Size          | Tbg. Press. Flwg. SI | Csg. Press.  | 24 Hr. Rate     | Oil BBL | Gas MCF | Water BBL | Gas/Oil Ratio         | Well Status |                   |
|                     |                      |              | →               |         |         |           |                       |             |                   |

## 28c. Production - Interval D

| Date First Produced | Test Date            | Hours Tested | Test Production | Oil BBL | Gas MCF | Water BBL | Oil Gravity Corr. API | Gas Gravity | Production Method |
|---------------------|----------------------|--------------|-----------------|---------|---------|-----------|-----------------------|-------------|-------------------|
|                     |                      |              | →               |         |         |           |                       |             |                   |
| Choke Size          | Tbg. Press. Flwg. SI | Csg. Press.  | 24 Hr. Rate     | Oil BBL | Gas MCF | Water BBL | Gas/Oil Ratio         | Well Status |                   |
|                     |                      |              | →               |         |         |           |                       |             |                   |

## 29. Disposition of Gas (Solid, used for fuel, vented, etc.)

SOLD

## 30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

## 31. Formation (Log) Markers


| Formation | Top | Bottom | Descriptions, Contents, etc. | Name        | Top         |
|-----------|-----|--------|------------------------------|-------------|-------------|
|           |     |        |                              |             | Mcas. Depth |
|           |     |        |                              | Bone Spring | 5099'       |

## 32. Additional remarks (include plugging procedure):

## 33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☒ Electrical/Mechanical Logs (1 full set req'd.)     
 ☐ Geologic Report     
 ☐ DST Report     
 ☒ Directional Survey  
☐ Sundry Notice for plugging and cement verification     
 ☐ Core Analysis     
 ☐ Other:

## 34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)\*

Name (please print) Ryan DeLongTitle Regulatory Compliance CoordinatorSignature Date 10/17/2013

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 3)

(Form 3160-4, page 2)



CERF 10 FED 3H

WEST UNRESTRICTED

## Perforation Summary

| District               |                     | County     | Field Name        |                    | Project Group        |                        | State/Province         |                            |             |            |                     |             |                   |
|------------------------|---------------------|------------|-------------------|--------------------|----------------------|------------------------|------------------------|----------------------------|-------------|------------|---------------------|-------------|-------------------|
| PERMIAN BASIN          |                     | EDDY       | BURTON.FLAT       |                    | DELAWARE BASIN       |                        | NM                     |                            |             |            |                     |             |                   |
| Surface Legal Location |                     | API/UWI    | Latitude (°)      | Longitude (°)      | Ground Elev MSL (ft) | KB - Ground Level (ft) | Orig KB Elevation (ft) | Tubing Head Elevation (ft) |             |            |                     |             |                   |
| SEC9 T21S R27E         |                     | 3001541058 | 32° 29' 54.337" N | 104° 11' 14.119" W | 3,211.80             | 25.00                  | 3,236.80               |                            |             |            |                     |             |                   |
| Date                   | Zone                | Top (ftKB) | Top (TVD) (ftKB)  | Btm (ftKB)         | Btm (TVD) (ftKB)     | Current Status         | Carrier Des            | Gun Size (in)              | Charge Type | Chg Sz (g) | Shot Dens (shots/m) | Phasing (°) | Conveyance Method |
| 9/12/2013              | BONE SPRING 1ST, OH | 6,881.0    | 6,421.1           | 6,883.0            | 6,421.0              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 9/12/2013              | BONE SPRING 1ST, OH | 7,027.0    | 6,414.1           | 7,029.0            | 6,414.0              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 9/12/2013              | BONE SPRING 1ST, OH | 7,172.0    | 6,410.8           | 7,174.0            | 6,410.8              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |
| 9/12/2013              | BONE SPRING 1ST, OH | 7,318.0    | 6,410.5           | 7,320.0            | 6,410.5              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 9/12/2013              | BONE SPRING 1ST, OH | 7,464.0    | 6,410.1           | 7,466.0            | 6,410.1              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 9/12/2013              | BONE SPRING 1ST, OH | 7,609.0    | 6,410.0           | 7,611.0            | 6,410.0              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |
| 9/11/2013              | BONE SPRING 1ST, OH | 7,755.0    | 6,410.5           | 7,757.0            | 6,410.5              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 9/11/2013              | BONE SPRING 1ST, OH | 7,900.0    | 6,410.1           | 7,902.0            | 6,410.1              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 9/11/2013              | BONE SPRING 1ST, OH | 8,046.0    | 6,407.6           | 8,048.0            | 6,407.6              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |
| 9/11/2013              | BONE SPRING 1ST, OH | 8,192.0    | 6,406.9           | 8,194.0            | 6,407.0              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 9/11/2013              | BONE SPRING 1ST, OH | 8,337.0    | 6,412.3           | 8,339.0            | 6,412.3              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 9/11/2013              | BONE SPRING 1ST, OH | 8,483.0    | 6,414.9           | 8,485.0            | 6,414.9              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |
| 9/11/2013              | BONE SPRING 1ST, OH | 8,628.0    | 6,415.0           | 8,630.0            | 6,415.0              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 9/11/2013              | BONE SPRING 1ST, OH | 8,774.0    | 6,421.3           | 8,776.0            | 6,421.4              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 9/11/2013              | BONE SPRING 1ST, OH | 8,920.0    | 6,428.7           | 8,922.0            | 6,428.8              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |
| 9/10/2013              | BONE SPRING 1ST, OH | 9,065.0    | 6,434.5           | 9,067.0            | 6,434.6              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 9/10/2013              | BONE SPRING 1ST, OH | 9,211.0    | 6,436.5           | 9,213.0            | 6,436.6              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 9/10/2013              | BONE SPRING 1ST, OH | 9,356.0    | 6,442.4           | 9,358.0            | 6,442.5              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |
| 9/10/2013              | BONE SPRING 1ST, OH | 9,502.0    | 6,448.6           | 9,504.0            | 6,448.7              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 9/10/2013              | BONE SPRING 1ST, OH | 9,648.0    | 6,453.6           | 9,650.0            | 6,453.7              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 9/10/2013              | BONE SPRING 1ST, OH | 9,793.0    | 6,456.6           | 9,795.0            | 6,456.7              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |
| 9/10/2013              | BONE SPRING 1ST, OH | 9,938.0    | 6,463.6           | 9,940.0            | 6,463.7              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 9/10/2013              | BONE SPRING 1ST, OH | 10,084.0   | 6,475.5           | 10,086.0           | 6,475.7              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 9/10/2013              | BONE SPRING 1ST, OH | 10,230.0   | 6,485.4           | 10,232.0           | 6,485.5              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |
| 9/9/2013               | BONE SPRING 1ST, OH | 10,376.0   | 6,491.6           | 10,378.0           | 6,491.7              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 9/9/2013               | BONE SPRING 1ST, OH | 10,521.0   | 6,495.1           | 10,523.0           | 6,495.1              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 9/9/2013               | BONE SPRING 1ST, OH | 10,667.0   | 6,497.8           | 10,669.0           | 6,497.8              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |
| 9/9/2013               | BONE SPRING 1ST, OH | 10,812.0   | 6,498.6           | 10,814.0           | 6,498.6              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 9/9/2013               | BONE SPRING 1ST, OH | 10,958.0   | 6,500.2           | 10,960.0           | 6,500.3              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 9/9/2013               | BONE SPRING 1ST, OH | 11,104.0   | 6,506.5           | 11,106.0           | 6,506.6              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |
| 8/16/2013              | BONE SPRING 1ST, OH | 11,249.0   | 6,514.2           | 11,251.0           | 6,514.4              |                        |                        |                            |             |            | 4.0                 |             | WIRELINE          |
| 8/16/2013              | BONE SPRING 1ST, OH | 11,382.0   | 6,524.5           | 11,384.0           | 6,524.7              |                        |                        |                            |             |            | 5.0                 |             | WIRELINE          |
| 8/16/2013              | BONE SPRING 1ST, OH | 11,514.0   | 6,532.4           | 11,516.0           | 6,532.5              |                        |                        |                            |             |            | 6.0                 |             | WIRELINE          |