

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico


Form C-101
Revised July 18, 2013

Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505



☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator Name and Address OKY USA WTP LP P.O. Box 50250 M: dland, TX 79710		² OGRID Number 192463
		³ API Number 30015-21631
⁴ Property Code 27674	⁵ Property Name Tracy D	⁶ Well No. 1

⁷ Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
K	33	21S	27E		1980	South	1980	west	Eddy

⁸ Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County

⁹ Pool Information

La Huenta Strawn (Gas) Carlsbad Wolfcamp, East (Gas) Wildcat Upper Penn (Gas) Cedar Hills	Pool Name	Pool Code 79720 74160 1214 74520
--	-----------	---

Additional Well Information

¹¹ Work Type P	¹² Well Type G	¹³ Cable/Rotary R	¹⁴ Lease Type P	¹⁵ Ground Level Elevation 3119'
¹⁶ Multiple DHC	¹⁷ Proposed Depth 10980'	¹⁸ Formation Strawn/Wolfcamp/Penn	¹⁹ Contractor N/A	²⁰ Spud Date After Approval
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

²¹ Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17 1/2"	13 3/8"	48	400'	500	Surf Cinc
Int	12 1/4"	9 5/8"	36	3000'	1000	Surf-Cinc
Prod.	8 3/4"	5 1/2"	17-20	11575'	1300	5710'-TS

Casing/Cement Program: Additional Comments

--

²² Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	5000	5000	

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that I have complied with 19.15.14.9 (A) NMAC <input checked="" type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input checked="" type="checkbox"/> , if applicable. Signature:		OIL CONSERVATION DIVISION	
Printed name: David Stewart		Approved By: T. C. Shepard	
Title: SR. Regulatory Advisor		Title: "Geologist"	
E-mail Address: david.stewart@okm.com		Approved Date: 11/4/2013 Expiration Date: 11/4/2015	
Date:	Phone: 432-685-5717	Conditions of Approval Attached MUST Be In Compliance with	

S.9 AND DHC In place

OXY USA WTP LP

Tracy D #1 – 30-015-21631

Procedure:

- 1) Clean Location and set anchors
- 2) RU DDPU, ND WH and NU BOP.
- 3) POOH w/Tbg and packer and LD Tbg and Packer. RD DDPU.
- 4) RU WLU
- 5) Run CBL and Casing Inspection Log from 10500' to surface. RD WLU unit and send log to engineer.
 - **NOTE: Do not go forward with prog until CBL and casing inspection log have been evaluated.**
- 6) RIH w/ WL and set a CIBP in 5-1/2" casing at 11083'. RD WLU.
- 7) RU DDPU and PU work string and RIH and spot 25sx cement on CIBP. POOH w/ work string and LD.
- 8) ND BOP and NU frac valve. RD DDPU.
- 9) Test casing to 2000psi and hold for 5 minutes.
- 10) RU WLU & RIH and perforate Strawn @ 10277-10273, 10212-10208, 10148-10144, 10066-10062' Total 44 holes.
- 11) RU Halliburton and Frac Strawn down casing at first available frac date per Halliburton frac program.
- 12) RU WLU & RIH and set CBP and perforate Penn @ 9974-9970, 9902-9898, 9811-9807, 9724-9720' Total 44 holes.
- 13) RU Halliburton and Frac Penn down casing at first available frac date per Halliburton frac program.
- 14) RU WLU & RIH and set CBP and perforate Wolfcamp @ 9574-6570, 6474-9470, 9362-9258, 9227-9223' Total 44 holes.
- 15) RU Halliburton and Frac Wolfcamp down casing at first available frac date per Halliburton frac program.
- 16) RU WLU & RIH and set CBP and perforate Wolfcamp @ 9072-9068, 8944-8940, 8872-8868, 8723-8719' Total 44 holes.
- 17) RU Halliburton and Frac Wolfcamp down casing at first available frac date per Halliburton frac program.
- 18) RD Halliburton.
- 19) ND Frac valve and NU BOP. RU DDPU.
- 20) PU work string and clean out to PBTD'. POOH and LD work string.
- 21) PU 2 3/8" production tbg BHA and RIH as follows;
 - Re Entry guide
 - 1.81" profile nipple w/plug inserted
 - 5 1/2" Packer SA 8600'
 - 1.87" profile nipple in On/Off tool
 - 2 x 7/8" tubing to surface
- 22) Unlatch from on/off tool and circ inhibited packer fluid on back side.
- 23) Latch on/off tool and test backside to 1000psi and hold for 5 minutes.
- 24) Test tubing to 1000psi and hold 5 minutes.
- 25) ND BOP and NU WH. RD DDPU.
- 26) RU SLU and RIH and pull plug from 1.81" profile nipple.
- 27) Swab well in as needed and place well on production.
- 28) Report results to engineer.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-21631	² Pool Code 74160	³ Pool Name Cantabrigia Wolfcamp East (Gas)
⁴ Property Code 27674	⁵ Property Name Tracy D	
⁷ OGRID No. 192463	⁸ Operator Name OKY USA WTP LP	⁶ Well Number 1
		⁹ Elevation 3119'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	33	21S	27E		1980	South	1980	west	Eddy

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 320	¹³ Joint or Infill N	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	------------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁶ 	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature 10/30/13 Date David Stewart Sr. Reg. A.G.O. Printed Name david_stewart@oky.com E-mail Address		
	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor:		
	Certificate Number		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-21631	² Pool Code 74520	³ Pool Name Willetta Penn (Gas)
⁴ Property Code 27674	⁵ Property Name Tracy D Cedar Hills; Upper Penn (Gas)	⁶ Well Number 1
⁷ OGRID No. 192463	⁸ Operator Name OKY USA WTP LP	⁹ Elevation 3119'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	33	21S	27E		1980	South	1980	west	Edgely

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 320	¹³ Joint or Infill N	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	------------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁶ 	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature 10/30/13 Date David Stewart Sr. Reg. A.G.O. Printed Name david_stewart@oky.com E-mail Address	
	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor: Certificate Number	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-21631	² Pool Code 79720	³ Pool Name La Huenta Strawn (Gas)
⁴ Property Code 27674	⁵ Property Name Tracy D	⁶ Well Number 1
⁷ OGRID No. 192463	⁸ Operator Name OKY USA WTP LP	⁹ Elevation 3119'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	33	21S	27E		1980	South	1980	west	Eddy

¹¹ Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 320	¹³ Joint or Infill N	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	------------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁶ 	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature 10/30/13 Date David Stewart Sr. Reg. A.G.O. Printed Name david_stewart@oky.com E-mail Address			
	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor:			
	Certificate Number			

OXY USA WTP LP - Proposed
Tracy D #1
API No. 30-015-21631



17-1/2" hole @ 400'
13-3/8" csg @ 400'
w/ 500sx-TOC-Surf-Circ

12-1/4" hole @ 3000'
9-5/8" csg @ 3000'
w/ 1000sx-TOC-Surf-Circ

2-7/8" tbg w/ pkr @ 8650'

Wolfcamp Perfs @ 8719-9574'

Penn Perfs @ 9720-9974'

Strawn Perfs @ 10062-10277'


8-3/4" hole @ 11575'
5-1/2" csg @ 11575'
w/ 1300sx-TOC-5910'-TS
Perfs @ 11133-11441'

CIBP @ 11083' w/ 25sx cmt

PB-11540'

TD-11575'

OXY USA WTP LP - Current
Tracy D #1
API No. 30-015-21631



17-1/2" hole @ 400'
13-3/8" csg @ 400'
w/ 500sx-TOC-Surf-Circ

12-1/4" hole @ 3000'
9-5/8" csg @ 3000'
w/ 1000sx-TOC-Surf-Circ

8-3/4" hole @ 11575'
5-1/2" csg @ 11575'
w/ 1300sx-TOC-5910'-TS

2-3/8" tbg w/ pkr @ 11080'

Perfs @ 11133-11441'

PB-11540'

TD-11575'