

30015 40508



**DRILLING SERVICES
END OF WELL REPORT**


FOR

Art Alarcon

Devon Energy

Turquoise PWU 27-7H

Eddy County, New Mexico



Weatherford Drilling Services job start date : 9-8-2013

Weatherford Drilling Services job end date : 9-21-2013

Presented By:


Damien Tarpley
Area Manager

Scott Dixon
Account Manager

Orry Armendariz
Directional Drilling Coordinator

Jesse Aguilar
MWD Coordinator

McVay 10





10000 West County Road 116
P.O. Box 61028
Midland, Texas 79711
Phone (432) 561-8892

September 26, 2013

Art Alarcon

333 W. Sherridan Ave
Oklahoma City, OK 73102

Reference Well Name : Turquoise PWU 27-7H
Location : Eddy County, New Mexico
Wft Job # : 4030525
Rig : McVay 10

Dear Mr. Alarcon

Thank you for allowing us the opportunity to provide our services on your Turquoise PWU 27-7H in Eddy County, New Mexico.

Please find the final End Of Well (EOW) report enclosed behind this coverletter.

The EOW report contains the following information :

Section 1 - Weatherford (Wft) Final Definitive Survey & 8.5" x 11".

- * Note: This survey contains the Directional Survey's obtained by Weatherford Drilling Services via Weatherford MWD Services, and any gyro survey needed for Tie On (if required).

Section 2- Days vs. Feet Drilled (24 hrs) and Days vs. Depth Graphs

Section 3- Wft Gamma Logs

Section 4 - Wft Final BHA reports (BHA Graphic Reports, BHA Detail Reports, Motor Evaluation Reports, and BHA Slide Reports).

Section 5 - Wft Final Daily Drilling reports.


Section 6 - Wft Personnel list with contact numbers.

We at *Weatherford Drilling Services'* understand the importance of this project to you and hope that you were satisfied with our Directional Drilling and MWD services provided.

Please feel free to contact me if you have any questions.

Sincerely,

Damien Tarpley
Area Manager
Weatherford Drilling Services
Midland, TX (432) 561-8892



Devon Energy
Turquoise PWU 27-7H
Eddy County, New Mexico

Section 1

Weatherford (Wft) Final Definitive



Plot & Survey



Turquoise PWU 27-7H
Eddy Co, NM



KB ELEV: 3332
GL ELEV: 3312



SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	2835.00	0.22	42.36	2834.60	2.03	22.96	0.00	0.00	22.96	
2	2900.40	0.22	42.36	2900.00	2.22	23.13	0.00	0.00	23.13	
3	3309.05	8.03	172.81	3307.34	-25.57	27.24	2.00	131.61	27.24	
4	6594.56	8.03	172.81	6560.65	-480.83	84.71	0.00	0.00	84.71	
5	7471.46	88.68	90.00	7118.24	-557.09	644.51	10.00	-83.06	644.51	
6	11454.56	88.68	90.00	7210.00	-557.09	4626.55	0.00	0.00	4626.55	PBHL 7H Nudge 170

WELL DETAILS

Name	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
Turquoise PWU 27-7H	-49.93	0.06	593212.91	622335.96	32°37'49.846N	104°04'12.813W	N/A

TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Shape
PBHL 7H Nudge 170	7210.00	-557.09	4626.55	592655.82	626962.51	Rectangle (3982x50)

SITE DETAILS

Turquoise PWU 27-3 and 7H Pad
Site Centre Northing: 593262.84
Easting: 622335.90
Ground Level: 3312.00
Positional Uncertainty: 0.00
Convergence: 0.14



Weatherford®

West(-)/East(+) [1000ft/in]

+/- 25' Drilling Tgt

Survey: Wft Svy (Turquoise PWU 27-7H/Nudge Plan)

No	MD	Inc	Az	TVD	+N/-S	+E/-W	DLeg	TFace	VSec
126	11411.00	90.42	90.58	7198.68	-553.30	4619.99	0.00	180.00	4619.99

Survey: Wft Svy (Turquoise PWU 27-7H/Nudge Plan)

Created By: Russell W. Joyner

Date: 10/3/2013



Weatherford International Ltd.

WFT Survey Report X & Y's

**Weatherford**

Company: Devon Energy
Field: Eddy Co., NM (NAD 83)
Site: Turquoise PWU 27-3 and 7H Pad
Well: Turquoise PWU 27-7H
Wellpath: Nudge Plan

Date: 9/22/2013 Time: 07:28:40 Page: 1
Co-ordinate(NE) Reference: Well: Turquoise PWU 27-7H, Grid North
Vertical (TVD) Reference: SITE 3332.0
Section (VS) Reference: Well (0.00N,0.00E,90.00Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey: Wft Svy

Start Date: 9/12/2013

Company: Weatherford
Tool: MWD;MWD - Standard

Engineer: Russell W. Joyner
Tied-to: User Defined

Site: Turquoise PWU 27-3 and 7H Pad

Site Position: Northing: 593262.84 ft Latitude: 32 37 50.341 N
From: Map Easting: 622335.90 ft Longitude: 104 4 12.813 W
Position Uncertainty: 0.00 ft North Reference: Grid
Ground Level: 3312.00 ft Grid Convergence: 0.14 deg

Well: Turquoise PWU 27-7H

Slot Name:

Well Position: +N/-S -49.93 ft Northing: 593212.91 ft Latitude: 32 37 49.846 N
+E/-W 0.06 ft Easting: 622335.96 ft Longitude: 104 4 12.813 W
Position Uncertainty: 0.00 ft

Wellpath: Nudge Plan

Current Datum: SITE Height 3332.00 ft
Magnetic Data: 8/30/2013
Field Strength: 48611 nT
Vertical Section: Depth From (TVD) +N/-S
ft ft
Direction deg

0.00 0.00 0.00 90.00

Survey

MD ft	Incl deg	Azim deg	TVD ft	N/S ft	E/W ft	DLS deg/100ft	VS ft	MapN ft	MapE ft	Comment
2800.00	0.27	331.90	2799.60	1.94	22.96	0.00	22.96	593214.85	622358.92	Csg Tie On VES First Wft Svy
2835.00	0.22	42.36	2834.60	2.03	22.96	0.82	22.96	593214.94	622358.92	
2859.00	0.07	48.00	2858.60	2.07	23.00	0.63	23.00	593214.98	622358.96	
2891.00	0.07	359.80	2890.60	2.11	23.02	0.18	23.02	593215.02	622358.98	
2922.00	0.60	161.31	2921.60	1.97	23.07	2.15	23.07	593214.88	622359.03	
2953.00	1.46	162.48	2952.60	1.44	23.24	2.77	23.24	593214.35	622359.20	
2985.00	2.43	156.99	2984.58	0.43	23.63	3.08	23.63	593213.34	622359.59	
3017.00	3.51	158.18	3016.53	-1.11	24.26	3.38	24.26	593211.80	622360.22	
3048.00	4.13	158.00	3047.47	-3.02	25.03	2.00	25.03	593209.89	622360.99	
3080.00	4.37	155.77	3079.38	-5.20	25.96	0.91	25.96	593207.71	622361.92	
3111.00	4.62	161.10	3110.28	-7.46	26.85	1.57	26.85	593205.45	622362.81	
3143.00	4.93	166.73	3142.17	-10.02	27.58	1.75	27.58	593202.89	622363.54	
3174.00	5.48	170.72	3173.04	-12.78	28.13	2.12	28.13	593200.13	622364.09	
3206.00	6.30	171.97	3204.87	-16.02	28.62	2.59	28.62	593196.89	622364.58	
3238.00	7.01	171.61	3236.66	-19.69	29.15	2.22	29.15	593193.22	622365.11	
3269.00	7.10	170.93	3267.42	-23.46	29.73	0.40	29.73	593189.45	622365.69	
3301.00	7.11	170.90	3299.18	-27.36	30.35	0.03	30.35	593185.55	622366.31	
3332.00	7.61	170.82	3329.92	-31.28	30.98	1.61	30.98	593181.63	622366.94	
3364.00	7.86	171.51	3361.63	-35.54	31.64	0.83	31.64	593177.37	622367.60	
3427.00	7.99	172.29	3424.03	-44.14	32.87	0.27	32.87	593168.77	622368.83	
3521.00	8.02	172.23	3517.11	-57.11	34.63	0.03	34.63	593155.80	622370.59	
3616.00	8.30	173.03	3611.15	-70.48	36.36	0.32	36.36	593142.43	622372.32	
3710.00	8.22	173.36	3704.18	-83.89	37.96	0.10	37.96	593129.02	622373.92	
3805.00	8.23	173.57	3798.20	-97.40	39.50	0.03	39.50	593115.51	622375.46	
3899.00	7.96	173.25	3891.26	-110.54	41.02	0.29	41.02	593102.37	622376.98	
3994.00	7.90	174.45	3985.35	-123.57	42.43	0.19	42.43	593089.34	622378.39	
4088.00	7.64	175.35	4078.49	-136.23	43.56	0.31	43.56	593076.68	622379.52	
4183.00	7.30	170.57	4172.69	-148.48	45.06	0.75	45.06	593064.43	622381.02	
4277.00	7.84	169.59	4265.87	-160.68	47.20	0.59	47.20	593052.23	622383.16	
4372.00	7.72	171.77	4359.99	-173.37	49.28	0.34	49.28	593039.54	622385.24	



Weatherford International Ltd.

WFT Survey Report X & Y's

**Weatherford**

Company: Devon Energy
Field: Eddy Co., NM (NAD 83)
Site: Turquoise PWU 27-3 and 7H Pad
Well: Turquoise PWU 27-7H
Wellpath: Nudge Plan

Date: 9/22/2013 Time: 07:28:40 Page: 2
Co-ordinate(NE) Reference: Well: Turquoise PWU 27-7H, Grid North
Vertical (TVD) Reference: SITE 3332.0
Section (VS) Reference: Well (0.00N,0.00E,90.00Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey

MD ft	Incl deg	Azim deg	TVD ft	N/S ft	E/W ft	DLS deg/100ft	VS ft	MapN ft	MapE ft	Comment
4466.00	7.47	171.45	4453.17	-185.66	51.09	0.27	51.09	593027.25	622387.05	
4560.00	7.30	171.82	4546.39	-197.61	52.85	0.19	52.85	593015.30	622388.81	
4655.00	7.87	171.48	4640.56	-210.02	54.67	0.60	54.67	593002.89	622390.63	
4749.00	7.90	172.97	4733.67	-222.79	56.42	0.22	56.42	592990.12	622392.38	
4843.00	7.67	173.39	4826.80	-235.44	57.93	0.25	57.93	592977.47	622393.89	
4938.00	7.71	172.78	4920.95	-248.05	59.46	0.10	59.46	592964.86	622395.42	
5032.00	7.76	173.11	5014.09	-260.61	61.01	0.07	61.01	592952.30	622396.97	
5127.00	7.44	173.26	5108.26	-273.09	62.51	0.34	62.51	592939.82	622398.47	
5221.00	7.06	172.80	5201.51	-284.86	63.94	0.41	63.94	592928.05	622399.90	
5315.00	7.82	171.23	5294.71	-296.91	65.64	0.84	65.64	592916.00	622401.60	
5410.00	8.13	170.55	5388.79	-309.93	67.73	0.34	67.73	592902.98	622403.69	
5505.00	7.72	171.08	5482.89	-322.86	69.82	0.44	69.82	592890.05	622405.78	
5599.00	9.25	173.15	5575.86	-336.60	71.70	1.66	71.70	592876.31	622407.66	
5693.00	9.68	174.74	5668.58	-351.97	73.33	0.54	73.33	592860.94	622409.29	
5788.00	9.89	176.58	5762.19	-368.06	74.55	0.40	74.55	592844.85	622410.51	
5883.00	8.97	179.27	5855.91	-383.61	75.13	1.07	75.13	592829.30	622411.09	
5977.00	7.55	180.25	5948.93	-397.12	75.20	1.52	75.20	592815.79	622411.16	
6072.00	7.44	176.36	6043.12	-409.50	75.56	0.55	75.56	592803.41	622411.52	
6166.00	7.54	168.81	6136.32	-421.62	77.14	1.05	77.14	592791.29	622413.10	
6260.00	7.92	167.98	6229.47	-434.00	79.69	0.42	79.69	592778.91	622415.65	
6355.00	7.46	163.04	6323.61	-446.30	82.85	0.85	82.85	592766.61	622418.81	
6450.00	7.60	162.48	6417.79	-458.19	86.54	0.17	86.54	592754.72	622422.50	
6497.00	7.95	160.03	6464.36	-464.21	88.59	1.03	88.59	592748.70	622424.55	
6542.00	8.60	161.46	6508.89	-470.33	90.72	1.52	90.72	592742.58	622426.68	
6574.00	9.55	153.28	6540.49	-474.97	92.67	5.00	92.67	592737.94	622428.63	
6606.00	11.94	137.37	6571.94	-479.78	96.11	11.84	96.11	592733.13	622432.07	
6637.00	15.49	129.40	6602.05	-484.76	101.48	12.95	101.48	592728.15	622437.44	
6669.00	18.25	126.09	6632.67	-490.43	108.84	9.13	108.84	592722.48	622444.80	
6700.00	21.01	123.72	6661.87	-496.38	117.38	9.26	117.38	592716.53	622453.34	
6732.00	23.66	120.95	6691.47	-502.86	127.66	8.91	127.66	592710.05	622463.62	
6763.00	25.82	115.88	6719.62	-509.01	139.07	9.76	139.07	592703.90	622475.03	
6795.00	26.96	108.08	6748.30	-514.31	152.24	11.40	152.24	592698.60	622488.20	
6826.00	27.95	100.83	6775.81	-517.85	166.06	11.24	166.06	592695.06	622502.02	
6858.00	30.13	97.16	6803.79	-520.26	181.40	8.80	181.40	592692.65	622517.36	
6889.00	32.78	95.41	6830.23	-522.02	197.48	9.04	197.48	592690.89	622533.44	
6921.00	35.59	94.62	6856.70	-523.59	215.39	8.89	215.39	592689.32	622551.35	
6952.00	38.84	93.64	6881.38	-524.94	234.09	10.66	234.09	592687.97	622570.05	
6984.00	42.30	93.25	6905.69	-526.18	254.86	10.84	254.86	592686.73	622590.82	
7016.00	45.12	93.35	6928.82	-527.46	276.93	8.82	276.93	592685.45	622612.89	
7047.00	47.36	93.67	6950.26	-528.83	299.28	7.26	299.28	592684.08	622635.24	
7079.00	49.79	94.20	6971.43	-530.48	323.21	7.69	323.21	592682.43	622659.17	
7110.00	52.36	94.16	6990.90	-532.23	347.26	8.29	347.26	592680.68	622683.22	
7142.00	56.05	94.08	7009.62	-534.10	373.15	11.53	373.15	592678.81	622709.11	
7173.00	59.57	94.19	7026.13	-535.99	399.31	11.36	399.31	592676.92	622735.27	
7205.00	63.40	93.72	7041.40	-537.93	427.35	12.04	427.35	592674.98	622763.31	
7236.00	66.23	93.75	7054.59	-539.75	455.35	9.13	455.35	592673.16	622791.31	
7268.00	69.07	93.47	7066.76	-541.62	484.88	8.91	484.88	592671.29	622820.84	
7299.00	71.77	92.77	7077.15	-543.21	514.04	8.97	514.04	592669.70	622850.00	
7331.00	73.80	93.01	7086.62	-544.75	544.57	6.38	544.57	592668.16	622880.53	
7362.00	75.75	92.40	7094.76	-546.16	574.44	6.57	574.44	592666.75	622910.40	
7394.00	77.54	91.78	7102.15	-547.29	605.56	5.90	605.56	592665.62	622941.52	
7426.00	80.30	91.57	7108.30	-548.21	636.94	8.65	636.94	592664.70	622972.90	



Weatherford International Ltd.

WFT Survey Report X & Y's

**Weatherford**

Company: Devon Energy
Field: Eddy Co., NM (NAD 83)
Site: Turquoise PWU 27-3 and 7H Pad
Well: Turquoise PWU 27-7H
Wellpath: Nudge Plan

Date: 9/22/2013 Time: 07:28:40 Page: 3
Co-ordinate(NE) Reference: Well: Turquoise PWU 27-7H, Grid North
Vertical (TVD) Reference: SITE 3332.0
Section (VS) Reference: Well (0.00N,0.00E,90.00Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey

MD ft	Incl deg	Azim deg	TVD ft	N/S ft	E/W ft	DLS deg/100ft	VS ft	MapN ft	MapE ft	Comment
7458.00	84.61	91.35	7112.50	-549.02	668.65	13.49	668.65	592663.89	623004.61	
7489.00	86.72	90.98	7114.84	-549.65	699.55	6.91	699.55	592663.26	623035.51	
7521.00	88.04	90.29	7116.31	-550.00	731.52	4.65	731.52	592662.91	623067.48	
7552.00	88.95	90.20	7117.12	-550.13	762.50	2.95	762.50	592662.78	623098.46	
7615.00	88.74	90.08	7118.39	-550.29	825.49	0.38	825.49	592662.62	623161.45	
7710.00	88.88	90.80	7120.36	-551.02	920.47	0.77	920.47	592661.89	623256.43	
7804.00	89.30	91.22	7121.86	-552.67	1014.44	0.63	1014.44	592660.24	623350.40	
7898.00	87.90	91.07	7124.15	-554.55	1108.39	1.50	1108.39	592658.36	623444.35	
7993.00	87.49	89.93	7127.97	-555.38	1203.31	1.27	1203.31	592657.53	623539.27	
8087.00	87.34	89.74	7132.21	-555.11	1297.21	0.26	1297.21	592657.80	623633.17	
8182.00	87.48	89.99	7136.51	-554.89	1392.12	0.30	1392.12	592658.02	623728.08	
8277.00	87.20	89.47	7140.91	-554.44	1487.01	0.62	1487.01	592658.47	623822.97	
8372.00	89.02	90.41	7144.05	-554.34	1581.95	2.16	1581.95	592658.57	623917.91	
8466.00	90.00	90.67	7144.85	-555.22	1675.95	1.08	1675.95	592657.69	624011.91	
8561.00	90.77	90.99	7144.21	-556.60	1770.93	0.88	1770.93	592656.31	624106.89	
8655.00	89.79	90.34	7143.75	-557.69	1864.92	1.25	1864.92	592655.22	624200.88	
8750.00	89.72	89.87	7144.16	-557.87	1959.92	0.50	1959.92	592655.04	624295.88	
8844.00	89.79	90.36	7144.56	-558.05	2053.92	0.53	2053.92	592654.86	624389.88	
8939.00	88.53	90.94	7145.95	-559.13	2148.90	1.46	2148.90	592653.78	624484.86	
9033.00	88.32	91.11	7148.54	-560.81	2242.85	0.29	2242.85	592652.10	624578.81	
9127.00	88.32	90.80	7151.29	-562.38	2336.80	0.33	2336.80	592650.53	624672.76	
9222.00	88.39	90.38	7154.02	-563.36	2431.75	0.45	2431.75	592649.55	624767.71	
9316.00	87.97	90.57	7157.01	-564.14	2525.70	0.49	2525.70	592648.77	624861.66	
9411.00	88.25	91.09	7160.14	-565.51	2620.64	0.62	2620.64	592647.40	624956.60	
9506.00	87.90	90.24	7163.33	-566.61	2715.58	0.97	2715.58	592646.30	625051.54	
9600.00	87.70	89.89	7166.94	-566.72	2809.51	0.43	2809.51	592646.19	625145.47	
9695.00	87.69	89.78	7170.76	-566.45	2904.43	0.12	2904.43	592646.46	625240.39	
9790.00	88.81	90.44	7173.66	-566.63	2999.39	1.37	2999.39	592646.28	625335.35	
9885.00	89.65	90.75	7174.94	-567.62	3094.37	0.94	3094.37	592645.29	625430.33	
9980.00	88.88	89.66	7176.16	-567.96	3189.36	1.40	3189.36	592644.95	625525.32	
10075.00	88.67	89.17	7178.19	-566.99	3284.33	0.56	3284.33	592645.92	625620.29	
10169.00	88.88	89.19	7180.20	-565.64	3378.30	0.22	3378.30	592647.27	625714.26	
10264.00	89.02	89.27	7181.94	-564.36	3473.28	0.17	3473.28	592648.55	625809.24	
10358.00	90.00	89.16	7182.74	-563.08	3567.27	1.05	3567.27	592649.83	625903.23	
10453.00	89.37	88.91	7183.26	-561.48	3662.25	0.71	3662.25	592651.43	625998.21	
10548.00	89.16	89.14	7184.48	-559.86	3757.23	0.33	3757.23	592653.05	626093.19	
10642.00	89.37	89.31	7185.69	-558.59	3851.21	0.29	3851.21	592654.32	626187.17	
10736.00	88.25	89.06	7187.64	-557.25	3945.18	1.22	3945.18	592655.66	626281.14	
10831.00	88.11	89.04	7190.66	-555.68	4040.12	0.15	4040.12	592657.23	626376.08	
10925.00	88.60	89.14	7193.36	-554.19	4134.07	0.53	4134.07	592658.72	626470.03	
11020.00	88.74	89.70	7195.56	-553.22	4229.04	0.61	4229.04	592659.69	626565.00	
11114.00	88.67	89.50	7197.69	-552.57	4323.01	0.23	4323.01	592660.34	626658.97	
11209.00	89.51	89.85	7199.19	-552.03	4418.00	0.96	4418.00	592660.88	626753.96	
11330.00	90.42	90.58	7199.27	-552.48	4538.99	0.96	4538.99	592660.43	626874.95	Last Wft Svy
11411.00	90.42	90.58	7198.68	-553.30	4619.99	0.00	4619.99	592659.61	626955.95	Proj. To Bit

Annotation



MD ft	TVD ft	
2835.00	2834.60	Tie On VES
2859.00	2858.60	First Wft Svy
11330.00	7199.27	Last Wft Svy
11411.00	7198.68	Proj. To Bit



Turquoise PWU 27-7H
Eddy Co, NM



KB ELEV: 3332
GL ELEV: 3312



SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	2835.00	0.22	42.36	2834.60	2.03	22.96	0.00	0.00	22.96	
2	2900.40	0.22	42.36	2900.00	2.22	23.13	0.00	0.00	23.13	
3	3309.05	8.03	172.81	3307.34	-25.57	27.24	2.00	131.61	27.24	
4	6594.56	8.03	172.81	6560.65	-480.83	84.71	0.00	0.00	84.71	
5	7471.46	88.68	90.00	7118.24	-557.09	644.51	10.00	-83.06	644.51	
6	11454.56	88.68	90.00	7210.00	-557.09	4626.55	0.00	0.00	4626.55	PBHL 7H Nudge 170

WELL DETAILS

Name	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
Turquoise PWU 27-7H	-49.93	0.06	593212.91	622335.96	32°37'49.846N	104°04'12.813W	N/A

TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Shape
PBHL 7H Nudge 170	7210.00	-557.09	4626.55	592655.82	626962.51	Rectangle (3982x50)


SITE DETAILS

Turquoise PWU 27-3 and 7H Pad
Site Centre Northing: 593262.84
Easting: 622335.90
Ground Level: 3312.00
Positional Uncertainty: 0.00
Convergence: 0.14



Weatherford

West(-)/East(+) [1000ft/in]



Survey: Wft Svy (Turquoise PWU 27-7H/Nudge Plan)

No	MD	Inc	Az	TVD	+N/-S	+E/-W	DLeg	TFace	VSec
126	11411.00	90.42	90.58	7198.68	-553.30	4619.99	0.00	180.00	4619.99

Proj. To Bit
Last Wft Svy

Survey: Wft Svy (Turquoise PWU 27-7H/Nudge Plan)

Created By: Russell W. Joyner

Date: 10/3/2013