



A GYRO TECHNOLOGIES INC. COMPANY


P.O. Box 261021
Corpus Christi, Texas 78426
(361) 767-0602 • (800) 606-GYRO • Fax (361) 767-0612

October 11, 2013

15-39417

Devon Energy Production Co., L.P.
333 West Sheridan Ave
Oklahoma City, Oklahoma 73102-5010

Attn: Patti Riechers



Re: **Capella 14 Federal Com No. 003H**

Please find enclosed a copy of the survey from 0.00' to 4495.00' ran on the above referenced well.


If I can be of any further service please do not hesitate to call me at 800-606-4976.

Sincerely,

Keith Havelka
Operations

STATE OF TEXAS §
COUNTY OF NUECES §


This instrument was acknowledged before me on the 11 day of October A.D., 2013, by Keith Havelka.



Meredith Darden
Notary Public, State of Texas



Company: Devon Energy Production Co.
Lease/Well: Capella 14 Federal Com/No. 003H
Location: Sec14 T19S R31E
Rig Name: McVay 10
State/County: New Mexico/Eddy
Latitude: 32.67, Longitude: -103.84
GRID North is 0.26 Degrees East of True North
VS-Azi: 0.00 Degrees



Depth Reference : RKB = 20 Feet

DRILLOG HA GYRO SURVEY CALCULATIONS

Filename: ...a 14 federal com #3h-de_01.ut

Minimum Curvature Method

Report Date/Time: 10/11/2013 / 10:55

Vaughn Energy Services

West, Texas

432-563-5444

Surveyor: Chris Bankson

Capella 14 Federal Com No. 003H / API 30-015-39417

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Vertical Section FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	****
100.00	0.82	214.17	100.00	-0.60	-0.40	-0.60	0.72	214.17	0.82
200.00	0.87	230.12	199.99	-1.68	-1.39	-1.68	2.18	219.66	0.24
300.00	1.21	233.56	299.97	-2.79	-2.82	-2.79	3.97	225.32	0.35
400.00	1.18	228.57	399.95	-4.10	-4.44	-4.10	6.05	227.31	0.11
500.00	1.13	228.52	499.93	-5.44	-5.96	-5.44	8.06	227.62	0.05
600.00	1.15	225.84	599.91	-6.79	-7.41	-6.79	10.05	227.53	0.06
700.00	0.82	222.68	699.89	-8.01	-8.62	-8.01	11.77	227.09	0.33
800.00	0.51	223.83	799.89	-8.86	-9.41	-8.86	12.93	226.73	0.31
900.00	0.47	223.08	899.88	-9.48	-10.00	-9.48	13.78	226.53	0.04
1000.00	0.40	227.55	999.88	-10.02	-10.54	-10.02	14.54	226.46	0.08
1100.00	0.06	203.06	1099.88	-10.30	-10.82	-10.30	14.94	226.40	0.34
1200.00	0.19	165.73	1199.88	-10.51	-10.80	-10.51	15.07	225.78	0.14
1300.00	0.34	112.21	1299.88	-10.78	-10.49	-10.78	15.04	224.22	0.27
1400.00	0.55	101.06	1399.87	-10.98	-9.75	-10.98	14.68	221.59	0.23
1500.00	0.45	89.54	1499.87	-11.07	-8.89	-11.07	14.19	218.75	0.14
1600.00	1.06	62.08	1599.86	-10.63	-7.67	-10.63	13.11	215.82	0.69
1700.00	2.30	67.86	1699.82	-9.44	-5.00	-9.44	10.68	207.89	1.25
1800.00	2.83	65.00	1799.72	-7.64	-0.91	-7.64	7.70	186.76	0.54



Evaluation, Drilling & Intervention
10000 West County Rd. 116
P.O. Box 61028
Midland, TX USA 79711
Tel. (432) 561-8892 Fax (432) 561-8895

Devon Energy
333 W. Sherridan Ave
Oklahoma City, OK. 73102

Date: October 21, 2013

Attention: Art Alarcon

Re: Devon Energy
Well: Capella 14 Federal Com 3H
Eddy County, New Mexico

Enclosed, please find the original survey performed on the referenced well by Precision Energy Services, Inc. (P-5 No. 676004), a Weatherford company. Other information required by your office is as follows:


Name & Title Of Surveyor	Well Number	Surveyed Depths	Dates Performed	Type of Survey
Jose Rivera	3H	4596' MD	10/5/2013	Measurement
MWD Supervisor		13605' MD	10/17/2013	While Drilling

A notarized plan vs. actual is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Jesus Aguilar
MWD Coordinator

On this, the 24th day of November, 2013, before me a notary public, the undersigned officer, personally appeared Jesus Aguilar, known to me (or satisfactorily proven) to be the person whose name is subscribed to the within instrument, and acknowledged that he executed the same for the purposes therein contained.

In witness hereof, I hereunto set my hand and official seal.

Notary Public



Weatherford

Wft Survey Report X Y's.

**Weatherford**

Company: Devon Energy Date: 10/17/2013 Time: 05:46:18 Page: 1
Field: Eddy Co., NM (NAD 83) Co-ordinate(NE) Reference: Well: 3H, Grid North
Site: Capella 14 Federal Com 3H Vertical (TVD) Reference: SITE 3577.0
Well: 3H Section (VS) Reference: Well (0.00N,0.00E,179.60Azi)
Wellpath: 1 Survey Calculation Method: Minimum Curvature Db: Sybase

Survey: Wft Svy Start Date: 10/8/2013
Company: Weatherford Engineer: Russell W. Joyner
Tool: MWD:MWD - Standard Tied-to: User Defined

Site: Capella 14 Federal Com 3H

Site Position: Northing: 606673.89 ft Latitude: 32 40 0.593 N
From: Map Easting: 692202.48 ft Longitude: 103 50 35.084 W
Position Uncertainty: 0.00 ft North Reference: Grid
Ground Level: 3557.00 ft Grid Convergence: 0.26 deg

Well: 3H Slot Name:
Well Position: +N/-S 0.00 ft Northing: 606673.89 ft Latitude: 32 40 0.593 N
+E/-W 0.00 ft Easting: 692202.48 ft Longitude: 103 50 35.084 W
Position Uncertainty: 0.00 ft

Wellpath: 1 Drilled From: Surface
Current Datum: SITE Height 3577.00 ft Tie-on Depth: 0.00 ft
Magnetic Data: 10/30/2013 Above System Datum: Mean Sea Level
Field Strength: 48641 nT Declination: 7.45 deg
Vertical Section: Depth From (TVD) +N/-S +E/-W Direction
ft ft ft deg
0.00 0.00 0.00 179.60

Survey

MD ft	Incl deg	Azim deg	TVD ft	N/S ft	E/W ft	DLS deg/100ft	VS ft	MapN ft	MapE ft	Comment
4495.00	0.74	340.75	4493.67	50.20	7.33	0.00	-50.15	606724.09	692209.81	Tie On VES
4596.00	1.09	339.23	4594.66	51.71	6.77	0.35	-51.67	606725.60	692209.25	First Wft Svy
4628.00	0.87	352.26	4626.65	52.24	6.63	0.97	-52.19	606726.13	692209.11	
4659.00	1.40	347.27	4657.65	52.84	6.52	1.74	-52.80	606726.73	692209.00	
4691.00	2.20	352.37	4689.63	53.83	6.35	2.55	-53.79	606727.72	692208.83	
4722.00	2.97	346.21	4720.60	55.20	6.08	2.64	-55.16	606729.09	692208.56	
4754.00	3.46	346.73	4752.55	56.95	5.66	1.53	-56.91	606730.84	692208.14	
4848.00	3.54	347.28	4846.37	62.54	4.37	0.09	-62.51	606736.43	692206.85	
4942.00	3.57	351.36	4940.19	68.26	3.29	0.27	-68.24	606742.15	692205.77	
5037.00	3.16	348.04	5035.03	73.75	2.31	0.48	-73.73	606747.64	692204.79	
5131.00	3.95	351.77	5128.85	79.49	1.31	0.88	-79.48	606753.38	692203.79	
5225.00	3.81	351.71	5222.63	85.78	0.39	0.15	-85.78	606759.67	692202.87	
5320.00	3.55	355.64	5317.44	91.84	-0.29	0.38	-91.84	606765.73	692202.19	
5414.00	3.37	350.14	5411.26	97.46	-0.98	0.40	-97.47	606771.35	692201.50	
5508.00	3.57	355.38	5505.09	103.10	-1.69	0.40	-103.11	606776.99	692200.79	
5602.00	3.48	352.94	5598.91	108.85	-2.28	0.19	-108.86	606782.74	692200.20	
5697.00	3.45	354.07	5693.74	114.55	-2.93	0.08	-114.57	606788.44	692199.55	
5791.00	3.15	350.06	5787.59	119.91	-3.66	0.40	-119.93	606793.80	692198.82	
5886.00	2.89	355.24	5882.45	124.87	-4.31	0.40	-124.90	606798.76	692198.17	
5981.00	3.30	350.33	5977.31	129.95	-4.97	0.51	-129.98	606803.84	692197.51	
6075.00	3.34	354.89	6071.16	135.35	-5.67	0.28	-135.38	606809.24	692196.81	
6169.00	3.30	350.19	6165.00	140.74	-6.38	0.29	-140.78	606814.63	692196.10	
6264.00	3.10	351.57	6259.85	145.97	-7.22	0.23	-146.02	606819.86	692195.26	
6359.00	4.03	349.37	6354.67	151.80	-8.21	0.99	-151.85	606825.69	692194.27	
6454.00	3.99	352.27	6449.43	158.35	-9.27	0.22	-158.41	606832.24	692193.21	
6548.00	4.00	351.95	6543.21	164.84	-10.17	0.03	-164.91	606838.73	692192.31	
6642.00	3.89	352.16	6636.98	171.24	-11.06	0.12	-171.32	606845.13	692191.42	
6737.00	4.03	350.69	6731.76	177.73	-12.04	0.18	-177.81	606851.62	692190.44	
6831.00	3.74	354.55	6825.54	184.04	-12.87	0.42	-184.13	606857.93	692189.61	
6926.00	3.48	349.33	6920.35	189.96	-13.70	0.44	-190.05	606863.85	692188.78	



Weatherford

Wft Survey Report X Y's.



Company: Devon Energy
Field: Eddy Co., NM (NAD 83)
Site: Capella 14 Federal Com 3H
Well: 3H
Wellpath: 1

Date: 10/17/2013 Time: 05:46:18 Page: 2
Co-ordinate(NE) Reference: Well: 3H, Grid North
Vertical (TVD) Reference: SITE 3577.0
Section (VS) Reference: Well (0.00N,0.00E,179.60Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey

MD ft	Incl deg	Azim deg	TVD ft	N/S ft	E/W ft	DLS deg/100ft	VS ft	MapN ft	MapE ft	Comment
7020.00	3.55	353.75	7014.18	195.66	-14.54	0.30	-195.75	606869.55	692187.94	
7115.00	3.32	354.07	7109.00	201.32	-15.15	0.24	-201.42	606875.21	692187.33	
7209.00	2.87	353.50	7202.87	206.36	-15.69	0.48	-206.47	606880.25	692186.79	
7304.00	3.50	357.46	7297.72	211.62	-16.09	0.70	-211.73	606885.51	692186.39	
7398.00	3.07	357.42	7391.57	217.00	-16.33	0.46	-217.11	606890.89	692186.15	
7492.00	2.35	2.15	7485.46	221.44	-16.37	0.80	-221.55	606895.33	692186.11	
7587.00	3.24	355.39	7580.35	226.07	-16.52	1.00	-226.18	606899.96	692185.96	
7681.00	2.63	351.74	7674.22	230.85	-17.04	0.68	-230.96	606904.74	692185.44	
7775.00	3.78	351.05	7768.07	236.04	-17.83	1.22	-236.16	606909.93	692184.65	
7870.00	3.82	347.28	7862.86	242.22	-19.01	0.27	-242.35	606916.11	692183.47	
7964.00	3.79	347.13	7956.66	248.31	-20.40	0.03	-248.44	606922.20	692182.08	
8059.00	3.50	351.93	8051.47	254.24	-21.50	0.44	-254.38	606928.13	692180.98	
8153.00	3.21	351.43	8145.30	259.68	-22.30	0.31	-259.83	606933.57	692180.18	
8248.00	2.70	349.08	8240.18	264.51	-23.12	0.55	-264.66	606938.40	692179.36	
8350.00	2.47	347.14	8342.07	269.01	-24.06	0.24	-269.17	606942.90	692178.42	
8437.00	0.92	272.76	8429.04	270.87	-25.18	2.75	-271.04	606944.76	692177.30	
8468.00	4.01	197.23	8460.01	269.85	-25.75	12.53	-270.02	606943.74	692176.73	
8500.00	6.92	183.78	8491.86	266.86	-26.21	9.88	-267.03	606940.75	692176.27	
8531.00	9.97	181.58	8522.53	262.31	-26.40	9.89	-262.49	606936.20	692176.08	
8563.00	13.10	179.47	8553.88	255.91	-26.45	9.87	-256.09	606929.80	692176.03	
8594.00	16.16	178.36	8583.87	248.08	-26.29	9.91	-248.26	606921.97	692176.19	
8626.00	19.22	177.21	8614.35	238.37	-25.91	9.62	-238.55	606912.26	692176.57	
8657.00	21.92	177.87	8643.37	227.49	-25.44	8.74	-227.66	606901.38	692177.04	
8689.00	24.87	177.37	8672.74	214.80	-24.91	9.24	-214.96	606888.69	692177.57	
8720.00	27.68	178.24	8700.53	201.08	-24.39	9.15	-201.25	606874.97	692178.09	
8752.00	30.70	180.10	8728.46	185.48	-24.18	9.85	-185.65	606859.37	692178.30	
8783.00	33.10	180.25	8754.78	169.10	-24.23	7.75	-169.27	606842.99	692178.25	
8815.00	36.07	180.79	8781.12	150.94	-24.40	9.33	-151.11	606824.83	692178.08	
8846.00	38.07	180.61	8805.86	132.26	-24.62	6.46	-132.43	606806.15	692177.86	
8878.00	40.74	181.19	8830.58	111.95	-24.95	8.42	-112.12	606785.84	692177.53	
8909.00	42.69	180.54	8853.72	91.32	-25.25	6.44	-91.50	606765.21	692177.23	
8941.00	45.15	179.96	8876.77	69.13	-25.35	7.79	-69.30	606743.02	692177.13	
8972.00	48.08	179.38	8898.06	46.60	-25.22	9.55	-46.78	606720.49	692177.26	
9004.00	51.20	179.62	8918.78	22.22	-25.00	9.77	-22.40	606696.11	692177.48	
9035.00	54.18	179.77	8937.57	-2.43	-24.87	9.62	2.26	606671.46	692177.61	
9066.00	56.69	179.97	8955.15	-27.96	-24.82	8.11	27.78	606645.93	692177.66	
9098.00	59.29	180.57	8972.11	-55.09	-24.95	8.28	54.91	606618.80	692177.53	
9130.00	62.15	181.25	8987.76	-82.99	-25.39	9.13	82.81	606590.90	692177.09	
9161.00	65.53	181.51	9001.43	-110.81	-26.06	10.93	110.62	606563.08	692176.42	
9193.00	68.86	181.00	9013.83	-140.29	-26.71	10.51	140.10	606533.60	692175.77	
9224.00	71.38	180.61	9024.37	-169.44	-27.12	8.21	169.25	606504.45	692175.36	
9243.00	72.83	181.10	9030.21	-187.52	-27.39	8.02	187.32	606486.37	692175.09	
9275.00	75.47	181.21	9038.95	-218.29	-28.01	8.26	218.09	606455.60	692174.47	
9306.00	77.90	180.86	9046.09	-248.45	-28.55	7.92	248.25	606425.44	692173.93	
9338.00	80.82	180.84	9052.00	-279.90	-29.02	9.13	279.69	606393.99	692173.46	
9369.00	83.85	180.74	9056.13	-310.61	-29.44	9.78	310.40	606363.28	692173.04	
9401.00	85.95	180.45	9058.97	-342.48	-29.77	6.62	342.27	606331.41	692172.71	
9432.00	86.09	180.79	9061.13	-373.40	-30.11	1.18	373.19	606300.49	692172.37	
9495.00	89.16	179.91	9063.74	-436.34	-30.49	5.07	436.12	606237.55	692171.99	
9526.00	89.44	180.06	9064.11	-467.34	-30.48	1.02	467.11	606206.55	692172.00	
9621.00	89.93	180.45	9064.64	-562.34	-30.91	0.66	562.11	606111.55	692171.57	
9715.00	88.81	180.16	9065.67	-656.33	-31.41	1.23	656.09	606017.56	692171.07	



Weatherford

Wft Survey Report X Y's.

**Weatherford**

Company: Devon Energy
Field: Eddy Co., NM (NAD 83)
Site: Capella 14 Federal Com 3H
Well: 3H
Wellpath: 1

Date: 10/17/2013 Time: 05:46:18 Page: 3
Co-ordinate(NE) Reference: Well: 3H, Grid North
Vertical (TVD) Reference: SITE 3577.0
Section (VS) Reference: Well (0.00N,0.00E,179.60Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey

MD ft	Incl deg	Azim deg	TVD ft	N/S ft	EAV ft	DLS deg/100ft	VS ft	MapN ft	MapE ft	Comment
9810.00	88.67	180.02	9067.76	-751.30	-31.56	0.21	751.07	605922.59	692170.92	
9905.00	88.32	179.93	9070.25	-846.27	-31.51	0.38	846.03	605827.62	692170.97	
9999.00	88.04	180.63	9073.24	-940.22	-31.97	0.80	939.98	605733.67	692170.51	
10094.00	87.41	180.62	9077.01	-1035.14	-33.01	0.66	1034.89	605638.75	692169.47	
10188.00	88.25	179.24	9080.57	-1129.07	-32.89	1.72	1128.81	605544.82	692169.59	
10283.00	88.18	179.28	9083.53	-1224.02	-31.67	0.08	1223.77	605449.87	692170.81	
10377.00	89.58	179.50	9085.37	-1317.99	-30.67	1.51	1317.74	605355.90	692171.81	
10471.00	89.79	177.26	9085.88	-1411.95	-28.01	2.39	1411.72	605261.94	692174.47	
10566.00	89.23	177.68	9086.70	-1506.85	-23.82	0.74	1506.65	605167.04	692178.66	
10661.00	88.81	177.95	9088.32	-1601.77	-20.19	0.53	1601.59	605072.12	692182.29	
10755.00	89.44	178.51	9089.76	-1695.71	-17.29	0.90	1695.55	604978.18	692185.19	
10849.00	88.95	178.40	9091.08	-1789.67	-14.76	0.53	1789.52	604884.22	692187.72	
10944.00	88.39	178.94	9093.28	-1884.61	-12.55	0.82	1884.48	604789.28	692189.93	
11038.00	90.21	178.89	9094.43	-1978.59	-10.77	1.94	1978.46	604695.30	692191.71	
11132.00	90.77	179.14	9093.63	-2072.57	-9.16	0.65	2072.45	604601.32	692193.32	
11227.00	89.09	179.81	9093.74	-2167.56	-8.29	1.90	2167.45	604506.33	692194.19	
11321.00	89.09	181.06	9095.24	-2261.54	-9.00	1.33	2261.43	604412.35	692193.48	
11415.00	88.88	181.98	9096.90	-2355.49	-11.49	1.00	2355.36	604318.40	692190.99	
11510.00	89.16	180.99	9098.53	-2450.45	-13.95	1.08	2450.29	604223.44	692188.53	
11604.00	89.65	181.25	9099.50	-2544.42	-15.79	0.59	2544.25	604129.47	692186.69	
11698.00	89.72	181.59	9100.02	-2638.39	-18.12	0.37	2638.20	604035.50	692184.36	
11793.00	89.51	180.01	9100.66	-2733.38	-19.45	1.68	2733.18	603940.51	692183.03	
11888.00	89.23	179.60	9101.70	-2828.37	-19.12	0.52	2828.17	603845.52	692183.36	
11982.00	89.16	180.65	9103.02	-2922.36	-19.33	1.12	2922.16	603751.53	692183.15	
12076.00	89.93	177.58	9103.77	-3016.34	-17.88	3.37	3016.14	603657.55	692184.60	
12171.00	90.21	177.52	9103.65	-3111.25	-13.82	0.30	3111.08	603562.64	692188.66	
12266.00	90.21	177.85	9103.30	-3206.17	-9.98	0.35	3206.02	603467.72	692192.50	
12360.00	89.86	177.74	9103.25	-3300.10	-6.36	0.39	3299.98	603373.79	692196.12	
12455.00	89.72	177.94	9103.60	-3395.03	-2.78	0.26	3394.93	603278.86	692199.70	
12549.00	89.72	178.27	9104.05	-3488.98	0.33	0.35	3488.90	603184.91	692202.81	
12643.00	90.07	178.08	9104.23	-3582.93	3.32	0.42	3582.87	603090.96	692205.80	
12738.00	90.35	178.30	9103.88	-3677.88	6.32	0.37	3677.84	602996.01	692208.80	
12832.00	90.49	178.91	9103.19	-3771.85	8.61	0.67	3771.82	602902.04	692211.09	
12927.00	89.02	178.27	9103.60	-3866.82	10.95	1.69	3866.80	602807.07	692213.43	
13021.00	88.82	178.47	9105.37	-3960.77	13.62	0.30	3960.76	602713.12	692216.10	
13116.00	88.88	178.85	9107.27	-4055.72	15.84	0.40	4055.73	602618.17	692218.32	
13210.00	89.02	178.93	9109.00	-4149.69	17.66	0.17	4149.71	602524.20	692220.14	
13305.00	88.88	179.34	9110.74	-4244.66	19.10	0.46	4244.69	602429.23	692221.58	
13399.00	89.16	178.78	9112.35	-4338.63	20.64	0.67	4338.67	602335.26	692223.12	
13494.00	89.51	179.55	9113.45	-4433.62	22.02	0.89	4433.66	602240.27	692224.50	
13605.00	89.86	180.03	9114.06	-4544.61	22.43	0.54	4544.66	602129.28	692224.91	Last Wft Svy
13672.00	89.86	180.03	9114.22	-4611.61	22.39	0.00	4611.66	602062.28	692224.87	Proj. To Bit



Annotation

MD ft	TVD ft	
4495.00	4493.67	Tie On VES
4596.00	4594.66	First Wft Svy
13605.00	9114.06	Last Wft Svy
13672.00	9114.22	Proj. To Bit

devon

Capella 14 Federal Com 3H
Eddy Co., New Mexico

KB ELEV: 3577
GL ELEV: 35577



SECTION DETAILS									
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec
1	8815.00	36.07	180.79	8781.12	150.94	-24.40	0.00	0.00	-151.11
2	9467.97	89.32	179.59	9070.00	-408.60	-24.73	8.16	358.50	408.42
3	12344.69	89.32	179.59	9104.14	-3285.05	-4.15	0.00	0.00	3284.94
4	12384.23	89.32	178.40	9104.61	-3324.58	-3.46	3.00	-90.01	3324.47
5	13680.94	89.32	178.40	9120.00	-4620.69	32.66	0.00	0.00	4620.81

WELL DETAILS						
Name	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
3H	0.00	0.00	606673.89	692202.48	32°40'09.593N	103°50'35.084W


TARGET DETAILS						
Name	TVD	+N/-S	+E/-W	Northing	Easting	Shape
Nudge Tgt	8368.00	279.65	-1.98	606953.54	692200.50	Point
LP Tgt	9070.00	-408.60	-24.73	606265.29	692177.75	Rectangle (3300x50)
PBHL	9120.00	-4620.69	32.66	602053.20	692235.14	Rectangle (1250x50)

SITE DETAILS	
Capella 14 Federal Com 3H	
Site Centre Northing:	606673.89
Easting:	692202.48
Ground Level:	3557.00
Positional Uncertainty:	0.00
Convergence:	0.26

LEGEND	
3H, Plan #6	
3H, Gyro	
Exist. Bunnel Fed A1 (1)	
Exist. Dozier Fed Com 1 (1)	
3H	
Wf Svy	



Weatherford



Created By: Russell W. Joyner

Date: 10/17/2013