

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 July 17, 2008									
1. WELL API NO. 30-015-38512														
2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN														
3. State Oil & Gas Lease No.														
WELL COMPLETION OR RECOMPLETION REPORT AND LOG														
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name ENRON STATE										
				6. Well Number: #16										
7. Type of Completion: <input type="checkbox"/> NEW WELL <input checked="" type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input checked="" type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER ART-4609N				<div style="border: 2px solid black; padding: 5px; transform: rotate(-2deg); display: inline-block;"> RECEIVED DEC 13 2013 NMOCD ARTESIA </div>										
8. Name of Operator: LRE OPERATING. LLC				9. OGRID: 281994										
10. Address of Operator: c/o Mike Pippin LLC, 3104 N. Sullivan, Farmington, NM 87401				11. Pool name or Wildcat: Red Lake, Glorieta Yeso NE (96836) Red Lake, Queen-Grayburg-San Andres (51300)										
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the								
Surface:	D	31	17-S	28-E	1	990								
BH:														
13. Date Spudded 8/11/11	14. Date T.D. Reached 8/18/11	15. Date Drilling Rig Released 8/19/11		16. Date Completed (Ready to Produce) WO: 12/10/13		17. Elevations (DF and RKB, RT, GR, etc.): 3636' GR								
18. Total Measured Depth of Well 3658'		19. Plug Back Measured Depth 3596'		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run Induction, Density/Neutron								
22. Producing Interval(s), of this completion - Top, Bottom, Name 2120'-2370' - upper SA, 2400'-2710' - middle SA, 2752'-3034' - lower SA														
23. CASING RECORD (Report all strings set in well)														
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED									
8-5/8"	24# J-55	391'	12-1/4"	300 sx CI C	0'									
5-1/2"	17# J-55	3642'	7-7/8"	350 sx 35/65 Poz/C	0'									
				+ 300 sx C										
24. LINER RECORD				25. TUBING RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET								
					2-7/8"	3533'								
26. Perforation record (interval, size, and number) 2120'-2370' w/32-0.41" holes 2400'-2710' w/36-0.41" holes 2752'-3034' w/34-0.41" holes Yeso Perfs: 3215'-3543' w/64-0.32" holes				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>2120'-2370'</td> <td>3523 gals 15% HCL; fraced w/67,676# 16/30 & 22,313# 16/30 resin coated sand in 20# linked gel</td> </tr> <tr> <td>2400'-2710'</td> <td>3374 gals 15% HCL; fraced w/79,890# 16/30 & 19,976# 16/30 resin coated sand in 20# linked gel</td> </tr> <tr> <td>2752'-3034'</td> <td>3096 gals 15% HCL; fraced w/67,134# 16/30 & 16,265# 16/30 resin coated sand in 20# linked gel</td> </tr> </table>			DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	2120'-2370'	3523 gals 15% HCL; fraced w/67,676# 16/30 & 22,313# 16/30 resin coated sand in 20# linked gel	2400'-2710'	3374 gals 15% HCL; fraced w/79,890# 16/30 & 19,976# 16/30 resin coated sand in 20# linked gel	2752'-3034'	3096 gals 15% HCL; fraced w/67,134# 16/30 & 16,265# 16/30 resin coated sand in 20# linked gel
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED													
2120'-2370'	3523 gals 15% HCL; fraced w/67,676# 16/30 & 22,313# 16/30 resin coated sand in 20# linked gel													
2400'-2710'	3374 gals 15% HCL; fraced w/79,890# 16/30 & 19,976# 16/30 resin coated sand in 20# linked gel													
2752'-3034'	3096 gals 15% HCL; fraced w/67,134# 16/30 & 16,265# 16/30 resin coated sand in 20# linked gel													
28. PRODUCTION														
Date First Production READY		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping			Well Status (Prod. or Shut-in) Pumping									
Date of Test Within 30 days	Hours Tested	Choke Size	Prod'n For Test Period:	Oil - Bbl	Gas - MCF	Water - Bbl.								
Flow Tubing Press.	Casing Pressure	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)								
29. Disposition of Gas (Sold, used for fuel, vented, etc.) To Be Sold					30. Test Witnessed By: Jerry Smith									
31. List Attachments														
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.														
33. If an on-site burial was used at the well, report the exact location of the on-site burial:														
Latitude			Longitude		NAD 1927 1983									
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief														
Signature <i>Mike Pippin</i>		Printed Name Mike Pippin		Title: Petroleum Engineer		Date: 12/12/13								
E-mail Address: mike@pippinllc.com														

ENRON STATE#16 -- Recomplete to San Andres & DHC

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

OIL OR GAS SANDS OR ZONES

No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
			- On File -