Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT


FORM APPROVED
OMB NO. 1004-013.
Expires: July 31, 201

	23.1511.00.0	
,	Lease Serial No.	
	NMI C058186	

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					Serial No. 2058186 in, Allottee or	Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit	or CA/Agreer	nent, Name and/or No.	
Type of Well				ame and No. 27 FEDERA	L COM 4H			
Name of Operator MEWBOURNE OIL COMPAN	Contact:	JACKIE LATH newbourne.com	IAN		9. API W 30-01	ell No. 5-39582-00)-X1	
3a. Address HOBBS, NM 88241		3b. Phone No. Ph: 575-39 Fx: 575-397		le)	10. Field and Pool, or Exploratory LEO			
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description	<u> </u>			11. Count	y or Parish, a	nd State	
Sec 27 T18S R30E NWNW Lo	ot D 855FNL 70FWL				EDDY	COUNTY,	NM	
12. CHECK APPE	ROPRIATE BOX(ES) TO	O INDICATE	NATURE OF	NOTICE, RI	EPORT, C	R OTHER	DATA	
TYPE OF SUBMISSION			TYPE	OF ACTION				
□ Notice of Intent	☐ Acidize	☐ Deep		☐ Product		Resume)	□ Water Shut-Off	
Subsequent Report ■	☐ Alter Casing	_	ture Treat	☐ Reclam			□ Well Integrity	
	☐ Casing Repair	_	Construction	□ Recomp		.l	☑ Other Well Spud	
☐ Final Abandonment Notice	☐ Change Plans ☐ Convert to Injection		and Abandon	☐ Tempor ☐ Water I	=	aon	•	
following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) 10/21/13 Spud 17 1/2" hole. TD hole @ 378'. Ran 378' of 13 3/8" 48# H40 ST&C csg. Cemented with 400 sks Class C w/2% CaCl2. Mixed @ 14.8 #/g w/1.34 yd. Plug down @ 7:00 AM 10/22/13. At 9:00 A.M. 10/23/13, tested csg & BOPE to 1250# for 30 minutes, held OK. Circ 62 sks of cement to pit.								
Chart & schematic attached.			pled for re NMOCD		ſ	REC	EIVED	
Bond on file: NM1693 nationw	vide & NMB000919					DEC	1 2 2013	
			Ì	NMOC	D ARTESIA			
14. I hereby certify that the foregoing is	Electronic Submission #	RNE OIL COM	PAŃY, sent to	the Carlsbad	•			
Name (Printed/Typed) JACKIE L	ATHAN		Title AUTH	IORIZED REF	PRESENT	ATIVE		
Signature (Electronic S	Submission)		Date 11/01	/2013		•	· •	
	THIS SPACE FO	OR FEDERA			SE			
Approved By ACCEPT	ED		JAMES A	A AMOS			Date 12/06/2013	
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conduct the applicant the applicant the applicant the applicant to conduct the applicant the app	uitable title to those rights in th		Office Carlsb				12/00/2013	
			341130					

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.







WELDING • BOP TESTING
NIPPLE UP SERVICE • BOP LITTS • TANDEM
MUD AND GAS SEPARATORS

Lovington, NM • 575-398-4540

(i)		i		455.0	i i	
D		/ CIIII	Ωf	*	S. V	
T.:	U. Halle	(##C	, UI	di mon	riff-JH	

Company:	Date: // 2012 / 2 // 1/2 / 2 // 1/2 / 2 // 1/2 / 2 // 1/2 / 2 // 1/2 / 2 // 1/2 / 2 // 1/2 / 2 // 1/2 / 2 // 1/2 / 2 // 1/2 // 2 // 1/2 // 2 // 1/2 // 2 // 1/2 // 2 // 1/2 // 2 // 1/2 // 2 // 1/2 // 2 // 2 // 1/2 // 2 // 2 // 1/2 // 2	Involce	# 10.59.49. Lue
Lease: U (2) 12 7 1 2 7 1 2 7 1	Drilling Contractor:		March Care a contraction
Plug Size & Type:	Drill Pipe Size 4/2 X/I	Tester: 5 To 2	
Required BOP:	Installed BOP:		
Appropriate Casing Valve Must Be Open During BOP, Test		1 Check Valve Must Be Open/Dis	abled To Test Kill Line Valves *
			Dart Valve
	Mud Gauge Valve		#19 U
	#5 #66		Stand Pipe
Annular #15		Kelly/ Top	(()) = 924
		Drive #22	元 万 1 # 23
Pipe Rams #12		IBOP &	Valve .
Blind Rams #13	2	817 .	#18
		tanual 🗑	
		IBOP Pump	Pump Valve
#11 #10 #9 #7 #8 A	425	#20	#21
	uper Choke		
Celto			
Casing Casing			
TEST # TESTED	TEST LENGTH: CLOW PSI HIGH PSI	REMARKS	

TE	ST#	ITEMS TESTED	TEST LENGTH	"LOW PSI	HIGH PSI	Employed Committee Committ
	<i>[</i>]	45.677	腹逐激器性		12551	
					/ZECVI	
	M					
		病// [2] 鲁. [1] 计				
				K	Winds I	
			THAT			
	MÜ				Mini	
B	A.					CONTRACTOR OF THE STATE OF THE
				(FEET)		
						THE RESIDENCE HOUSE STATE OF THE PARTY OF TH
				îridi		
						THE THE RESERVE THE TOTAL PROPERTY OF THE PROP
M						
			#16:#1#77#11/177P			
						iconication of the contraction
ħ						
	DA.ANIA			Males.		The state of the s
	1.000000			ANTES S		