Submit 3 Copies To Appropriate District	State of New Mexi	co ·	Form
Office District I	Energy, Minerals and Natural		June 1
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.
District II 1301 W. Grand Ave., Ariesia, NM 88210	OIL CONSERVATION D	IVISION	
District III i.	1220 South St. Franci	s Dr.	5. Indicate Type of Lease STATE X FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 875	05	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM			X0-0647-0405
87505	ES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement N
(DO NOT USE THIS FORM FOR PROPOSA		васк то а	-
DIFFERENT RESERVOIR. USE "APPLICA PROPOSALS")	TION FOR PERMIT" (FORM C-101) FOR	SUCH	N B Tween State Battery
1. Type of Well: Soil Well	as Well 🔲 Other:		8. Well Number
2. Name of Operator		·····	9. OGRID Number
Apache Corporation	· · · · · · · · · · · · · · · · · · ·		873
3. Address of Operator			10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 300	J Midland, IX 79705		Artesia; Glorieta-Yeso (96830)
4. Well Location			
Unit Letter <u>H</u> :;	feet from the	· · · · ·	
Section 25	Township 17S Rang		NMPM 28E County Eddy
A State of the second	11. Elevation (Show whether DR, R	кв, RT, GR, etc	シートの発展の
			0.000 Addition (1997) (1998) (1997) (1998)
12. Check Ar	propriate Box to Indicate Nat	ure of Notice	Report or Other Data
		1	•
			SEQUENT REPORT OF:
PULL OR ALTER CASING		CASING/CEMEN	NT JOB
OTHER: Flare Gas		DTHER:	
13. Describe proposed or complete	ed operations. (Clearly state all per	tinent details, au	nd give pertinent dates, including estima
	c). SEE RULE 1103. For Multiple	Completions: A	attach wellbore diagram of proposed con
or recompletion.			
<ul> <li>Apache is requesting permission to</li> </ul>			
i measured prior to floring. The ADI	temporarily flare the NB Tween Sta	te wells 1-30. Ir	ntermittent flaring will occur and gas will
measured prior to flaring. The API	temporarily flare the NB Tween Sta # for each well are as follows:	te wells 1-30. Ir	ntermittent flaring will occur and gas will
measured prior to flaring. The API 30-015-35915	temporarily flare the NB Tween Sta 4 for each well are as follows: 30-015-36789	te wells 1-30. Ir	30-015-38592
measured prior to flaring. The API 30-015-35915 30-015-35974	I for each well are as follows:	te wells 1-30. Ir	30-015-38592 30-015-38467
measured prior to flaring. The API	for each well are as follows: 30-015-36789	te wells 1-30. Ir	30-015-38592
measured prior to flaring. The API 30-015-35915 30-015-35974	∉ for each well are as follows: 30-015-36789 30-015-37592	te wells 1-30. Ir	30-015-38592 30-015-38467 30-015-38593 30-015-39074
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603	<pre># for each well are as follows:</pre>	te wells 1-30. Ir	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626	<pre># for each well are as follows:</pre>	te wells 1-30. Ir	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627	<pre># for each well are as follows:</pre>	te wells 1-30. Ir	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796	<pre># for each well are as follows:</pre>	te wells 1-30. Ir	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	<pre># for each well are as follows:</pre>	te wells 1-30. Ir	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796	<pre># for each well are as follows:</pre>	te wells 1-30. Ir	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798	<pre># for each well are as follows:</pre>		30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798	<pre># for each well are as follows:</pre>		30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797	<pre># for each well are as follows:</pre>		30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	<pre># for each well are as follows:</pre>	:	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	<pre># for each well are as follows:</pre>	:	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798	<pre># for each well are as follows:</pre>	:	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748
measured prior to flaring. The API 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36798 Spud Date:	<pre># for each well are as follows:</pre>	of my knowled	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748
measured prior to flaring. The API         30-015-35915         30-015-35974         30-015-35916         30-015-35917         30-015-36603         30-015-36626         30-015-36627         30-015-36796         30-015-36798         Spud Date:         I         I         hereby certify that the information all	# for each well are as follows: 30-015-36789 30-015-37592 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Date pove is true and complete to the best TITLE_Regulate	of my knowled	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39746 30-015-39747 30-015-39748 ge and belief.
measured prior to flaring. The API         30-015-35915         30-015-35974         30-015-35916         30-015-36917         30-015-36603         30-015-36626         30-015-36627         30-015-36796         30-015-36798         Spud Date:         I         I         Hereby certify that the information at         SIGNATURE         Type or print name         Eatima Vasquez	# for each well are as follows: 30-015-36789 30-015-37592 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Date	of my knowled	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39745 30-015-39745 30-015-39746 30-015-39746 30-015-39747 30-015-39748 ge and belief.
measured prior to flaring. The APh 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	# for each well are as follows: 30-015-36789 30-015-37592 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Date pove is true and complete to the best TITLE_Regulate	of my knowled	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39746 30-015-39747 30-015-39748 ge and belief.
measured prior to flaring. The API         30-015-35915         30-015-35974         30-015-35916         30-015-35917         30-015-36603         30-015-36626         30-015-36627         30-015-36796         30-015-36798         Spud Date:         I         I         Hereby certify that the information at         SIGNATURE         Type or print name         Eatima Vasquez         For State Use Only	# for each well are as follows: 30-015-36789 30-015-37592 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Date pove is true and complete to the best TITLE_Regulate E-mail address:	of my knowled	30-015-38592 30-015-38593 30-015-38593 30-015-39074 30-015-39745 30-015-39745 30-015-39746 30-015-39747 30-015-39748 ge and belief. DATE_01/09/2014 pachecorp.comPHONE: (432) 818-1
measured prior to flaring. The API         30-015-35915         30-015-35974         30-015-35916         30-015-3603         30-015-36626         30-015-36627         30-015-36627         30-015-36796         30-015-36797         30-015-36798         Spud Date:         I hereby certify that the information all         SIGNATURE         Type or print name         Eatima Vasquez         For State Use Only         APPROVED BY:	# for each well are as follows: 30-015-36789 30-015-37592 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591 Rig Release Date pove is true and complete to the best TITLE_Regulate	of my knowled	30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39746 30-015-39747 30-015-39748 ge and belief.
measured prior to flaring. The APh 30-015-35915 30-015-35974 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	# for each well are as follows:         30-015-36789         30-015-37592         30-015-37597         30-015-38405         30-015-38406         30-015-38407         30-015-38590         30-015-38591         Rig Release Date         TITLE Regulate         E-mail address:         TITLE Spect	of my knowled	30-015-38592 30-015-38593 30-015-38593 30-015-39074 30-015-39745 30-015-39745 30-015-39746 30-015-39747 30-015-39748 ge and belief. DATE_01/09/2014 pachecorp.comPHONE: (432) 818-1
measured prior to flaring. The APh 30-015-35915 30-015-35974 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	# for each well are as follows:         30-015-36789         30-015-37592         30-015-37597         30-015-38405         30-015-38406         30-015-38407         30-015-38590         30-015-38591         Rig Release Date         TITLE Regulate         E-mail address:         TITLE Spect	of my knowled	30-015-38592 30-015-38593 30-015-38593 30-015-39074 30-015-39745 30-015-39745 30-015-39746 30-015-39747 30-015-39748 ge and belief. DATE_01/09/2014 pachecorp.comPHONE: (432) 818-1
measured prior to flaring. The APh 30-015-35915 30-015-35974 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	# for each well are as follows:         30-015-36789         30-015-37592         30-015-37597         30-015-38405         30-015-38406         30-015-38407         30-015-38590         30-015-38591         Rig Release Date         TITLE Regulate         E-mail address:         TITLE Spect	of my knowled	30-015-38592 30-015-38593 30-015-38593 30-015-39074 30-015-39745 30-015-39745 30-015-39746 30-015-39747 30-015-39748 ge and belief. DATE_01/09/2014 pachecorp.comPHONE: (432) 818-1
measured prior to flaring. The API         30-015-35915         30-015-35974         30-015-35916         30-015-36917         30-015-36603         30-015-36626         30-015-36627         30-015-36796         30-015-36797         30-015-36798         Spud Date:         I         I hereby certify that the information all         SIGNATURE         Type or print name         Fatima Vasquez         For State Use Only         APPROVED BY:	# for each well are as follows:         30-015-36789         30-015-37592         30-015-37597         30-015-38405         30-015-38406         30-015-38407         30-015-38590         30-015-38591         Rig Release Date         TITLE Regulate         E-mail address:         TITLE Spect	of my knowled	30-015-38592 30-015-38593 30-015-38593 30-015-39074 30-015-39745 30-015-39745 30-015-39746 30-015-39747 30-015-39748 ge and belief. DATE_01/09/2014 pachecorp.comPHONE: (432) 818-1

,

-.

<u>District II</u> 811 S. First St., A <u>District III</u> 1000 Rio Brazos I <u>District IV</u>	State of New Mexico       Form C-129         Energy Minerals and Natural Resources       Form C-129         Revised August 1, 201       Oil Conservation Division         Itesia, NM 88210       Oil Conservation Division         Road, Aztec, NM 87410       I220 South St. Francis Dr.         Sonta Fe, NM 87505       Submit one copy to appropriate District Office         Sort, Santa Fe, NM 87505       NFO Permit         If the second
А	PPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)
А.	ApplicantApache Corporation, whose address is1945 Bluestem Road, Artesia, NM 88210,
	hereby requests an exception to Rule 19.15.18.12 for90days or unti
	Name of Lease N B Tween State Name of Pool Yeso
	Location of Battery: Unit Letter H Section 25 Township 17S Range 28E Number of wells producing into battery 30
В.	Based upon oil production of
C.	Name and location of nearest gas gathering facility: Frontier Empire Abo Unit
D.	DistanceEstimated cost of connection
E.	This exception is requested for the following reasons: This is for an extension on the previous one that will expire January 31, 2014.
Division have b	that the rules and regulations of the Oil Conservation that the rules and regulations of the Oil Conservation been complied with and that the information given above alete to the best of my knowledge and belief.
Signature	By FR) ade
Printed Name & Title	Fatima Vasquez - Regulatory Tech II Title CS- T. Seperion
E-mail Addre	Fatima Vasquez@apachecorp.com Date for 28 2014
Date 01/09/	l'elephone INO.
* Gas-Oil rat	io test may be required to verify estimated gas volume.

.

۰ .

# NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

## CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- **5.** Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

## Your initials here س

11 1)28/14

#### State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



March 19, 2013 FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

#### Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <u>http://activefiremaps.fs.fed.us/current.php</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.