| Submit 3 Copies To Appropriate Distric<br>Office  | <sup>t</sup> State of New Mexico<br>Energy, Minerals and Natural Res  | sources   | Form C-103<br>June 19, 2008                            |  |
|---|---|---|--|--|
| 1625 N. French Dr., Hobbs, NM 88240<br>District II  |   | WELL API NO.  | WELL API NO.   |  |
| 1301 W. Grand Ave., Artesia, NM 8821 <u>DistrictIII</u> 1000 Rio Brazos Rd., Aziec, NM 87410  | 1220 South St. Francis Dr   | I h Indicate Evne of  |  |  |
| District IV<br>1220 S. St. Francis Dr., Santa Fe, NM  | Santa Fe, NM 87505  | 6. State Oil & Gas  |  |  |
| 87505   | DTICES AND REPORTS ON WELLS   | X0-0647-0405  | T  |  |
| (DO NOT USE THIS FORM FOR PRO<br>DIFFERENT RESERVOIR. USE "API  |   | <ul><li>7. Lease Name or Unit Agreement Name</li><li>N B Tween State Battery</li></ul>  |  |  |
| PROPOSALS:)<br>1. Type of Well: Oil Well Gas Well. Other:   |   | 8. Well Number  | 8. Well Number   |  |
| 2. Name of Operator<br>Apache Corporation   |   | 1   | 9. OGRID Number<br>873                                 |  |
| 3. Address of Operator  | · · · · · · · · · · · · · · · · · · ·   |   | 10. Pool name or Wildcat                               |  |
| 303 Veterans Airpark Lane, Suite  | 3000 Midland, TX 79705  | Artesia; Glorieta-Yes   | Artesia; Glorieta-Yeso (96830)                         |  |
| 4. Well Location  |   |   | a 19 .   |  |
| Unit Letter <u>H</u><br>Section 25  | :feet from theI<br>Township 17S Range   | ine andfeet fromfeet fromf | the line<br>County Eddy                                |  |
|   | 11. Elevation (Show whether DR, RKB, )  |   |  |  |
| i.  |   |   |  |  |
| 12. Check   | k Appropriate Box to Indicate Nature of   | of Notice, Report or Other E  | Pata   |  |
|   | INTENTION TO:   | SUBSEQUENT REP  |  |  |
| PERFORM REMEDIAL WORK [<br>TEMPORARILY ABANDON [  |   |   | ALTERING CASING  |  |
| · · · · · · · · · · · · · · · · · · ·   | —   |   |  |  |
| DOWNHOLE COMMINGLE [  |   |   |  |  |
| OTHER: Flare Gas  |   | ER:   |  |  |
| 13. Describe proposed or con  | mpleted operations. (Clearly state all pertinen   | t details, and give pertinent dates   |  |  |
| of starting any proposed or recompletion.   | work). SEE RULE 1103. For Multiple Com  | pletions: Attach wellbore diagram   | 1 of proposed completion                               |  |
|   | ion to temporarily flare the NB Tween State we  | alle 1-30 Intermittent floring will o   | cour and gas will be                                   |  |
|   | API# for each well are as follows:  |   | tour and gus win so                                    |  |
| ineastica phorito staning. The  |   |   |  |  |
| 30-015-35915  | 30-015-36789  | 30-015-38592  |  |  |
| 30-015-35915<br>30-015-35974  | 30-015-37592  | 30-015-38592<br>30-015-38467  |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35916  | 30-015-37592<br>30-015-37593  | 30-015-38467<br>30-015-38593  |  |  |
| 30-015-35915<br>30-015-35974  | 30-015-37592  | 30-015-38467<br>30-015-38593<br>30-015-39074  |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35916<br>30-015-35917  | 30-015-37592<br>30-015-37593<br>30-015-37597  | 30-015-38467<br>30-015-38593  |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35916<br>30-015-35917<br>30-015-36603<br>30-015-36626<br>30-015-36627  | 30-015-37592<br>30-015-37593<br>30-015-37597<br>30-015-38405<br>30-015-38406<br>30-015-38407  | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745  |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35916<br>30-015-35917<br>30-015-36603<br>30-015-36626<br>30-015-36627<br>30-015-36796  | 30-015-37592<br>30-015-37593<br>30-015-37597<br>30-015-38405<br>30-015-38406<br>30-015-38407<br>30-015-39070  | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745<br>30-015-39746  |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35916<br>30-015-35917<br>30-015-36603<br>30-015-36626<br>30-015-36627  | 30-015-37592<br>30-015-37593<br>30-015-37597<br>30-015-38405<br>30-015-38406<br>30-015-38407  | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745  |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35916<br>30-015-35917<br>30-015-36603<br>30-015-36626<br>30-015-36627<br>30-015-36627<br>30-015-36796<br>30-015-36797              | 30-015-37592<br>30-015-37593<br>30-015-37597<br>30-015-38405<br>30-015-38406<br>30-015-38407<br>30-015-38070<br>30-015-39070<br>30-015-38590  | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745<br>30-015-39746<br>30-015-39747  | 7  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35916<br>30-015-35917<br>30-015-36603<br>30-015-36626<br>30-015-36627<br>30-015-36796<br>30-015-36797<br>30-015-36798              | 30-015-37592<br>30-015-37593<br>30-015-37597<br>30-015-38405<br>30-015-38406<br>30-015-38407<br>30-015-38070<br>30-015-39070<br>30-015-38590  | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745<br>30-015-39746<br>30-015-39747  |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35916<br>30-015-36917<br>30-015-36603<br>30-015-36626<br>30-015-36627<br>30-015-36796<br>30-015-36797<br>30-015-36798              | 30-015-37592<br>30-015-37593<br>30-015-37597<br>30-015-38405<br>30-015-38406<br>30-015-38407<br>30-015-38590<br>30-015-38590<br>30-015-38591  | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745<br>30-015-39746<br>30-015-39747  |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35974<br>30-015-35916<br>30-015-36603<br>30-015-36626<br>30-015-36627<br>30-015-36796<br>30-015-36797<br>30-015-36798              | 30-015-37592<br>30-015-37593<br>30-015-37597<br>30-015-38405<br>30-015-38406<br>30-015-38407<br>30-015-38590<br>30-015-38590<br>30-015-38591  | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745<br>30-015-39746<br>30-015-39747<br>30-015-39748  |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35974<br>30-015-35916<br>30-015-36603<br>30-015-36626<br>30-015-36627<br>30-015-36796<br>30-015-36797<br>30-015-36798              | 30-015-37592<br>30-015-37593<br>30-015-37597<br>30-015-38405<br>30-015-38406<br>30-015-38407<br>30-015-38070<br>30-015-38590<br>30-015-38591<br>Rig Release Date:   | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745<br>30-015-39746<br>30-015-39747<br>30-015-39748  |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35916<br>30-015-35917<br>30-015-36603<br>30-015-36626<br>30-015-36626<br>30-015-36796<br>30-015-36797<br>30-015-36798<br>pud Date: | 30-015-37592<br>30-015-37593<br>30-015-37597<br>30-015-38405<br>30-015-38406<br>30-015-38407<br>30-015-38070<br>30-015-38590<br>30-015-38591<br>Rig Release Date:   | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745<br>30-015-39746<br>30-015-39747<br>30-015-39748  | <br>   |  |
| 30-015-35915<br>30-015-35974<br>30-015-35974<br>30-015-35916<br>30-015-36603<br>30-015-36626<br>30-015-36627<br>30-015-36796<br>30-015-36797<br>30-015-36798<br>pud Date: | 30-015-37592         30-015-37593         30-015-37597         30-015-38405         30-015-38406         30-015-38407         30-015-38590         30-015-38591         Rig Release Date:   | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745<br>30-015-39746<br>30-015-39747<br>30-015-39748<br>y knowledge and belief.   | ]<br>'E <u>01/09/2014</u><br>NE: <u>(432) 818-1015</u> |  |
| 30-015-35915<br>30-015-35974<br>30-015-35974<br>30-015-35916<br>30-015-36603<br>30-015-36626<br>30-015-36627<br>30-015-36796<br>30-015-36797<br>30-015-36798<br>pud Date: | 30-015-37592         30-015-37593         30-015-37597         30-015-38405         30-015-38406         30-015-38407         30-015-38590         30-015-38591         Rig Release Date:   | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745<br>30-015-39746<br>30-015-39747<br>30-015-39748<br>y knowledge and belief.   |  |  |
| 30-015-35915<br>30-015-35974<br>30-015-35916<br>30-015-36603<br>30-015-36626<br>30-015-36627<br>30-015-36796<br>30-015-36797<br>30-015-36798<br>pud Date:                 | 30-015-37592         30-015-37593         30-015-37597         30-015-38405         30-015-38406         30-015-38407         30-015-38590         30-015-38591         Rig Release Date:   | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39745<br>30-015-39746<br>30-015-39747<br>30-015-39748<br>y knowledge and belief.   | NE: (432) 818-1015                                     |  |
| 30-015-35915<br>30-015-35974<br>30-015-35974<br>30-015-35916<br>30-015-36603<br>30-015-36626<br>30-015-36627<br>30-015-36796<br>30-015-36797<br>30-015-36798              | 30-015-37592         30-015-37593         30-015-37597         30-015-38405         30-015-38406         30-015-38407         30-015-38500         30-015-38591         Rig Release Date:         TITLE_Regulatory Te         Lez         E-mail address: Fatim | 30-015-38467<br>30-015-38593<br>30-015-39074<br>30-015-39075<br>30-015-39744<br>30-015-39746<br>30-015-39746<br>30-015-39747<br>30-015-39748<br>y knowledge and belief.<br>a.Vasquez@apachecorp.comPHO  | NE: <u>(432) 818-1015</u>                              |  |

| <u>District II</u><br>811 S. First St., Ar<br><u>District III</u><br>1000 Rio Brazos F |   | of New Mexico<br>als and Natural Resources<br>servation Division<br>outh St. Francis Dr.<br>a Fe, NM 87505 | Form C-129<br>Revised August 1, 2011<br>Submit one copy to appropriate<br>District Office |  |  |  |
|--|---|--|---|--|--|--|
| <u>District IV</u><br>1220 S. St. Francis  | s Dr., Santa Fe, NM 87505   |  | (For Division Use Only)   |  |  |  |
|  |   | •  |   |  |  |  |
| А  | PPLICATION FOR EXCEPTIO<br>(See Rule 19.15.18.12 NM/  | AC and Rule 19.15.7.37 NMAC)   |   |  |  |  |
| <u></u>  |   |  |   |  |  |  |
| Α.   | Applicant Apache Corporation  | ····   |   |  |  |  |
|  | Applicant Apache Corporation  | ad, Artesia, NM 88210  | 3   |  |  |  |
|  | hereby requests an exception to Rule 19.15  | 5.18.12 for 90   | days or until   |  |  |  |
|  | , Yr  | , for the following described tank I   | pattery (or LACT):  |  |  |  |
|  | N B Tween State   | Name of Pool   |   |  |  |  |
|  | Name of Lease N B Tween State Location of Battery: Unit Letter H  |  | Range 28E   |  |  |  |
|  | Number of wells producing into battery  | 30   |   |  |  |  |
| В.   | Based upon oil production of  | barrels per day, the e   | stimated * volume   |  |  |  |
|  | of gas to be flared is1700  |  |   |  |  |  |
| C.   | Name and location of nearest gas gathering<br>Frontier Empire Abo Unit  | on of nearest gas gathering facility:  |   |  |  |  |
| D.   | r"  | Estimated cost of connection   |   |  |  |  |
| E.   | This exception is requested for the following   | equested for the following reasons:  |   |  |  |  |
|  | previous one that will expire Janua   | ry 31, 2014.   |   |  |  |  |
|  |   | · · · · · · · · · · · · · · · · · · ·  |   |  |  |  |
|  |   | ı  |   |  |  |  |
|  | ۰<br>   | ·  |   |  |  |  |
| OPERATOR   | 1<br>   | OIL CONSERVATION DIVIS   |   |  |  |  |
| I hereby certify t<br>Division have be   | that the rules and regulations of the Oil Conservation<br>een complied with and that the information given abov | 4  | 2014  |  |  |  |
| Signature  | blete to the best of my knowledge and belief.   | By ADD ala   |   |  |  |  |
| Printed Name<br>& Title  | Fatima Vasquez - Regulatory Tech II   | Title Cost IT Sepent   | 5~  |  |  |  |
| E-mail Addre   | Fatima Vasquez@apachecorp.com   | Date Acm 28 2019   | /   |  |  |  |
| Date 01/09/  | <sup>2014</sup> Telephone No. (432) 818-1015  |  |   |  |  |  |

s volume.

1001407000

## NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

# CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- **5.** Flares WILL NOT be left unattended.
- No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

### Your initials here راع

11

1)28/14

#### State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



March 19, 2013 FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

#### Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <u>http://activefiremaps.fs.fed.us/current.php</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.