Submit 1 Copy To Appropri		State of New Mexico				For	
District 1 - (575) 393-6161 1625 N. French Dr., Hobbs,		Energy, Minerals and Natural Resources		WELL AP		evised Aug	
District II - (575) 748-1283 811 S. First St., Artesia, NM	OUT C	CONSERVATION I	DIVISION	C Tablianta			
District III - (505) 334-6178 1000 Rio Brazos Rd., Aztee,	1	1220 South St. Francis Dr. Santa Fe, NM 87505		5. Indicate Type of Lease STATE FEE 6. State Oil & Gas Lease No.			
District IV – (505) 476-3460 1220 S. St. Francis Dr., Sant)						
87505	DRY NOTICES AND RI	EPORTS ON WELLS		7. Lease N	lame or Unit	Agreeme	
DIFFERENT RESERVOIR		ALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A ATION FOR PERMIT" (FORM C-101) FOR SUCH		D State Battery			
PROPOSALS.) 1. Type of Well: Oil	Well 🗸 Gas Well 🗌	Gas Well Other			8. Well Number		
2. Name of Operator Apache Corporation				9. OGRID Number 873			
3. Address of Operato		TV 70705			10. Pool name or Wildcat		
303 Veterans Airpark L	ane, Suite 3000 Midland,	1X /9/05	1	Yeso			
Unit Letter	fc	et from the	line and	f	feet from the		
Section 36	T	ownship 17S Ran	ge 28E	NMPM		inty Eddy	
选 相位 湖	11. Elevation	on <i>(Show whether DR, I</i>	RKB, RT, GR, et	c.)			
NOTI PERFORM REMEDIAL TEMPOPARILY ARAN	_ WORK ☐ PLUG AND		REMEDIAL WO			ERING CA	
	_WORK	PLANS 🔲		RK RILLING OPNS			
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN	_WORK	PLANS COMPL	REMEDIAL WO	RK RILLING OPNS	S. PAN		
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any	WORK PLUG AND DON CHANGE F ING MULTIPLE NGLE seed or completed operatio proposed work). SEE RU	COMPL	REMEDIAL WC COMMENCE D CASING/CEME OTHER: ertinent details, a	RK RILLING OPNS NT JOB und give pertin	S. PAN	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any proposed comp	WORK PLUG AND DON CHANGE F ING MULTIPLE NGLE Description	COMPL COMPL Ons. (Clearly state all pour points) (Clearly state all pour pour pour pour pour pour pour pour	REMEDIAL WC COMMENCE D CASING/CEME OTHER: ertinent details, a For Multiple C	RK RILLING OPNS NT JOB und give pertino completions: A	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any proposed company Apache is requesting 30-015-31257	WORK PLUG AND IDON CHANGE F ING MULTIPLE INGLE Seed or completed operation proposed work). SEE RU Detion or recompletion. an extension to temporarily 30-015-32490	COMPL	REMEDIAL WC COMMENCE D CASING/CEME OTHER: crtinent details, a For Multiple C ry. The API# for	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any proposed comp Apache is requesting 30-015-31257 30-015-31421	WORK PLUG AND DON CHANGE F ING MULTIPLE NGLE seed or completed operatio proposed work). SEE RU Detion or recompletion. an extension to temporarily 30-015-32490 30-015-32483	OCOMPL OT STATE ALL POPULATION OF THE PROPERTY	REMEDIAL WC COMMENCE D CASING/CEME OTHER: crtinent details, a For Multiple C ry. The API# for 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39743	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any proposed computer of starting and	WORK PLUG AND IDON CHANGE F ING MULTIPLE INGLE MULTIPLE ISSECTION OF THE INGLE ISSECTION OF THE INGLE 30-015-32490 30-015-32491 30-015-32491 30-015-30975	OLANS	REMEDIAL WC COMMENCE D CASING/CEME OTHER: crtinent details, a For Multiple C ry. The API# for 30 30 30 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39743 -015-39742 -015-39921	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any proposed company Apache is requesting 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422	WORK PLUG AND DON CHANGE F ING MULTIPLE NGLE NGLE NGLE NGLE NGLE NGLE NGLE NGLE NGLE	PLANS	REMEDIAL WC COMMENCE D CASING/CEME OTHER: extinent details, a For Multiple C ry. The API# for 30 30 30 30 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39743 -015-39742 -015-39921 -015-39922	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proposed compressed co	WORK PLUG AND DON CHANGE F ING MULTIPLE Seed or completed operation proposed work). SEE RU Detion or recompletion. an extension to temporarily 30-015-32490 30-015-32491 30-015-32491 30-015-31586 30-015-31586 30-015-31939	OMPL OMPL OMPL OMPL OMPL OMPL OMPL OMPL	REMEDIAL WC COMMENCE D CASING/CEME OTHER: extinent details, of For Multiple C ry. The API# for 30 30 30 30 30 30 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39743 -015-39742 -015-39921	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any proposed compared compared to the compared to th	WORK PLUG AND DON CHANGE F ING MULTIPLE USED	OMPL OMPL OMPL OMPL OMPL OMPL OMPL OMPL	REMEDIAL WC COMMENCE D CASING/CEME OTHER: Priment details, a For Multiple C ry. The API# for 30 30 30 30 30 30 30 30 30 30 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39743 -015-39742 -015-39921 -015-39923 -015-40310 -015-40311	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any proposed compressed compressed compressed is requesting 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31425 30-015-31425 30-015-31425	WORK PLUG AND DON CHANGE F ING MULTIPLE Seed or completed operation proposed work). SEE RU Detion or recompletion. an extension to temporarily 30-015-32490 30-015-32491 30-015-32491 30-015-31586 30-015-31586 30-015-31939	OMPL OMPL OMPL OMPL OMPL OMPL OMPL OMPL	REMEDIAL WC COMMENCE D CASING/CEME OTHER: Priment details, a For Multiple C ry. The API# for 30 30 30 30 30 30 30 30 30 30 30 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39743 -015-39742 -015-39921 -015-39923 -015-40310	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proposed comparating any proposed comparating any proposed comparating 30-015-31257 30-015-31421 30-015-30976 30-015-32482 30-015-31423 30-015-31423 30-015-31425 30-015-31425 30-015-31425 30-015-31425 30-015-31425 30-015-32489	WORK PLUG AND DON CHANGE F ING MULTIPLE USED SEER OF COMPLETE OF SEER OF COMPLETE OF SEER OF S	OLANS COMPL State all posts. (Clearly state all posts) (Clearly state	REMEDIAL WC COMMENCE D CASING/CEME OTHER: Priment details, a For Multiple C ry. The API# for 30 30 30 30 30 30 30 30 30 30 30 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -015-40311 -015-40313	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proposed comproposed comprop	WORK PLUG AND DON CHANGE F ING MULTIPLE USED SEER OF COMPLETE OF SEER OF COMPLETE OF SEER OF S	OMPL OMPL OMPL OMPL OMPL OMPL OMPL OMPL	REMEDIAL WC COMMENCE D CASING/CEME OTHER: Priment details, a For Multiple C ry. The API# for 30 30 30 30 30 30 30 30 30 30 30 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39743 -015-39742 -015-39921 -015-39922 -015-39923 -015-40310 -015-40311 -015-40313	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any proposed comparating any proposed comparating and proposed comparation and proposed comparating	WORK PLUG AND PLUG AND PLUG AND CHANGE FING MULTIPLE NGLE NGLE NGLE NGLE NGLE NGLE NGLE NG	COMPL	REMEDIAL WC COMMENCE D CASING/CEME OTHER: extinent details, a For Multiple C ry. The API# for 30 30 30 30 30 30 30 30 30 30 30 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39742 -015-39742 -015-39921 -015-39923 -015-40310 -015-40311 -015-40314	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any proposed comparating any proposed comparating and proposed comparation and proposed comparating	WORK PLUG AND DON CHANGE F ING MULTIPLE USED SEER OF COMPLETE OF SEER OF COMPLETE OF SEER OF S	COMPL	REMEDIAL WC COMMENCE D CASING/CEME OTHER: extinent details, a For Multiple C ry. The API# for 30 30 30 30 30 30 30 30 30 30 30 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39742 -015-39742 -015-39921 -015-39923 -015-40310 -015-40311 -015-40314	ent dates, inc	ND A	
PERFORM REMEDIAL TEMPORARILY ABAN PULL OR ALTER CAS DOWNHOLE COMMIN OTHER: Flare Gas 13. Describe proportion of starting any proposed comparating any proposed comparating and proposed comparation and proposed comparating	WORK PLUG AND PLUG AND PLUG AND CHANGE FING MULTIPLE NGLE NGLE NGLE NGLE NGLE NGLE NGLE NG	COMPL	REMEDIAL WC COMMENCE D CASING/CEME OTHER: crtinent details, a For Multiple C ry. The API# for 30 30 30 30 30 30 30 30 30 30 30 30 30	RK RILLING OPNS NT JOB and give pertinompletions: A each well are -015-39069 -015-39742 -015-39742 -015-39921 -015-39923 -015-40310 -015-40311 -015-40314	ent dates, inc	ND A	

See Affected COA's

District I 1625 N. French Dr., Hobbs, NM 88240 District II District II Resident Market II Resident Market II Resident III Residen

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. _ (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7;37 NMAC)

Α.	Applicant Apache Corporation	·						
	whose address is1945 Bluestem Road, Artesia, NM 88210,							
	hereby requests an exception to Rule 19.15.1	00	days or until					
	j.	for the following described tank battery (or	LACT):					
	Name of Lease D State Battery	Name of Pool						
	Location of Battery: Unit Letter	Section 36 Township 17S Range	28E					
	Number of wells producing into battery	. 41						
В.		barrels per day, the estimated *						
,	of gas to be flared is2.3M	MCF; Value	per day.					
C.	Name and location of nearest gas gathering for DCP Artesia	acility:						
. D.	DistanceEstimated cost of connection							
E.	This exception is requested for the following reasons: Frontier Gas has shut Apache out							
	of their gas line as a secondary selling point. Our primary buyer is DCP. We							
	need a way of relief if DCP slam valve shuts, which would be to flare. This is							
	an extension for the previous one that will expire January 31, 2014.							
		. 1						
OPERATOR	hat the rules and regulations of the Oil Conservation	OIL CONSERVATION DIVISION						
Division have be	the need with and that the information given above lete to the best of my knowledge and belief.	Approved Until Apr. \ 30 12	2014					
Signature		By ADColo						
Printed Name & Title	Fatima Vasquez - Regulatory Tech II	Title Sist A Superison						
E-mail Addre	Fatima.Vasquez@apachecorp.com	Date Jan 28th 2014						
Date 01/09/	2014 Telephone No. (432) 818-1015	<u> </u>	Attooned to the contract of th					
Gas-Oil ratio test may be required to verify estimated gas volume.								

A See Attached COA'S

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- **2.** Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is \sim mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here **1/28/14**

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

John Bernis
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey
Division Director
Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth
 within 30 feet of each structure. Single trees and shrubs may be retained if they are well
 spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for
 any vegetation near structures.
- · Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.