Office	nte District Energy	State of New Mexico	Form C Revised August 1
1625 N. French Dr., Hobbs, NM 88240		Energy, Minerals and Natural Resources	WELL API NO.
District II - (575) 748-1283 811 S. First St., Artesia, NM	88210 OIL C	CONSERVATION DIVISION	5. Indicate Type of Lease
District III - (505) 334-6178 1000 Rio Brazos Rd., Aztee,	1	220 South St. Francis Dr.	STATE V FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Sant	1	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
87505	IDRY NOTICES AND R	EDODALS ON MELLS	7. Lease Name or Unit Agreement N
(DO NOT USE THIS FORM	I FOR PROPOSALS TO DRIL	L OR TO DEEPEN OR PLUG BACK TO A	D State Battery
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			8. Well Number
Type of Well: Oil Well Gas Well Other Other			9. OGRID Number
Apache Corporation	·		873
3. Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705			10. Pool name or Wildcat Yeso
4. Well Location		:	19.99.99.99 (augustantin an
Unit Letter		et from the line and	
Section 36		ownship 17S Range 28E on (Show whether DR, RKB, RT, GR,	NMPM County Eddy
10	Charle Appropriate	Day to Indicate Nuture of Nati	ing Deventer Other Date
		Box to Indicate Nature of Noti	
			UBSEQUENT REPORT OF:
PERFORM REMEDIAL TEMPORARILY ABAN		ABANDON C REMEDIAL V PLANS C COMMENCE	VORK ALTERING CASIN DRILLING OPNS. P AND A
PULL OR ALTER CAS			—
DOWNHOLE COMMIN			
OTHER: Flare Gas			
13. Describe propo		ons. (Clearly state all pertinent details	s, and give pertinent dates, including estimat
	proposed work). SEE RU letion or recompletion.	JLE 19.15.7.14 NMAC. For Multiple	Completions: Attach wellbore diagram of
proposed comp	•	y flare the D State Battery. The API# I	
Apache is requesting	an exterior te temperan		
Apache is requesting a پُر			
30-015-31257	30-015-32490		30-015-39069
30-015-31257 30-015-31421	30-015-32483	30-015-38412	30-015-39069 30-015-39743
30-015-31257 30-015-31421 30-015-30976	30-015-32483 30-015-32491	30-015-38412 30-015-38414	30-015-39069 30-015-39743 30-015-39742
30-015-31257 30-015-31421	30-015-32483	30-015-38412 30-015-38414 30-015-38585	30-015-39069 30-015-39743 30-015-39742 30-015-39921
30-015-31257 30-015-31421 30-015-30976 30-015-32649	30-015-32483 30-015-32491 30-015-30975	30-015-38412 30-015-38414 30-015-38585 30-015-38469	30-015-39069 30-015-39743 30-015-39742
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-32482 30-015-31423	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588	30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31423	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38470	30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424 30-015-31425	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38470 30-015-38589	30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311 30-015-40313
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38470 30-015-38589	30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31165 30-015-32489	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589 30-015-39068	30-015-39069 30-015-39743 30-015-39942 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311 30-015-40313
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31165	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38470 30-015-38589	30-015-39069 30-015-39743 30-015-39942 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311 30-015-40313
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31423 30-015-31423 30-015-31424 30-015-31425 30-015-31165 30-015-32489 Spud Date:	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-39068 Rig Release Date:	30-015-39069 30-015-39743 30-015-399742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40314
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31423 30-015-31423 30-015-31424 30-015-31425 30-015-31165 30-015-32489 Spud Date:	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589 30-015-39068	30-015-39069 30-015-39743 30-015-399742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40314
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31423 30-015-31423 30-015-31424 30-015-31425 30-015-31465 30-015-32489 Spud Date:	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-39068 Rig Release Date:	30-015-39069 30-015-39743 30-015-399742 30-015-39921 30-015-39922 30-015-40310 30-015-40311 30-015-40313 30-015-40314
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31425 30-015-31465 30-015-32489 Spud Date:	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-39068 Rig Release Date:	30-015-39069 30-015-39743 30-015-39921 30-015-39922 30-015-40310 30-015-40311 30-015-40313 30-015-40314 ledge and belief. DATE_01/09/2014
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31423 30-015-31423 30-015-31424 30-015-31425 30-015-31465 30-015-32489 Spud Date:	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-39068 Rig Release Date:	30-015-39069 30-015-39743 30-015-39921 30-015-39922 30-015-40310 30-015-40311 30-015-40313 30-015-40314 ledge and belief. DATE_01/09/2014
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31425 30-015-31465 30-015-32489 Spud Date:	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-39068 Rig Release Date: TITLE Regulatory Tech II E-mail address: Fatima Vasque	30-015-39069 30-015-39743 30-015-39924 30-015-39922 30-015-40310 30-015-40311 30-015-40313 30-015-40314
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-32482 30-015-31423 30-015-31424 30-015-31425 30-015-31425 30-015-31465 30-015-32489 Spud Date:	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31586 30-015-31939 30-015-32484 30-015-38408 30-015-38409	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-39068 Rig Release Date:	30-015-39069 30-015-39743 30-015-39924 30-015-39922 30-015-40310 30-015-40311 30-015-40313 30-015-40314
30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31425 30-015-31465 30-015-32489 Spud Date:	30-015-32483 30-015-32491 30-015-30975 30-015-31390 30-015-31939 30-015-32484 30-015-38408 30-015-38409	30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-39068 Rig Release Date: TITLE Regulatory Tech II E-mail address: Fatima Vasque	30-015-39069 30-015-39743 30-015-39921 30-015-39922 30-015-40310 30-015-40311 30-015-40313 30-015-40314 ledge and belief. DATE 01/09/2014 z@apachecorp.com PHONE: (432) 818-10

•

ť.

District 1 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztee, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Á.	Applicant Apache Corporation	,			
	whose address is1945 Bluestem Road	I, Artesia, NM 88210			
	hereby requests an exception to Rule 19.15.1	00			
	h and the second s	for the following described tank battery (or LACT):			
	Name of Lease D State Battery	Name of Pool			
	Location of Battery: Unit Letter	Section <u>36</u> Township <u>17S</u> Range <u>28E</u>			
	Number of wells producing into battery	. 41			
В.	Based upon oil production of)barrels per day, the estimated * volume			
		MCF; Valueper day.			
C.	Name and location of nearest gas gathering facility: DCP Artesia				
D,	Estimated cost of connection				
E.	This exception is requested for the following reasons: Frontier Gas has shut Apache out				
	of their gas line as a secondary sellin	g point. Our primary buyer is DCP. We			
	need a way of relief if DCP slam valve shuts, which would be to flare. This is				
an extension for the previous one that will expire January 31, 2014.					
Record and a second	.) 				
	that the rules and regulations of the Oil Conservation een complied with and that the information given above	Approved Until Apr. \ 30 - 2014			
is true and complete to the best of my knowledge and belief.		approved Uniti <u>7 (pri 1 30</u> 2014			
Signature		By AUCOL			
Printed Name & Title	^c Fatima Vasquez - Regulatory Tech II	Title Jest H. Schewisen			
E-mail Address Fatima Vasquez@apachecorp.com Date Aan 28 ¹¹ 2014					
Date 01/09/2014 Telephone No. (432) 818-1015					

* Gas-Oil ratio test may be required to verify estimated gas volume.

A See Attached COA'S

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here K2Dade

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



March 19, 2013 FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <u>http://activefiremaps.fs.fed.us/current.php</u>

####

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.