Form 3160-3 (August 2007)

UNITED STATES

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

OCD COPY

OMB NO. 1004-0135

Expires: July 31, 2010

5. Lease Serial No. NMNM89819

	1414114141	03013		
-	- *		 	

Do not use the abandoned we		6. If Indian, Allottee or Tribe Name							
SUBMIT IN TRI	7. If Unit or CA/Agreement, Name and/or No.								
1. Type of Well Oil Well Gas Well Oth	8. Well Name and No. PATTON 18 FEDERAL 8H								
2. Name of Operator OXY USA INC.	Contact: E-Mail: AUSTIN_P		-	9. API Well No. 30-015-41343					
3a. Address 5 GREENWAY PLAZA HOUSTON, TX 77046		3b. Phone No. (Ph: 713-215	(include area code -7241	2)	10. Field and Pool, or Exploratory COTTON DRAW				
4. Location of Well (Footage, Sec., T Sec 18 T24S R31E Mer NMP 32.210360 N Lat, 103.813410	FSL FEL		11. County or Parish, and State EDDY COUNTY, NM						
12. CHECK APPI	ROPRIATE BOX(ES) TO) INDICATE I	NATURE OF	NOTICE, RE	PORT, OR OTHE	R DATA			
TYPE OF SUBMISSION	TYPE OF SUBMISSION				TYPE OF ACTION				
Notice of Intent Acidize Deepen Production (Start/Resume) Water Shut-Off Alter Casing Fracture Treat Reclamation Well Integrity Other Pinal Abandonment Notice Change Plans Plug and Abandon Temporarily Abandon Convert to Injection Plug Back Water Disposal 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new-interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) The proposed plan is to construct an overhead 3 phase and 1 static 12-470 volt electric line. The conductor size will be 1/0 ACSR. Class 3-50 foot poles will be used. Anchors will be set at angles and dead ends. The electric line will be a Raptor proof design and marker balls will be used where needed. The electric line will be a Raptor proof design and marker balls will be used where needed. The electric line will be a Raptor proof design and marker balls will be used where needed. The electric line will be a Raptor proof design and marker balls will be used where needed. The electric line will be a Raptor proof design and marker balls will be used where needed. The electric line will be a Raptor proof design and marker balls will be used where needed. The electric line will be a Raptor proof design and marker balls will be used where needed. The elec									
14. I hereby certify that the foregoing is Name(Printed/Typed) AUSTIN E	Electronic Submission #2 For OX Committed to AFMSS for	Y USA INC., se or processing b	ent to the Carlsi	bad DNS on 09/18/2	•				
Signature (Electronic S	Submission)		Date 09/12/2	2013					
	THIS SPACE FO	OR FEDERAL	OR STATE	OFFICE US	SE .				
Approved By	~ I Coffy _]	Title FIE	ELD MANAGE	ER	JAN 2 9 201			
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conduct the conduction of th	uitable title to those rights in the operations thereon.	subject lease	Office	SBAD FIELD					
Title 18 U.S.C. Section 1001 and Title 43	U.S.C. Section 1212, make it a	crime for any pers	on knowingly and	d willfully to ma	ke to any department or	agency of the United			

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GLO "1916" B.C 12 1/4 CORNER 8 N89'42'46"E 2641.5' N89'43'39"E 2702.1" 13 GLO "1916" B.C. "CC 18 17 18 GLO "1916" B.C. 2642. 11.00 S00'15'46"E **USA** EAST 1/4 CURNER SECTION 130 GLO "1916" B.C. 1/4 CORNER GLO "1916" BC 2643.2' NO013'56 BEGIN SURVEY AT EXIST, OXY SURVEY LAT. = 32.211501" N 0+00 50015'13"E LONG.= 103.814743' W. ANCHOR 30' EAST C.L. LEASE RD. POLE 1+65.7 POLE TO PATTON 18 FED. #8 WELL END SURVEY AT POLE TO S00'03'04"W 3+73.3 GLO "1916" B.C. PATTON 18 FEDERAL #11 WELL LAT.=32.210475' N PATTON 18
FEDERAL #8
N85'57'20"W 1971.0" (TIE) 18 13 C SURVEY-LONG.=103,814750" W. 17 18 PATTON IB ANCHOR 30' SOUTH 24 S89'43'38"W 5346.1 20 GLO "1916" B.C. "CC R-30-E GLO "1916" B.C. DESCRIPTION SURVEY OF A STRIP OF LAND 50.0 FEET WIDE AND 373.3 FEET OR 0.071 MILES IN LENGTH CROSSING USA LAND IN SECTION 18, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO, AND BEING 25.0 FEET LEFT AND 25.0 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY. NOTE 1) BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES. LEGEND 2) LATITUDE AND LONGITUDE VALUES SHOWN HEREON ARE RELATIVE TO THE NORTH AMERICAN DATUM 1983 (NAD83). • DENOTES FOUND CORNER AS NOTED GARY G. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR No. 12641, 1. CARY C. EUSON, NEW MEXICO PROFESSIONAL SURVEYOR NO. 12641,
DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY
ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR
UNDER MY DIRECT SUPERVISION. HAT I AM RESPONSIBLE FOR THIS
SURVEY. THAT THIS SURVEY MEDIC THE MINIMUM STANDARDS FOR
SURVEYING IN NEW MEXICO. AND THAD THIS TRUE AND CORRECT TO
THE BEST OF MY KNOWLEDGEMAND, BELIEF." 1000 1000 2000 FEET BEHER Scale: 1"=1000" U.S.A~INC.GARY G. EIDSON SURVEY OF AN ELECTRIC LINE CROSSING SECTION 18, DATE: TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M. POPESSISING 1946 EDDY COUNTY, NEW MEXICO JOHN WEST SURVEYING COMPANY 412 N. DAL PASO HOBBS, N.M. 88240 (575) 393-3117 www.jws Survey Date: 11/19/13 CAD Date: 12/31/13 Drown By: ACK W.O. No.: 13131464 Rev: Rel. W.O.: © Anjelico\2013\0xy U.S.A. Inc\Easements\NM

Company Reference: OXY USA Inc. Well No. & Name: Patton 18 Federal 8H

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.
- 5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert

approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

- 6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.
- 8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.
- 9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.
- 10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

Lesser Prairie Chicken Timing Stipulation

Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken: Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human

activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

- The BLM, Carlsbad Field Office, will be informed immediately if any subsurface drainage channels, cave passages, or voids are penetrated during construction and no further construction will be done until clearance has been issued by the Authorized Officer. Special restoration stipulations or realignment may be required.
- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes with native soil.
- To protect visual resources:
 - a. New construction will be contained within existing rights-of ways as much as possible
 - b. Vegetation will not be removed except to locate poles (no blading)
 - c. Large rocks removed while locating poles will be randomly distributed in a natural manner across the landscape and not be piled to attract attention
 - d. Surface disturbance in drainages shall be avoided