Submit To Appropriate District Office State of New Mexico Form C-105 Two Copies Revised August 1, 2011 Energy, Minerals and Natural Resources District I 1625 N. French Dr., Hobbs, NM 88240 1. WELL API NO. 30-015-41008 811 S. First St., Artesia, NM 88210 Oil Conservation Division Type of Lease District III 1000 Rio Brazos Rd., Aztec, NM 87410 1220 South St. Francis Dr. ✓ STATE ☐ FEE ☐ FED/INDIAN District IV State Oil & Gas Lease No. Santa Fe, NM 87505 1220 S. St. Francis Dr., Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 4. Reason for filing: 5. Lease Name or Unit Agreement Name Diamond PWU 22 ☑ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) 6. Well Number: RECEIVED C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) FEB 2 1 2014 ☑ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER 8. Name of Operator 9. OGRID Devon Energy Production Company, L.P. 6137 IMOCD ARTESIA 10. Address of Operator 11. Pool name or Wildcat * 333 West Sheridan Avenue, Oklahoma City, OK 73102 Turkey Track; Bone Spring N/S Line Section Township Range Feet from the Feet from the E/W Line County 12.Location Surface: Ε 22 198 29E 2220 North 250 West Eddy BH: Н 22 19S 29E 2005 North 328 East Eddy 13. Date Spudded 14. Date T.D. Reached 15. Date Rig Released 16. Date Completed (Ready to Produce) 17. Elevations (DF and RKB, RT, GR, etc.) 11/13/13 12/9/13 1/15/14 3332' GI 12/5/13 18. Total Measured Depth of Well 19. Plug Back Measured Depth 20. Was Directional Survey Made? 21. Type Electric and Other Logs Run 11631 MD, 7136.38 TVD 11628 Yes Cement Bond Gamma Ray CCL 22. Producing Interval(s), of this completion - Top, Bottom, Name 7174-11613, Bone Spring CASING RECORD (Report all strings set in well) 23 CASING SIZE WEIGHT LB/FI DEPTH SET HOLE SIZE CEMENTING RECORD AMOUNT PULLED 13-3/8" 48# 216' 17-1/2" 235 sx CIC; circ 18 bbl 1310 sx CIC; circ 90 bbl 9-5/8" 36# 3517 12-1/4" 5-1/2 17# 11631 8-3/4" 2345 sx ClH; circ 0 bbl TOC @ 3300 24 LINER RECORD 25 TUBING RECORD SIZE TOP BOTTOM SACKS CEMENT DEPTH SET PACKER SET SCREEN SIZE 2-7/8" L-80 6628.8 Perforation record (interval, size, and number) 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 7174 - 11613, total 512 holes 7174-11613 Acidize and frac in 12 stages. See detailed summary attached. **PRODUCTION** 28 Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) 1/15/14 Flowing Producing Date of Test Hours Tested Choke Size Oil - Bbl Gas - MCF Prod'n For Water - Bbl. Gas - Oil Ratio Test Period 2/13/14 24 331 1701 446 5138.97 Flow Tubing Calculated 24-Casing Pressure Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API - (Corr.) Press Hour Rate 580 psi 600 psi 29. Disposition of Gas (Sold, used for fuel, vented, etc.) 30. Test Witnessed By Sold 31. List Attachments Directional Survey, Logs 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. 33. If an on-site burial was used at the well, report the exact location of the on-site burial: NAD 1927 1983 Latitude Longitude I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Signature Megan Moranic Name Megan Moravec Title Regulatory Compliance Analyst Date 2/19/2014 E-mail Address megan.moravec@dvn.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

_ INDICATE FORMATI	ON TOPS IN CONFORM	1ANCE WITH GEOGRAPHIO	CAL SECTION OF STATE				
Southeaster	n New Mexico	Northwester	Northwestern New Mexico				
Salt - 289							
Tansil - 1215							
Yates - 1332							
Delaware - 3550							
Bone Spring - 5140							
1st Bone Spring - 7080							
		<u> </u>					
Ĺ							
No. I. from N/A	toN/A	. No. 3, from	OIL OR GAS SANDS OR ZONES to N/A				
No 2 from N/A	to N/A	No 4 from N/A	to N/A				
	IMPORTAN	T WATER SANDS					
Include data on rate of water in	iflow and elevation to which w	vater rose in hole.					
No. 1, from	to	feet					
No. 2, from	to	feet					

No. 3, from to feet LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology		From	То	Thickness In Feet	Lithology
						!		
		:			! i			
				ĺ				