T PCC C EIVED

(August 2007)	UNITED STATES DEPARTMENT OF THE I BUREAU OF LAND MANA	NTERIOR	FEB 2	2014	OMB N	APPROVED O. 1004-0135 July 31, 2010	
SUNDR Do not use	Y NOTICES AND REPO	RTS ON WELL drill or to re-en	SAMOCE	ARTE	ase Serial No. MNM54183	- T. II - N	
abandoned v	vell. Use form 3160-3 (AP	D) for such prop	osals.	0, 11	Indian, Allottee o	or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No. 8910195770		
1. Type of Well					8. Well Name and No. S LOCO HILLS 12		
					9. API Well No.		
OXY USA INCORPORATED					30-015-03519-00-S1		
3a. Address 5 GREENWAY PLAZA STE HOUSTON, TX 77046-052	clude area code) 717	10. F LC	10. Field and Pool, or Exploratory LOCO HILLS				
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, and State		
Sec 19 T18S R29E NWSE 1980FSL 1980FEL					EDDY COUNTY, NM		
12. CHECK AF	PPROPRIATE BOX(ES) TO	O INDICATE NA	ATURE OF N	OTICE, REPOR	T, OR OTHE	R DATA	
TYPE OF SUBMISSION	. TYPE OF ACTION				-		
☐ Notice of Intent	☐ Acidize	☐ Deepen	pen Produc		ion (Start/Resume)		
_	☐ Alter Casing	☐ Fracture	Treat	□ Reclamation		■ Well Integrity	
Subsequent Report ■	☐ Casing Repair	☐ New Co		☐ Recomplete	_		
☐ Final Abandonment Notice	•	- · · -			Temporarily Abandon		
		Convert to Injection Plug Back		□ Water Disposal /2-/9-/3			
Attach the Bond under which the following completion of the invol	ionally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fil	give subsurface loca the Bond No. on file sults in a multiple co	tions and measur with BLM/BIA. mpletion or recor	ed and true vertical de Required subsequent appletion in a new inter-	epths of all pertin t reports shall be erval a Form 316	ent markers and zones. filed within 30 days 0-4 shall be filed once	
12/9/2013 MIRU PU, POOI @ 30'.	H w/ rods & pump, ND WH,	PU on tbg & csg	parted just be	low WH. RIH & s	et pkr		
12/10/2013 POOH w/ pkr, s	strip WH & parted csg off we	ll, Reset pkr @ 3	0', enlarge ce	llar for WHSpted	as to pluggin	g of the well bore,	
12/11/2013 Weld on 2' 5-1/	2" csg & add 8-5/8" X 5-1/2"	WH, NU BOP, re	el pkr, POOH	w/ tbggurface re	maer bond is Storation is c	s, or um won cur e. Telsiond uni d Omuleted	
12/12/2013 RIH w/ 4-1/4" q	auge ring to 2374', POOH. ILF, M&P 65sx CL C cmt, P	RIH & set CIBP (@ 2374'. RIH	w/ tbg & tag CIBI	Ρ ,	omproces,	
12/13/2013 RIH & tag cmt @ 2111', tagged low, Notify BLM, Kent Caffel, appr spot plug. M&P : C cmt, PUH, WOC.				ug. M&P 30sx Cl	REC	LAMATION	
					DUE	6-16-14	
14. I hereby certify that the foregoin	g is true and correct. Electronic Submission #	230974 varified by	the RI M Well	Information Syste			
Cou	For OXY USA mmitted to AFMSS for proces	∖ INCORPORA TEÉ), sent to the (Carlsbad			
	STEWART	Tit		TORY ADVISOR	-		
Signature (Electron	nic Submission)	Da	Date 01/03/2014 US 10/05/3/6/14				
	THIS SPACE FO	OR FEDERAL (
Approved By ACCEPTED			JAMES A AMOS TitleSUPERVISOR EPS Date 02/16/2			Date 02/16/2014	
Conditions of approval, if any, are atta certify that the applicant holds legal or which would entitle the applicant to co	ched. Approval of this notice does equitable title to those rights in the	subject lease	ffice Carlsbad		_ 		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #230974 that would not fit on the form

32. Additional remarks, continued

12/16/2013 RIH & tag cmt @ 1786', PUH to 1355', M&P 25sx CL C cmt, PUH, WOC.

12/17/2013 RIH & tag cmt @ 1119', POOH. RIH & set pkr @ 315'. RIH & perf @ 800', EIR @ 1BPM @ 1300#, M&P 35sx CL C cmt, SI-600#, WOC.

12/18/2013 RIH & tag cmt @ 646', POOH. RIH & perf @ 443', RIH & set pkr @ 30', EIR @ 1.5BPM w/ no returns, M&P 100sx CL C cmt, displace cmt to 60', SI-100#, WOC.

12/19/2013 Rel pkr, RIH & tag cmt @ 40', POOH. M&P 10sx CL C cmt, circ to surface. NDBOP, top off csg, NDPU.