				• .									
Form (Augu	3160-5 ust 2007)	DEP	ARTMENT	D STATE OF THE	INTEF	RIOR	CD Arte	esia		× .	OMB NO	APPROVE D. 1004-01 July 31, 20	35
	BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS								5	5. Lease Serial No. NMNM02862			
	Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.								e	6. If Indian, Allotteé or Tribe Name			
	SUBMIT IN TRIPLICATE - Other instructions on reverse side.								7	7. If Unit or CA/Agreement, Name and/or No 891000303J			
	1. Type of Well □ Gas Well □ Other							8	8. Well Name and No. PLU PIERCE CANYOUN 28 FEDERAL				
	Name of Operator 30PCO LP		E-Mail	Contact: : tjcherry@	TRA(basspe	CIE J CHE	RRY		9	. API Well 1 30-015-3			
P	Address P O BOX 2760 MIDLAND, TX 79702	2				Phone No. (i 432-221-	nclude area co 7379	de)	1	0. Field and PIERCE	Pool, or I CROSS	Explorator SING;BS	EAST
4. L	ocation of Well (Foota	age, Sec., T.,	R., M., or Survey	Description	n)		1		1	1. County or	r Parish, a	and State	
S	Sec 28 T24S R30E S	SESE 350F	NL 850FEL	¥1 ,		· .				EDDY C	OUNTY	΄, ΝΜ	
	12. CHEC	CK APPRO	OPRIATE BO	DX(ES) T	O IND	DICATE N	ATURE OI	F NOTIO	CE, REP	ORT, OR	OTHER	R DATA	-
<i>,</i>	TYPE OF SUBMISSION						ТҮРЕ	OF ACT	ION				
×	Notice of Intent		Acidize Alter Cas	ina		Deeper			roductior	(Start/Resu	ume) .		er Shut-Of
	J Subsequent Report		Casing Re	-			onstruction	-	.ecomplet		•		
. г	Final Abandonment		+									Ventin	g and/or Fl
느		Notice	🗖 Change P	lans			d Abandon	D T	emporari	ly Abandon			
13. D	Describe Proposed or Com	npleted Opera	Convert to	o Injection te all pertine	nt detail	Plug an Plug Ba Plug Ba ls, including	ack estimated start	. D V ting date o	ater Disp f any prop	oosal	d approxi	ng imate dura	tion thereof.
13. D If A fo te de B	Describe Proposed or Com f the proposal is to deeper tutach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfu	npleted Opera n directionally tich the work ne involved op d. Final Aban ready for fina ully submits	Convert to tion (clearly stat y or recomplete i will be performe perations. If the donment Notice il inspection.) is this sundry	o Injection te all pertine horizontally d or provide operation re s shall be fil for intent t	nt detail , give su e the Bo esults in led only	Plug an Plug Ba Plug Ba Is, including bisurface loc: nd No. on fil a multiple co after all requ	ack estimated start ations and mea e with BLM/B ompletion or re urements, incl are on the t	ing date of asured and BIA. Requee completion uding recl	f any prop true vertice ired subsection in a new amation, h	oosal osed work an al depths of a quent reports interval, a F	d approxi all pertine shall be f orm 3160 npleted, ar	ng imate dura ent marker: iled withir i-4 shall be nd the ope	tion thereof. s and zones. n 30 days filed once rator has
13. D If A fo te de B	Describe Proposed or Com f the proposal is to deeper Attach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfL greement for 90-day	npleted Opera n directionally ich the work e involved op d. Final Aban ready for fina ully submits vs. Wells c	Convert to tion (clearly stat y or recomplete i will be performe perations. If the donment Notice il inspection.) is this sundry	o Injection te all pertine horizontally d or provide operation re s shall be fil for intent t	nt detail , give su e the Bo esults in led only	Plug an Plug Ba Plug Ba Is, including bisurface loc: nd No. on fil a multiple co after all requ	ack estimated start ations and mea e with BLM/B ompletion or re urements, incl are on the t	ing date of asured and BIA. Requee completion uding recl	f any prop true vertice ired subsection in a new amation, h	oosal osed work an al depths of a quent reports interval, a F	d approxi áll pertine shall be f orm 3160 npleted, ar	ng imate dura ent marker illed within -4 shall be nd the ope	tion thereof. s and zones. a 30 days e filed once rator has
13. D If A fo te de B ag	Describe Proposed or Com f the proposal is to deeper tutach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfu	npleted Opera n directionally ich the work he involved op d. Final Abar ready for fina ully submits vs. Wells c PI PIERCE CA	Convert to tion (clearly stat y or recomplete 1 will be performe perations. If the donment Notice 1 inspection.) is this sundry ontributing to	o Injection te all pertine horizontally, d or provide operation re- s shall be fil for intent t the flaring	nt detail, give sue the Bo soults in led only to inter g volur 30-01	Plug an Plug an Plug Ba Is, including ubsurface loc: nd No. on fil a multiple cc after all requ mittently fin me are as 5-36830-0	ack estimated start ations and mea e with BLM/B ompletion or ro irrements, incl are on the r follows: 0-S1	ing date of asured and BIA. Requee completion uding recl	Vater Disp f any prop true vertic ired subsec n in a new amation, h	oosal osed work an al depths of a juent reports interval, a F ave been con	d approxi all pertine shall be f onn 3160 npleted, an RE	ng imate dura int marker: Tied within 0-4 shall be nd the ope	tion thereof. s and zones. a 30 days filed once rator has IVEE 2 2014
13. D If A fo te de B a Q N N	Describe Proposed or Com f the proposal is to deeper strach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfL greement for 90-day ease number/well/Af	npleted Opera n directionally ich the work ic involved op d. Final Aban ready for fina ully submits vs. Wells c PI PIERCE CA	Convert to tion (clearly stat y or recomplete i perations. If the donment Notice il inspection.) s this sundry ontributing to	o Injection te all pertine horizontally, d or provide operation re- s shall be fil for intent to the flaring ED 001H / ED 001H /	nt detail, give sue the Bo soults in led only to inter g volur 30-01 / 30-01	Plug an Plug an Plug Ba Is, including ubsurface loc: nd No. on fil a multiple cc after all requ mittently fin me are as 5-36830-0	ack estimated start ations and mea e with BLM/B ompletion or ro irrements, incl are on the r follows: 0-S1	ing date of asured and BIA. Requee completion uding recl	Vater Disp f any prop true vertic ired subsec n in a new amation, h	oosal osed work an al depths of a quent reports interval, a F	d approxi all pertine shall be f onn 3160 npleted, an RE	ng imate dura int marker: Tied within 0-4 shall be nd the ope	tion thereof. s and zones, a 30 days filed once rator has IVEC 2 2014
13. D If A fo te da B a Q N E	Describe Proposed or Com f the proposal is to deeper tutach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfL greement for 90-day ease number/well/Af IMNM02862 / PLU P IMLC068430 / PLU F	npleted Opera n directionally ich the work involved op d. Final Aban ready for fina ully submits vs. Wells c PI PIERCE CA PIERCE CA ne 35 MCFI	Convert to tion (clearly stat y or recomplete i will be performe perations. If the idonment Notice il inspection.) is this sundry ontributing to NYON 28 FE ANYON 33 FI D for this agree	o Injection te all pertine horizontally, ed or provide operation re- ss shall be fil for intent to the flaring ED 001H / ED 001H / ED 001H /	nt detail , give su e the Bo soults in led only to inter g volur 30-01 / 30-01 umber	Plug an Plug an Plug Ba Is, including ubsurface loc: nd No. on fil a multiple co after all requ mittently fin ne are as 5-36830-0 15-36636-0	ack estimated start ations and mee e with BLM/B ompletion or ro irrements, incl are on the r follows: 0-S1 00-X1	V ing date c asured and IA. Request vecompleting uding recl reference	Vater Disp f any prop true vertic ired subsec n in a new amation, h ed SE COND	bosal Dosed work an al depths of a uent reports interval, a F ave been com E ATT ITIONS	d approxi all pertine shall be f onn 3160 apleted, an RE W RE S OF	ng imate dura ent marker. Tiled within 0-4 shall be nd the ope	tion thereof. s and zones. 1 30 days filed once rator has IVEE 2 2014 ARTES OR OVAL
13. D If A fo te da B a Q N E	Describe Proposed or Com f the proposal is to deeper Attach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfu greement for 90-day ease number/well/Af IMNM02862 / PLU P IMLC068430 / PLU F stimated flare volum	npleted Opera n directionally ich the work involved op d. Final Aban ready for fina ully submits vs. Wells c PI PIERCE CA PIERCE CA ne 35 MCFI	Convert to tion (clearly stat y or recomplete i will be performe perations. If the idonment Notice il inspection.) is this sundry ontributing to NYON 28 FE ANYON 33 FI D for this agree due to pipelin	o Injection te all pertine horizontally, ed or provide operation re- ss shall be fil for intent to the flaring ED 001H / ED 001H / ED 001H / ED 001H / ED 001H / ED 001H /	nt detail , give su e the Bo soults in led only to inter g volur 30-01 / 30-01 umber y at res CT T(Plug an Plug Ba Is, including ubsurface loc: nd No. on fil a multiple co after all requ mittently fil me are as in 5-36830-0 (5-36636-0) spective sa D LIKE	ack estimated start ations and mee e with BLM/B mpletion or r irrements, incl are on the r follows: 0-S1 00-X1 ales points.	V ing date c asured and IA. Request vecompleting uding recl reference	Vater Disp f any prop true vertic ired subsec n in a new amation, h ed SE COND	bosal bosed work an al depths of a uent reports interval, a F ave been con E ATT ITIONS	d approxi all pertine shall be f onn 3160 apleted, ar RE W NMC ACH S OF .	ng imate dura ent marker. Tiled within 0-4 shall be nd the ope	tion thereof. s and zones. 1 30 days filed once rator has IVEE 2 2014 ARTES OVAL
13. D If A fo te de B a U N E In	Describe Proposed or Com f the proposal is to deeper Attach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfu greement for 90-day ease number/well/Af IMNM02862 / PLU P IMLC068430 / PLU F stimated flare volum	npleted Opera ndirectionally ich the work he involved op d. Final Abar ready for fina ully submits /s. Wells c PI PIERCE CA PIERCE CA PIERCE CA ne 35 MCFI necessary of pregoing is the	Convert to tion (clearly stat y or recomplete i will be performe perations. If the idonment Notice il inspection.) is this sundry ontributing to NYON 28 FE ANYON 33 FI D for this agree due to pipelin ue and correct.	o Injection te all pertine horizontally, ed or provide operation re- ss shall be fil for intent to the flaring ED 001H / ED 000H / ED 00	nt detail , give su e the Bo soults in led only to inter g volur 30-01 / 30-01 umber y at res CT TC AL B 220745 30PCC	Plug an Plug Ba ls, including ubsurface loc: nd No. on fil a multiple cc after all requ mittently fil me are as 5-36830-0 (5-36636-0 spective sa D LIKE V STAT is verified by D LP , sent i	ack estimated start ations and mee with BLM/B impletion or re irrements, incl are on the re follows: 0-S1 00-X1 ales points.	/ U V ling date o asured and BA. Requ completic uding recl referenc	Vater Disp f any prop true vertic ired subsec on in a new amation, h ed SE COND	bosal bosed work an al depths off interval, a F ave been con E ATT ITIONS CONTACT Stem	d approxi all pertine shall be f onn 3160 apleted, ar RE W NMC ACH S OF .	ng imate dura ent marken Tiled within 0-4 shall be nd the ope ECE MAR 1 DCD / ED FO APPR	tion thereof. s and zones. 1 30 days filed once rator has IVEE 2 2014 ARTES OR OVAL
13. D If A fo te de B au L N N E In 14. I	Describe Proposed or Com f the proposal is to deeper titach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfL greement for 90-day ease number/well/Af IMNM02862 / PLU P IMLC068430 / PLU F Estimated flare volum intermittent flaring is r	npleted Opera ndirectionally ich the work he involved op d. Final Abar ready for fina ully submits /s. Wells c PI PIERCE CA PIERCE CA PIERCE CA ne 35 MCFI necessary of pregoing is the	Convert to tion (clearly stat y or recomplete i will be performe perations. If the idonment Notice il inspection.) is this sundry ontributing to NYON 28 FE ANYON 33 FI D for this agree due to pipelin Le and correct. Electronic Sub Committed to	o Injection te all pertine horizontally, ed or provide operation re- ss shall be fil for intent to the flaring ED 001H / ED 000H / ED 00	nt detail , give su e the Bo soults in led only to inter g volur 30-01 / 30-01 umber y at res CT TC AL B 220745 30PCC	Plug an Plug Ba is, including ibsurface loc: nd No. on fil a multiple cc after all requ mittently fil me are as in 5-36830-0 5-36636-0 spective sa O LIKE <u>V STA T</u> is verified by D LP, sent is	ack estimated start ations and mee e with BLM/B ompletion or re tirements, incl are on the r follows: 0-S1 00-X1 ales points.	Viing date o ssured and IA. Requ completi uding recl reference reference (((((((((((((((((((Vater Disp f any prop true vertic ired subsec on in a new amation, h ed SE COND	bosal seed work an al depths off interval, a Fr ave been com E ATT ITIONS D M rstem 13 ()	d approxi all pertine shall be f onn 3160 apleted, ar RE W NMC ACH S OF .	ng imate dura ent marken Tiled within 0-4 shall be nd the ope ECE MAR 1 DCD / ED FO APPR	tion thereof. s and zones. 1 30 days filed once rator has IVEE 2 2014 ARTES OR OVAL
13. D If A fo te de B au L N N E In 14. I	Describe Proposed or Com f the proposal is to deeper strach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfL greement for 90-day ease number/well/Af IMNM02862 / PLU P IMLC068430 / PLU F Estimated flare volum intermittent flaring is r	npleted Opera n directionally ich the work he involved op d. Final Aban ready for fina ully submits vs. Wells c PI PIERCE CA PIERCE CA PIERCE CA ne 35 MCFI necessary oregoing is the E RACIE J C	Convert to tion (clearly stat y or recomplete 1 will be performe perations. If the domment Notice il inspection.) is this sundry ontributing to NYON 28 FE ANYON 33 FI D for this agree due to pipelin Le and correct. Electronic Sub Committed to HERRY	o Injection te all pertine horizontally, ed or provide operation re- ss shall be fil for intent to the flaring ED 001H / ED 000H / ED 00	nt detail , give su e the Bo soults in led only to inter g volur 30-01 / 30-01 umber y at res CT TC AL B 220745 30PCC	Plug an Plug Ba is, including ibsurface loc: nd No. on fil a multiple cc after all requ mittently fil me are as in 5-36830-0 5-36636-0 spective sa O LIKE <u>V STA T</u> is verified by D LP, sent is	ack estimated start ations and mee e with BLM/B ompletion or re tirements, incl are on the r follows: 0-S1 00-X1 ales points.	Viing date o ssured and IA. Requ completi uding recl reference reference (((((((((((((((((((Vater Disp f any prop true vertic ired subsect on in a new amation, h ed SE COND	bosal seed work an al depths off interval, a Fr ave been com E ATT ITIONS D E stem 13 ()	d approxi all pertine shall be f onn 3160 apleted, an RE W NMC ACH S OF .	ng imate dura ent marken Tiled within 0-4 shall be nd the ope ECE MAR 1 DCD / ED FO APPR	tion thereof. s and zones. 1 30 days filed once rator has IVEE 2 2014 ARTES OR OVAL
13. D If A fo te de B a Q L Q N N E In 14. F	Describe Proposed or Com f the proposal is to deeper strach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfL greement for 90-day ease number/well/Af IMNM02862 / PLU P IMLC068430 / PLU F Estimated flare volum intermittent flaring is r	npleted Opera n directionally ich the work a involved op d. Final Aban ready for fina ully submits vs. Wells c PI PIERCE CA PIERCE CA ne 35 MCFI necessary oregoing is true	Convert to tion (clearly stat y or recomplete 1 will be performe perations. If the idonment Notice il inspection.) is this sundry ontributing to NYON 28 FE ANYON 33 FI D for this agree due to pipelin ue and correct. Electronic Sub Committed to HERRY mission)	o Injection te all pertine horizontally, do r provide operation re- ss shall be fil for intent to the flaring ED 001H / ED 000	nt detail , give su e the Bo soults in led only to inter g volur 30-01 / 30-01 / 30-01	Plug an Plug Ba is, including ibsurface loc: nd No. on fil a multiple cc after all requ mittently fil me are as in 5-36830-0 5-36636-0 5-36630-0 5-36636-0 5-36630-0 5-36600-0 5-36600-0 5-36600-0 5-36600-0 5-36600-0 5-36600-0 5-360000-0 5-360000-0 5-360000-0 5-36000000000000000000000000	ack estimated start ations and mere e with BLM/B ompletion or re irrements, incl are on the r follows: 0-S1 00-S1 00-X1 ales points. E the BLM W to the Carlst DINAH NEGI the REGL	Viing date o asured and saured and saured and saured and saured and viila. Request uding recl reference (((((((((((((((((((Vater Disp f any prop true vertic ired subsect on in a new amation, h ed SE COND (LR nation S) 10/22/20 Y ANAL	bosal Seed work an al depths off interval, a F- ave been con E ATT ITIONS SEATT ITIONS Steem 13 () YST	d approxi all pertine shall be f onn 3160 apleted, an RE W NMC ACH S OF .	ng imate dura ent marken Tiled within 0-4 shall be nd the ope ECE MAR 1 DCD / ED FO APPR	tion thereof. s and zones. 1 30 days filed once rator has IVEE 2 2014 ARTES OR OVAL
13. D If A fo te de B a Q L Q N N E In 14. F	Describe Proposed or Com f the proposal is to deeper tutach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfL greement for 90-day ease number/well/AF IMNM02862 / PLU P IMLC068430 / PLU F Estimated flare volum intermittent flaring is r	npleted Opera n directionally ich the work he involved op d. Final Aban ready for fina ully submits vs. Wells c PI PIERCE CA PIERCE CA PIERCE CA ne 35 MCFI necessary oregoing is the E RACIE J C	Convert to tion (clearly stat y or recomplete 1 will be performe perations. If the idonment Notice il inspection.) is this sundry ontributing to NYON 28 FE ANYON 33 FI D for this agree due to pipelin ue and correct. Electronic Sub Committed to HERRY mission)	o Injection te all pertine horizontally, do r provide operation re- ss shall be fil for intent to the flaring ED 001H / ED 000	nt detail , give su e the Bo soults in led only to inter g volur 30-01 / 30-01 / 30-01	Plug an Plug Ba is, including ibsurface loc: nd No. on fil a multiple cc after all requ mittently fil me are as in 5-36830-0 5-36636-0 5-36630-0 5-36636-0 5-36630-0 5-36600-0 5-36600-0 5-36600-0 5-36600-0 5-36600-0 5-36600-0 5-360000-0 5-360000-0 5-360000-0 5-36000000000000000000000000	ack estimated start ations and mee with BLM/B ompletion or re irrements, incl are on the r follows: 0-S1 00-X1 ales points. E the BLM W to the Carlst DINAH NEGI the REGL	Viing date o asured and saured and saured and saured and saured and viila. Request uding recl reference (((((((((((((((((((Vater Disp f any prop true vertic ired subsect on in a new amation, h ed SE COND (LR nation S) 10/22/20 Y ANAL	bosal Seed work an al depths off interval, a F- ave been con E ATT ITIONS SEATT ITIONS Steem 13 () YST	d approxi all pertine shall be f onn 3160 apleted, an RE W NMC ACH S OF .	ng imate dura ent marken Tiled within 0-4 shall be nd the ope ECE MAR 1 DCD / ED FO APPR	tion thereof. s and zones. 1 30 days filed once rator has IVEE 2 2014 ARTES OR OVAL
13. D If A fo te de B a Q L Q N N E In In I 14. I Na Sij	Describe Proposed or Com f the proposal is to deeper tutach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfL greement for 90-day ease number/well/AF IMNM02862 / PLU P IMLC068430 / PLU F Estimated flare volum intermittent flaring is r	npleted Opera n directionally ich the work he involved op d. Final Aban ready for fina ully submits vs. Wells c PI PIERCE CA PIERCE CA PIERCE CA ne 35 MCFI necessary oregoing is the E RACIE J C	Convert to tion (clearly stat y or recomplete 1 will be performe perations. If the idonment Notice il inspection.) is this sundry ontributing to NYON 28 FE ANYON 33 FI D for this agree due to pipelin ue and correct. Electronic Sub Committed to HERRY mission)	o Injection te all pertine horizontally, do r provide operation re- ss shall be fil for intent to the flaring ED 001H / ED 000	nt detail , give su e the Bo soults in led only to inter g volur 30-01 / 30-01 / 30-01	Plug an Plug Ba Is, including ibsurface loc: nd No on fil a multiple cc after all requ mittently fil me are as 5-36830-0 15-36636-0 spective sa O LIKE <u>V STAT</u> i verified by DLP, sent i cessing by Ti DERAL	ack estimated start ations and mere e with BLM/B ompletion or re irrements, incl are on the r follows: 0-S1 00-S1 00-X1 ales points. E the BLM W to the Carlst DINAH NEGI the REGL	Viing date o asured and saured and saured and saured and saured and viila. Request uding recl reference (((((((((((((((((((Vater Disp f any prop true vertic ired subsect on in a new amation, h ed SE COND (LR nation S) 10/22/20 Y ANAL	bosal Seed work an al depths of 3 interval, a F- ave been com E ATT ITIONS Second Seco	d approxi all pertine shall be f orm 3160 npleted, ar W ACH S OF S OF	ng imate dura ent marken Tiled within 0-4 shall be nd the ope ECE MAR 1 DCD / ED FO APPR	tion thereof. s and zones. a 30 days filed once rator has IVEC 2 2014 ARTES OVAL
13. D If A A fo te dd B aq Lo N N E: In I4. I Na Si I4. I Na Si Conditi certify t which v	Describe Proposed or Com f the proposal is to deeper vitach the Bond under whi ollowing completion of th esting has been completed etermined that the site is i BOPCO, LP respectfL greement for 90-day ease number/well/Af IMNM02862 / PLU P MLC068430 / PLU P MLC068430 / PLU F Estimated flare volum htermittent flaring is r Thereby certify that the for ame (<i>Printed/Typed</i>) TF ignature (E	npleted Opera ndirectionally ich the work he involved op d. Final Aban ready for fina ully submits vs. Wells c PI PIERCE CA PIERCE CA PIERCE CA DIERCE CA DI	Convert to tion (clearly stat y or recomplete 1 will be performe perations. If the domment Notice il inspection.) is this sundry ontributing to NYON 28 FE ANYON 33 FI D for this agree due to pipelin Le and correct. Electronic Sub Committed to HERRY mission) THIS SI Approval of this ble tille to those operations there	o Injection te all pertine horizontally d or provide operation re- s shall be fil for intent fil the flaring D 001H / ED 000H	nt detail give su the Bo soults in led only to inter g volur 30-01 30-01 imber y at res CT TC AL-B 220745 SOPCC DR FE	Plug ar Plug Ba ls, including ubsurface loc: nd No. on fil a multiple cc after all requ mittently fil me are as 5-36830-0 5-36830-0 5-36636-0 spective sa DLIKE VSTAT iverified by DLP, sent i cessing by Ti Da DERAL O	ack estimated start ations and mea e with BLM/B ompletion or re irrements, incl are on the r follows: 0-S1 00-X1 ales points. E the BLM W to the Carlst DINAH NEGI the REGL ate 09/20/ DR STATE	Viing date casured and asured and ilA. Requestion reference reference (//ell Information RETE on JLATOR /2013	Vater Disp f any prop true vertice irred subsection, h ed SE COND L L L Nation Sy 10/22/20 Y ANAL	bosal bed work an al depths of 3 interval, a F- ave been com E ATT ITIONS D M rsterm 13 () rsterm 13 () rsterm 6 2014	d approxi all pertine shall be f orm 3160 apleted, ar M ACH S OF S OF	ng imate dura ent marker. Tiled within 0-4 shall be nd the ope	tion thereof. s and zones. 130 days filed once rator has IVEC 2 2014 ARTES OR OVAL

. .

Additional data for EC transaction #220745 that would not fit on the form

32. Additional remarks, continued

(This sundry is submitted for flaring done Jun-Aug 2012 all volumes reported through ONRR. Sundry for Subsequent Report to be filed with total volume)

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

3/6/2014 Approved subject to Conditions of Approval. JDB

Condition of Approval to Flare Gas

- 1. Report all volumes on OGOR reports.
- 2. Comply with NTL-4A requirements
- 3. Subject to like approval from NMOCD
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5. Include meter serial number on sundry.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days for date of approval.
- 9. Submit Subsequent Report to this sundry with actual volumes of gas flared monthly on 3160-5 (sundry notice).
- 10. If flaring is still required past 90 days submit new request for approval.
- 11. If a portable unit is used to flare gas it must be monitored at all times.
- 12. Comply with any restrictions or regulations when on State or Fee surface.

JDB