

	UNITED STATES DEPARTMENT OF THE II	S C	CD Artesia	OMB	1 APPROVED NO. 1004-0135
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			5. Lease Serial No.	NMNM21887 6. If Indian, Allottee or Tribe Name	
SUBMIT IN TH	RIPLICATE - Other instruc	tions on reverse si	de.	7. If Unit or CA/Agr	eement, Name and/or No.
I. Type of Well □ Gas Well □ Other				8. Well Name and No. JACKSON FEDERAL 2	
2. Name of Operator Contact: CRAIG SPARKMAN LEGACY RESERVES OPERATING LÆ-Mail: csparkman@legacylp.com			9. API Well No. 30-015-23708-	9. API Well No. 30-015-23708-00-S1	
3a. Address 3b. Phone No. Ph: 432-68				10. Field and Pool, o ROBINSON JA	r Exploratory
MIDLAND, TX 79702	· · · · · · · · · · · · · · · · · · ·		EXI. 0354		
4. Location of Well <i>(Footage, Sec.)</i> Sec 34 T17S R29E SESE T)		11. County or Parish EDDY COUNT	
12. CHECK AP	PROPRIATE BOX(ES) TO	D INDICATE NATU	JRE OF NOT	TICE, REPORT, OR OTHI	ER DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
X Notice of Intent		Deepen	. —	Production (Start/Resume)	□ Water Shut-Off
Subsequent Report	 Alter Casing Casing Repair 	Fracture Tre New Construction	-	Reclamation Recomplete	Well Integrity Ø Other
Final Abandonment Notice	Change Plans	Plug and Ab	_	Temporarily Abandon	Workover Operations
3. Describe Proposed or Completed C If the proposal is to deepen directic	onally or recomplete horizontally.	Plug Back	ated starting dat	ind true vertical denths of all nert	inent markers and zones
 Describe Proposed or Completed O If the proposal is to deepen direction Attach the Bond under which the very following completion of the involve testing has been completed. Final determined that the site is ready for ESTIMATED START DATE ADD PERFS IN UPPER S 2. STIMULATE ENTIRE SA SAND. 	Deration (clearly state all pertine) onally or recomplete horizontally, work will be performed or provide ed operations. If the operation re Abandonment Notices shall be fil r final inspection.) : 04/29/14 SAN ANDRES FROM 3138	Plug Back It details, including estima give subsurface locations the Bond No. on file with sults in a multiple comple ed only after all requirement '-3144' & 3146'-3154	ated starting dat and measured a n BLM/BIA. Re tion or recomple ents, including r	e of any proposed work and appri- ind true vertical depths of all pert- equired subsequent reports shall be etion in a new interval, a Form 31 eclamation, have been completed	inent markers and zones. le filed within 30 days 60-4 shall be filed once l, and the operator has COTO COTO COTO
If the proposal is to deepen direction Attach the Bond under which the v following completion of the involv testing has been completed. Final determined that the site is ready for ESTIMATED START DATE 1. ADD PERFS IN UPPER S 2. STIMULATE ENTIRE SA SAND. SEE A1	Deration (clearly state all pertine onally or recomplete horizontally, work will be performed or provide red operations. If the operation re Abandonment Notices shall be fil r final inspection.) : 04/29/14 SAN ANDRES FROM 3138 N ANDRES INTERVAL FR TTACHED FOR TIONS OF APPRO	Plug Back nt details, including estima give subsurface locations the Bond No. on file with sults in a multiple comple ed only after all requirement '-3144' & 3146'-3154 OM 3138'-3245' WIT RECE MAY 0 7 MAY 0 7 NMOCD A	ated starting dat and measured a nBLM/BLA. Re etion or recomple ents, including r H 5,000 GAL IVED A 2014	e of any proposed work and apprind true vertical depths of all pertequired subsequent reports shall be too in a new interval; a Form 3 be clamation, have been completed ACCENTEC ICLUS . 15% ACID & 60,000# 20/4	inent markers and zones. ie filed within 30 days 60-4 shall be filed once and the operator has COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA CO
If the proposal is to deepen direction Attach the Bond under which the v following completion of the involv testing has been completed. Final determined that the site is ready for ESTIMATED START DATE 1. ADD PERFS IN UPPER S 2. STIMULATE ENTIRE SA SAND. SEE A1	Deration (clearly state all pertine onally or recomplete horizontally, work will be performed or provide red operations. If the operation re Abandonment Notices shall be fil r final inspection.) : 04/29/14 SAN ANDRES FROM 3138 N ANDRES INTERVAL FR TTACHED FOR TIONS OF APPRO	Plug Back nt details, including estima give subsurface locations the Bond No. on file with sults in a multiple comple ed only after all requirement '-3144' & 3146'-3154 OM 3138'-3245' WIT RECE MAY 0 7 MAY 0 7 NMOCD A	ated starting dat and measured a nBLM/BLA. Re etion or recomple ents, including r H 5,000 GAL IVED A 2014	e of any proposed work and apprind true vertical depths of all pertequired subsequent reports shall be too in a new interval; a Form 3 be clamation, have been completed ACCENTEC ICLUS . 15% ACID & 60,000# 20/4	inent markers and zones. le filed within 30 days 60-4 shall be filed once and the operator has accord and the operator has accord and the operator has accord and the operator has accord a
If the proposal is to deepen directic Attach the Bond under which the v following completion of the involv testing has been completed. Final determined that the site is ready fo ESTIMATED START DATE 1. ADD PERFS IN UPPER S 2. STIMULATE ENTIRE SA SAND. SEE AT CONDI	Deration (clearly state all pertine onally or recomplete horizontally, vork will be performed or provide red operations. If the operation re Abandonment Notices shall be fil r final inspection.) : 04/29/14 SAN ANDRES FROM 3138 N ANDRES INTERVAL FR TTACHED FOR TORES OF APPRO t is true and correct. Electronic Submission # For LEGACY RES ommitted to AFMSS for proce	Plug Back nt details, including estima give subsurface locations the Bond No. on file with sults in a multiple comple ed only after all requirement '-3144' & 3146'-3154 OM 3138'-3245' WIT RECE MAY 07 MAY 07 242573 verified by the ERVES OPERATING L assing by WESLEY ING	ated starting dat and measured a n BLM/BIA. Re etion or recomple ents, including r H 5,000 GAL IVED A 2014 ARTESIA BLM Well Inf P, sent to the GRAM on 04/2	e of any proposed work and apprind true vertical depths of all pertequired subsequent reports shall betton in a new interval; a Form 31 eclamation, have been completed ACCENTEC 1CF NF.1000. 15% ACID & 60,000# 20/4 APPR APPR ormation System BUREAU CARL Carlsbad 25/2014 (14WWI0278SE)	inent markers and zones. le filed within 30 days 60-4 shall be filed once and the operator has accord and the operator has accord and the operator has accord and the operator has accord a
If the proposal is to deepen directic Attach the Bond under which the v following completion of the involv testing has been completed. Final determined that the site is ready fo ESTIMATED START DATE 1. ADD PERFS IN UPPER S 2. STIMULATE ENTIRE SA SAND. SEE AT CONDI	Deration (clearly state all pertine onally or recomplete horizontally, work will be performed or provide red operations. If the operation re Abandonment Notices shall be fil r final inspection.) : 04/29/14 SAN ANDRES FROM 3138 N ANDRES INTERVAL FR TTACHED FOR TIONS OF APPRO	Plug Back nt details, including estima give subsurface locations the Bond No. on file with sults in a multiple comple ed only after all requirement '-3144' & 3146'-3154 OM 3138'-3245' WIT RECE MAY 0 7 MAY 0 7 NMOCD A	ated starting dat and measured a n BLM/BIA. Re etion or recomple ents, including r H 5,000 GAL IVED A 2014 ARTESIA BLM Well Inf P, sent to the GRAM on 04/2	e of any proposed work and apprind true vertical depths of all pertequired subsequent reports shall be too in a new interval; a Form 3 be clamation, have been completed ACCENTEC ICLUS . 15% ACID & 60,000# 20/4	inent markers and zones. le filed within 30 days 60-4 shall be filed once and the operator has accord and the operator has accord and the operator has accord and the operator has accord a
If the proposal is to deepen direction Attach the Bond under which the v following completion of the involv testing has been completed. Final determined that the site is ready for ESTIMATED START DATE 1. ADD PERFS IN UPPER S 2. STIMULATE ENTIRE SA SAND. SEE AT CONDI 14. Thereby certify that the foregoing CC Name (Printed/Typed) CRAIG	Deration (clearly state all pertine onally or recomplete horizontally, vork will be performed or provide red operations. If the operation re Abandonment Notices shall be fil r final inspection.) : 04/29/14 SAN ANDRES FROM 3138 N ANDRES INTERVAL FR TTACHED FOR TORES OF APPRO t is true and correct. Electronic Submission # For LEGACY RES ommitted to AFMSS for proce	Plug Back nt details, including estima give subsurface locations the Bond No. on file with sults in a multiple comple ed only after all requirement '-3144' & 3146'-3154 OM 3138'-3245' WIT RECE MAY 07 MAY 07 242573 verified by the ERVES OPERATING L assing by WESLEY ING	ated starting dat and measured a n BLM/BIA. Re etion or recomple ents, including r H 5,000 GAL IVED A 2014 ARTESIA BLM Well Inf P, sent to the GRAM on 04/2	e of any proposed work and apprind true vertical depths of all pertiguired subsequent reports shall betton in a new interval; a Form 31 eclamation, have been completed ACCENTEC ICL MARKED ACTION 1000000000000000000000000000000000000	inent markers and zones. ie filed within 30 days 60-4 shall be filed once and the operator has COTA I I I I I I I I
If the proposal is to deepen direction Attach the Bond under which the v following completion of the involv testing has been completed. Final determined that the site is ready for ESTIMATED START DATE 1. ADD PERFS IN UPPER S 2. STIMULATE ENTIRE SA SAND. SEE AT CONDI 14. Thereby certify that the foregoing CC Name(Printed/Typed) CRAIG	Deration (clearly state all pertine onally or recomplete horizontally, work will be performed or provide red operations. If the operation re Abandonment Notices shall be fil r final inspection.) : 04/29/14 SAN ANDRES FROM 3138 N ANDRES INTERVAL FR TTACHED FOR TTACHED FOR TIONS OF APPRO is true and correct. Electronic Submission # For LEGACY RES ommitted to AFMSS for proce SPARKMAN c Submission)	Plug Back nt details, including estima give subsurface locations the Bond No. on file with sults in a multiple comple ed only after all requirement '-3144' & 3146'-3154 OM 3138'-3245' WIT RECE MAY 07 MAY 07 MAY 07 242573 verified by the ERVES OPERATING L ESSING by WESLEY ING Title	ated starting dat and measured a nBLM/BLA. Re- etion or recomple- ents, including r H 5,000 GAL IVED 2014 ARTESIA BLM Well Inf P, sent to th GRAM on 04/2 OPERATIO 04/17/2014	e of any proposed work and apprind true vertical depths of all pertequired subsequent reports shall be toon in a new interval; a Form 3 eclamation, have been completed ACCENTEC ICLE ACCENTEC ICLE ACCENTEC ICLE ACCENTEC ICLE ACCENTEC ICLE APPR APR Ormation System BUREAU NO CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE	inent markers and zones. ie filed within 30 days 60-4 shall be filed once and the operator has COTA I I I I I I I I
If the proposal is to deepen direction Attach the Bond under which the v following completion of the involv testing has been completed. Final determined that the site is ready for ESTIMATED START DATE 1. ADD PERFS IN UPPER S 2. STIMULATE ENTIRE SA SAND. SEE AT CONDI 14. I hereby certify that the foregoing CC Name (Printed/Typed) CRAIG Signature (Electroni	Deration (clearly state all pertine onally or recomplete horizontally, work will be performed or provide red operations. If the operation re Abandonment Notices shall be fil r final inspection.) : 04/29/14 SAN ANDRES FROM 3138 N ANDRES INTERVAL FR TTACHED FOR TTACHED FOR TIONS OF APPRO is true and correct. Electronic Submission # For LEGACY RES ommitted to AFMSS for proce SPARKMAN c Submission) THIS SPACE FO	Plug Back nt details, including estima give subsurface locations the Bond No. on file with sults in a multiple comple ed only after all requirement '-3144' & 3146'-3154 OM 3138'-3245' WIT RECE MAY 0 7 MAY 0 7 242573 verified by the ERVES OPERATING L 242573 verified by the ERVES OPERATING L Sessing by WESLEY ING Title Date DR FEDERAL OR	ated starting dat and measured a n BLM/BLA. Re- etion or recomple- ents, including r H 5,000 GAL IVED 2014 ARTESIA BLM Well Inf P, sent to the GRAM on 04/2 OPERATIO 04/17/2014 STATE OF	e of any proposed work and apprind true vertical depths of all pert equired subsequent reports shall be tetion in a new interval; a Form 3 eclamation, have been completed ACCENTEC ICL NF.1.COU . 15% ACID & 60,000# 20/- APR APR ormation System BUREAU CARL CARL CARL CARL CARL CARL CARL CARL	inent markers and zones. ie filed within 30 days 60-4 shall be filed once and the operator has COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA COTA CO
If the proposal is to deepen direction Attach the Bond under which the v following completion of the involv testing has been completed. Final determined that the site is ready for ESTIMATED START DATE 1. ADD PERFS IN UPPER S 2. STIMULATE ENTIRE SA SAND. SEE AT CONDI 14. Thereby certify that the foregoing CC Name(Printed/Typed) CRAIG	Deration (clearly state all pertine: onally or recomplete horizontally, work will be performed or provide red operations. If the operation re Abandonment Notices shall be fil r final inspection.) : 04/29/14 SAN ANDRES FROM 3138 N ANDRES INTERVAL FR TTACHED FOR TTACHED FOR TIONS OF APPRO ; is true and correct. Electronic Submission # For LEGACY RES ommitted to AFMSS for proce SPARKMAN c Submission) THIS SPACE FO NDEZ	Plug Back It details, including estimation give subsurface locations the Bond No. on file with sults in a multiple comple ed only after all requirement '-3144' & 3146'-3154 OM 3138'-3245' WIT RECE MAY 0 7 PAL MAY 0 7 242573 verified by the ERVES OPERATING L Passing by WESLEY INF Title Date DR FEDERAL OR ItilePate Constraint or E subject lease	ated starting dat and measured a n BLM/BLA. Re- etion or recomple- ents, including r H 5,000 GAL IVED 2014 ARTESIA BLM Well Inf P, sent to the GRAM on 04/2 OPERATIO 04/17/2014 STATE OF	e of any proposed work and apprind true vertical depths of all pertequired subsequent reports shall be toon in a new interval; a Form 3 eclamation, have been completed ACCENTEC ICLE ACCENTEC ICLE ACCENTEC ICLE ACCENTEC ICLE ACCENTEC ICLE APPR APR Ormation System BUREAU NO CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE CARLE	inent markers and zones. ie filed within 30 days 60-4 shall be filed once and the operator has 1000000000000000000000000000000000000

:

• •





Legacy Reserves Operating Conditions of Approval NM21887: Jackson Federal #2 API: 30-015-23708 Eddy County, New Mexico

- Due to being within the Lesser Prairie Chicken habitat, this workover activity will be restricted to the hours of 9:00am through 3:00am for the period of March 1 through June 15. Exceptions to these restrictions may be granted by BLM's Johnny Chopp
 jchopp@blm.gov> 575.234.2227 or Bob Ballard bblm.gov> 575.234.5973.
- Surface disturbance beyond the existing pad must have prior approval

anina arte:

EGF 042514

- 3. File a **subsequent sundry** Form 3160-**5** within 30 days of well work. Include an updated wellbore diagram. File the subsequent sundry for the well stimulation separately if it is delayed as much as 25 days.
- 4. Submit the BLM^{*}Form 3^{*}160-4 Recompletion Report within 30 days of the date all BLM approved procedures are complete.
- 5. Workover approval is good for 90 days (completion to be within 90 days of approval). A legitimate request is necessary for extension of that date.