Form 3160-5 (August 2007)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED

	OMB NO. 1004-013
• •	Expires: July 31, 20
Lease S	erial No.

SUNDRY NOTICES AND REPORTS ON WELLS	SUNDRY	OTICES	AND RE	PORTS	ON	WELLS
-------------------------------------	--------	--------	--------	-------	----	-------

Do not use this form for proposals to drill or to re-enter an

NMNM111528

abandoned well. Use form 3160-3 (APD) for such pr	o. It indian, Another of Thoe Name
SUBMIT IN TRIPLICATE - Other instructions on reve	7. If Unit or ÇA/Agreement, Name and/or No.
1. Type of Well ☐ Gas Well ☐ Other	8. Well Name and No. MAVERICK 13 DM FED COM 1H
2. Name of Operator Contact: JACKIE LATH MEWBOURNE OIL COMPANY E-Mail: jlathan@mewbourne.com	AN 9. API Well No. 30-015-42089-00-X1
3a. Address P O BOX 5270 HOBBS, NM 88241  3b. Phone No. Ph: 575.393	(include area code) 10. Field and Pool, or Exploratory WILDCAT
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	11. County or Parish, and State
Sec 13 T24S R26E NWNW 185FNL 660FWL 32.223988 N Lat, 104.252466 W Lon	EDDY COUNTY, NM
12 CHECK APPROPRIATE BOX (ES) TO INDICATE	NATURE OF NOTICE REPORT OR OTHER DATA
TYPE OF SUBMISSION	TYPEOFACTION
Acidize ☐ Deep  Acidize ☐ Acidize ☐ Deep  Alter Casing	en Production (Start/Resume)
	Construction, Recomplete , Other
☐ Final-Abandonment Notice ☐ Change Plans 17 Plug	and Abandon Time Temporarily Abandon Surface Disturbance
Convert to Injection Plug	Back Water Disposal
13. Describe Proposed or Completed Operation (clearly state all pertinent details, including the proposal is to deepen directionally or recomplete homizontally, give subsurface leads the Bond under which the work will be performed or provide the Bond No. on following completion of the involved operations. If the operation results in a multiple testing has been completed. Final Abandonment Notices shall be filed only after all redetermined that the site is ready for final inspection.)	ocations and measured and true vertical depths of all pertinent markers and zones. file with BLM/BIA. Required subsequent reports shall be filed within 30 days completion or recompletion in a property of the completion of recompletion in the filed once where the completion of the c
MOC has an approved APD for the above well. MOC would like to in pipeline. This pipeline will be 2515' long and will follow existing & new Please call Bradley Bishop with any questions.	stall a buried 4", steel gas v lease roads with in 5
2000年1月1日 - 1000年1日 - 100	PECELVES
Bond on file: NM1693 nationwide & NMB000919	Accepted for record RECEIVED
The state of the s	NMOCD(*) 14 MAY 1 9 2014

14-1 hereby certify that the foregoing is true and correct Electronic Submission:#240302 verified by the BLM Well Information System
For MEWBOURNEOIL COMPANY, sent to the Carisbad Committed to AFMSS for processing by CHRISTOPHER WALLS on 04/29/2014 (14CRW0240SE) JACKIE LATHAN Title AUTHORIZED REPRESENTATIVE Date Signature (Electronic Submission) 03/27/2014

### THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Title

Approved By		Steve	Caffey
	_		

1.766


FIELD MANAGER

MAY Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CARLSBAD FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



BLM LEASE NUMBER: NMNM 111528 COMPANY NAME: Mewborune Oil Company

ASSOCIATED WELL NAME: Maverick 13 DM Fed Com 1H

#### **BURIED PIPELINE STIPULATIONS**

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way. 6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level. 7. The maximum allowable disturbance for construction in this right-of-way will be 30 feet: Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed 20 feet. The trench is included in this area. (Blading is defined as the complete removal of brush and ground vegetation.) Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed 30 feet. The trench and bladed area are included in this area. (Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.) The remaining area of the right-of-way (if any) shall only be disturbed by compressing. the vegetation. (Compressing can be caused by vehicle tires, placement of equipment, etc.) 8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately \_\_\_\_6\_\_\_ inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding. 9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer. 10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade. 11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices. 12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix. (X) seed mixture 1 ( ) seed mixture 3 ( ) seed mixture 2 ( ) seed mixture 4 ( ) seed mixture 2/LPC ( ) Aplomado Falcon Mixture

- 13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2.
- 14. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.
- 15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.
- 16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.
- 17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 18. <u>Escape Ramps</u> The operator will construct and maintain pipeline/utility trenches that are not otherwise fenced, screened, or netted to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:
  - a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
  - b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.



## Bureau of Land Management, Carlsbad Field Office 620 E. Greene Street Carlsbad, NM 88220

5/6/2014

Cultural and Archaeological Resources

BLM Report No. 314-NM-523-407

# NOTICE OF STIPULATIONS

<u>Historic properties</u> in the vicinity of this project are protected by federal law. In order to ensure that they are not damaged or destroyed by construction activities, the project proponent and construction supervisors shall ensure that the following stipulations are implemented.

Project Name:	Maverick 13 DM Fed Com #1H Pipeline
Required	1). A 3-day preconstruction call-in notification. Industry will call BLM-CFO archaeologist Bruce Boeke at 575-234-5917 that they received these stipulations for NM111528
Required	<b>2. Professional archaeological monitoring.</b> Contact your BLM project archaeologist at (575) 234-5917 for assistance.
<b>A</b> . 🔯	These stipulations must be given to your monitor at least <u>5 days</u> prior to the start of construction.
B. 🗵	No construction, including vegetation removal or other site prep may begin prior to the arrival of the monitor.
	3. Cultural site barrier fencing. (Your monitor will assist you).
A. 🔲	A temporary site protection barrier(s) shall be erected prior to all ground-disturbing activities. The minimum barrier(s) shall consist of upright wooden survey lath spaced no more than ten (10) feet apart and marked with blue ribbon flagging or blue paint. There shall be no construction activities or vehicular traffic past the barrier(s) at any time.
В. 🗔	<u>A permanent, 4-strand barbed wire fence</u> strung on standard "T-posts" shall be erected prior to all ground-disturbing activities. No construction activities or vehicle traffic are allowed past the fence.
Required	4. The archaeological monitor shall:
A. 💹	. Ensure that the proposed action doesn't trend through archaeology site LA 178239.
B. ⊠	Ensure the proposed reroute for LA 178239 is adhered to.
C. ⊠.	Observe all ground-disturbing activities within 200 feet of cultural site LA 178239.
D. ⊠ E: □	Submit a brief monitoring report within 30 days of completion of monitoring.
	If subsurface cultural resources are encountered during the monitoring, all activities shall cease and a BLM-CFO archaeologist shall be notified immediately.
Other:	IF THE CONTRACT ARCHAEOLOGIST DOES NOT KNOW WHERE THE SITE(S) ARE LOCATED AT PLEASE COME BY THE CARLSBAD BLM AND MAPS AND OTHER DATA WILL BE PROVIDED UPON REQUEST TO THE CONTRACT ARCHAEOLOGIST

<u>Site Protection and Employee Education</u>: It is the responsibility of the project proponent and his construction supervisor to inform all employees and subcontractors that cultural and archaeological sites are to be avoided by all personnel, vehicles, and equipment; and that it is illegal to collect, damage, or disturb cultural resources on Public Lands.

For assistance contact:

Bruce Boeke (575) 234-5917

- E-14- 1