Office <u>District 1</u> – (575) 393-6161		CO	Form C-103	
1000 1 0 1 0 17 11 11 11 1000 10	Energy, Minerals and Natural	Resources	Revised August 1, 2011	
1625 N. French Dr., Hobbs, NM 88240			WELL API NO:	
District II - (575) 748-1283 811 S. First St., Artesia, NM 88210 OIL CONSERVATION DIVISION		IVISION		
District III - (505) 334-6178 1220 South St. Francis Dr.		5. Indicate Type of Lease		
1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460 Santa Fe, NM 87505		STATE V FEE 6. State Oil & Gas Lease No.		
1220 S. St. Francis Dr., Santa Fe, NM 87505		,,	o, State Off & Gas Lease No.	
	CES AND REPORTS ON WELLS	_:	7. Lease Name or Unit Agreement Name	
(DO NOT USE THIS FORM FOR PROPOS	ALS TO DRILL OR TO DEEPEN OR PLUG			
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		SUCH	D State Battery	
1. Type of Well: Oil Well Gas Well Other			8. Well Number	
2. Name of Operator Apache Corporation		9. OGRID Number 873		
3. Address of Operator		10. Pool name or Wildcat:		
303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705		Yeso		
4. Well Location				
Unit Letter :	feet from the	line and	feet from the line	
Section 36	· · · · · · · · · · · · · · · · · · ·	e 28E	NMPM County Eddy	
	11. Elevation (Show whether DR, R			
	Tri Lie thingi (broth the the 1914) To	(40) 131 3 3 3 1 5 6 6 7	Section 123	
			1 9 9 9	
T2 Check A	ppropriate Box to Indicate Nati	ire of Notice	Report or Other Data	
12. CHOK F	the solution in the state of th	ine or morice,	Report of Other Data	
NOTICE OF IN	TENTION TO:	SUB	SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK	PLUG AND ABANDON F	EMEDIAL WOR		
TEMPORARILY ABANDON:			ILLING OPNS. P AND A	
PULL OR ALTER CASING		ASING/CEMEN	and the second s	
DOWNHOLE COMMINGLE			, — — — — — — — — — — — — — — — — — — —	
. , , , , , , , , , , , , , , , , , , ,			,	
OTHER: Flare Gas		THER:		
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date				
	of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of			
of starting any proposed wo	rk). SEE RULE 19.15.7.14 NMAC.			
	rk). SEE RULE 19.15.7.14 NMAC.			
of starting any proposed wo proposed completion or reco	rk). SEE RULE 19.15.7.14 NMAC. ompletion.	For Multiple Co	mpletions:. Attach wellbore diagram of	
of starting any proposed wo proposed completion or reco	rk). SEE RULE 19.15.7.14 NMAC.	For Multiple Co	mpletions:. Attach wellbore diagram of	
of starting any proposed wo proposed completion or reco Apache is requesting an extension	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter	For Multiple Co	mpletions: Attach wellbore diagram of	
of starting any proposed wo proposed completion or reconnection is requesting an extension 30-015-31257 30-015	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411	For Multiple Co y. The API# for e 30-0	mpletions: Attach wellbore diagram of ach well are as follows:	
of starting any proposed wo proposed completion or reconstruction of reconstruction of reconstruction and action of the starting an extension 30-015-31257 30-015-31421 30-015	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 5-32483 30-015-38412	For Multiple Co y. The API# for e 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743	
of starting any proposed wo proposed completion or reconsequesting an extension 30-015-31257 30-015-31421 30-015-30976 30-015-30976	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414	For Multiple Co y. The API# for e 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743	
of starting any proposed wo proposed completion or reconsequence is requesting an extension 30-015-31257 30-015-31421 30-015-30976 30-015-30976 30-015-32649 30-015	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 5-32483 30-015-38412	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743	
of starting any proposed wo proposed completion or reconsequence of starting an extension and a starting and a starti	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 30-015-38411 30-015-38412 30-015-38414 5-30975 30-015-38585 5-31390 30-015-38469 5-31586 30-015-38471	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922	
of starting any proposed wo proposed completion or reconsequence of starting an extension and a starting and a starti	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015=39069 015-39743 015=39742 015-39921 015-39922 015-39923 015-40310	
of starting any proposed wo proposed completion or reconsequent an extension of the starting and ex	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-	mpletions: Attach wellbore diagram of ach well are as follows: 115-39069 115-39743 115-39742 115-39921 115-39922 115-39923 115-40310 115-40311	
of starting any proposed wo proposed completion or reconsequence is requesting an extension 30-015-31257 30-015-31421 30-015-32649 30-015-32649 30-015-32482 30-015-32482 30-015-31423 30-015-31424 30-015-31424 30-015-31425 30-015-31425	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313	
of starting any proposed wo proposed completion or reconsequent an extension of the starting and ex	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-	mpletions: Attach wellbore diagram of ach well are as follows: 115-39069 115-39743 115-39742 115-39921 115-39922 115-39923 115-40310 115-40311	
of starting any proposed wo proposed completion or reconsequent an extension of the starting and ex	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0 30-	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313	
of starting any proposed wo proposed completion or reconsequence of starting an extension of starting and extension of startin	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 30-015-38411 5-32490 30-015-38412 5-32483 30-015-38412 5-32491 30-015-38585 5-31390 30-015-38585 5-31390 30-015-38469 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38588 5-38408 30-015-38589 5-38409 30-015-39068	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313	
of starting any proposed wo proposed completion or reconsequent an extension of the starting and ex	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313	
of starting any proposed wo proposed completion or reconsequence of starting an extension of starting and extension of startin	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 30-015-38411 5-32490 30-015-38412 5-32483 30-015-38412 5-32491 30-015-38585 5-31390 30-015-38585 5-31390 30-015-38469 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38588 5-38408 30-015-38589 5-38409 30-015-39068	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313	
of starting any proposed wo proposed completion or recompletion of the recompletion of the recompletion of the recompletion of recompletion or	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 30-015-38412 30-015-38414 30-015-38489 30-015-38469 30-015-38471 30-015-38588 30-015-38484 30-015-38589 5-38409 30-015-39068 Rig Release Date	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313 015-40314	
of starting any proposed wo proposed completion or recompletion of the recompletion of the recompletion of the recompletion of recompletion or	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 30-015-38411 5-32490 30-015-38412 5-32483 30-015-38412 5-32491 30-015-38585 5-31390 30-015-38585 5-31390 30-015-38469 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38588 5-38408 30-015-38589 5-38409 30-015-39068	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313 015-40314	
of starting any proposed wo proposed completion or recompletion of the recompletion of the recompletion of the recompletion of recompletion or	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 30-015-38412 30-015-38414 30-015-38489 30-015-38469 30-015-38471 30-015-38588 30-015-38484 30-015-38589 5-38409 30-015-39068 Rig Release Date	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313 015-40314	
of starting any proposed wo proposed completion or recompressed completion or recompletion or re	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38585 5-31390 30-015-38469 5-31586 30-015-38587 5-31939 30-015-38589 5-32484 30-015-38589 5-38408 30-015-38589 5-38409 30-015-39068 Rig Release Date	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 215-39069 215-39742 215-39921 215-39922 215-40310 215-40314 22 and belief.	
of starting any proposed wo proposed completion or recompletion of the recompletion of the recompletion of the recompletion of recompletion or	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 30-015-38412 30-015-38414 30-015-38489 30-015-38469 30-015-38471 30-015-38588 30-015-38484 30-015-38589 5-38409 30-015-39068 Rig Release Date	For Multiple Co y. The API# for e 30-0 30-0 30-0 30-0 30-0 30-0 30-0	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313 015-40314	
of starting any proposed wo proposed completion or recompressed completion or recompletion or recompletion or recompletion of the recomp	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38585 5-31390 30-015-38585 5-31390 30-015-38587 15-31939 30-015-38589 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date above is true and complete to the best TITLE Regulato	For Multiple Construction of my knowledge	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39921 015-39922 015-39923 015-40310 015-40314 DATE 04/08/2014	
of starting any proposed wo proposed completion or recompressed completion or recompletion or recompl	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38585 5-31390 30-015-38585 5-31390 30-015-38587 15-31939 30-015-38589 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date above is true and complete to the best TITLE Regulato	For Multiple Construction of my knowledge	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39742 015-39921 015-39922 015-39923 015-40310 015-40314 DATE 04/08/2014	
of starting any proposed wo proposed completion or record proposed	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38585 5-31390 30-015-38585 5-31390 30-015-38587 15-31939 30-015-38589 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date above is true and complete to the best TITLE Regulato	For Multiple Construction of my knowledge	mpletions: Attach wellbore diagram of mach well are as follows: 015-39069 015-39742 015-39921 015-39922 015-39923 015-40310 015-40314 DATE 04/08/2014 PHONE: (432) 818-1015	
of starting any proposed wo proposed completion or recompressed completion or recompletion or recompl	rk). SEE RULE 19.15.7.14 NMAC. ompletion. to temporarily flare the D State Batter 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38585 5-31390 30-015-38585 5-31390 30-015-38587 15-31939 30-015-38589 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date above is true and complete to the best TITLE Regulato	For Multiple Construction of my knowledge	mpletions: Attach wellbore diagram of ach well are as follows: 015-39069 015-39743 015-39921 015-39922 015-39923 015-40310 015-40314 DATE 04/08/2014	

1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC) Apache Corporation Á. Applicant 1945 Bluestem Road, Artesia, NM 88210 whose address is: hereby requests an exception to Rule 19.15.18.12 for days or until , Yr , for the following described tank battery (or LACT): D State Battery

Name of Pool. Name of Lease Location of Battery: Unit Letter _____Section ____Township Number of wells producing into battery 700 barrels per day, the estimated * volume В. Based upon oil production of 2.3M of gas to be flared is MCF; Value per day. Ċ. Name and location of nearest gas gathering facility: DCP Artesia Distance Estimated cost of connection D. This exception is requested for the following reasons: E. previous one that will expire April 30, 2014. OIL CONSERVATION DIVISION **OPERATOR** I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature Printed Name Fatima Vasquez - Regulatory Analyst II & Title Fatima.Vasquez@apachecorp.com E-mail Address

Gas-Oil ratio test may be required to verify estimated gas volume.

Telephone No.

04/08/2014

(432) 818-1015

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here **30**)

6/18/2014

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

David Martin
Cabinet Secretary

Jami Balley, Division Director
Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE
Contact: Jim Winchester (505)231-8800 E-Mail: <u>iim.winchester@state.nm.us</u>

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.