Office	ate of New Mexico	Form C-103
<u> </u>	nerals and Natural Resources	Revised August 1, 2011
1625 N. French Dr., Hobbs, NM 88240		WELL ARUNO:
District 11 - (575) 748-1283 811 S. First St.; Artesia, NM 88210 OIL CON	SERVATION DIVISION	5. Indicate Type of Lease
District III - (505) 334-6178 1220	South St. Francis Dr.	STATE V FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV - (505) 476-3460 Sa	inta Fe, NM 87505	6. State Oil & Gas Lease No.
1220-S. St. Francis Dr., Santa Fe, NM 87505	en en agreca en agre	v. State on Escas-Bease-No.
SUNDRY NOTICES AND REPO	RTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRIEL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		D State Battery
1. Type of Well: Oil Well Gas Well Ot	ther	8. Well _s Number
2. Name of Operator Apache Corporation		9. OGRID Number 873
3. Address of Operator		10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705		Yeso
4. Well Location		
	om the line and	feet from theline
	ship 17S Range 28E	NMPM County Eddy
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO		SSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABO		
TEMPORARILY ABANDON CHANGE PLAN		RILLING OPNS. P AND A
PULL OR ALTER CASING MULTIPLE COMPONENCE COMMINGLE	WPL CASING/CEMEN	AL JOB T
. , ,		,
OTHER: Flare Gas	☑ OTHER:	Π
13. Describe proposed or completed operations.	(Clearly state all pertinent details, a	nd give pertinent dates, including estimated date
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE.	(Clearly state all pertinent details, a	nd give pertinent dates, including estimated date ompletions: Attach wellbore diagram of
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE proposed completion or recompletion.	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Co	ompletions: Attach wellbore diagram of
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE.	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Co	ompletions: Attach wellbore diagram of
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE proposed completion or recompletion. Apache is requesting an extension to temporarily flat	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Co re the D.State Battery. The API# for	each well are as follows:
Describe proposed or completed operations, of starting any proposed work). SEE RULE, proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-32490	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Co re the D State Battery. The API# for 30-015-38411	ompletions: Attach wellbore diagram of each well are as follows: 015-39069
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE, proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-32490 30-015-31421 30-015-32483 30-015-30976 30-015-32491	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Co re the D-State Battery. The API# for 30-015-38411 30- 30-015-38412 30- 30-015-38414 30-	each well are as follows:: 015-39069 015-39743 015-39742
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE, proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-32490 30-015-31421 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-30975	(Clearly state all pertinent details, at 19.15.7.14 NMAC. For Multiple Core the D-State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-30-015-38585 30-	ompletions: Attach wellbore diagram of each well are as follows:: 015-39069 015-39743 015-39742 015-39921
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE, proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-32490 30-015-31421 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-30975 30-015-31422 30-015-31390	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Co re the D-State Battery. The API# for 30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30- 30-015-38469 30-	ompletions: Attach wellbore diagram of each well are as follows:: 015-39069 015-39743 015-39742 015-39921 015-39922
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-32490 30-015-31421 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-32975 30-015-31422 30-015-31390 30-015-32482 30-015-31586	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Core the DiState Battery. The API# for 30-015-38411 30- 30-015-38412 30- 30-015-38414 30- 30-015-38585 30- 30-015-38469 30- 30-015-38471 30-	ompletions: Attach wellbore diagram of each well are as follows:: 015-39069 015-39743 015-39742 015-39921 015-39923
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257 30-015-32490 30-015-31421 30-015-32483 30-015-30976 30-015-32491 30-015-32649 30-015-32491 30-015-31422 30-015-31390 30-015-31422 30-015-31586 30-015-31423 30-015-31939	(Clearly state all pertinent details, at 19.15.7:14 NMAC. For Multiple Core the D-State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38588	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39923 015-39923
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE. proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257	(Clearly state all pertinent details, at 19.15.7:14 NMAC. For Multiple Core the D-State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38470 30-015-38470	ompletions: Attach wellbore diagram of each well are as follows:: 015-39069 015-39743 015-39742 015-39921 015-39923
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257	(Clearly state all pertinent details, at 19.15.7:14 NMAC. For Multiple Core the D-State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38585 30-015-38471 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE. proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257	(Clearly state all pertinent details, at 19.15.7:14 NMAC. For Multiple Core the D.State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE. proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Core the D-State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38585 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE. proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257	(Clearly state all pertinent details, at 19.15.7:14 NMAC. For Multiple Core the D.State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38469 30-015-38471 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589 30-015-38589	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE. proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Core the D-State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38585 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40313
13. Describe proposed or completed operations.	(Clearly state all pertinent details, a 19.15.7.14 NMAC. For Multiple Core the DiState Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 Rig Release Date:	each well are as follows:: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40314
13. Describe proposed or completed operations. of starting any proposed work). SEE RULE. proposed completion or recompletion. Apache is requesting an extension to temporarily flat 30-015-31257	(Clearly state all pertinent details, a 19.15.7.14 NMAC. For Multiple Core the DiState Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 Rig Release Date:	each well are as follows:: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40314
13. Describe proposed or completed operations.	(Clearly state all pertinent details, a 19.15.7.14 NMAC. For Multiple Core the D-State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-30-015-38585 30-015-38469 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 30-015-39068 Complete to the best of my knowled	each well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40314
13. Describe proposed or completed operations.	(Clearly state all pertinent details, a 19.15.7.14 NMAC. For Multiple Core the DiState Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-30-015-38585 30-015-38469 30-015-38471 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 Rig Release Date:	each well are as follows:: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40314
13. Describe proposed or completed operations.	(Clearly state all pertinent details, a 19.15.7.14 NMAC. For Multiple Core the D-State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-30-015-38585 30-015-38469 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-39068 30-015-39068 30-015-39068 Complete to the best of my knowled	each well are as follows:: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40314 Ige and belief: DATE 04/08/2014
13. Describe proposed or completed operations.	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Core the D.State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38585 30-015-38585 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-39068 30-015-39068 TITLE Regulatory Analyst II	peach well are as follows: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40311 015-40314 DATE 04/08/2014 PHONE: (432) 818-1015
13. Describe proposed or completed operations.	(Clearly state all pertinent details, a 19.15.7:14 NMAC. For Multiple Core the D.State Battery. The API# for 30-015-38411 30-015-38412 30-015-38414 30-015-38585 30-015-38585 30-015-38588 30-015-38588 30-015-38589 30-015-38589 30-015-38589 30-015-39068 30-015-39068 TITLE Regulatory Analyst II	each well are as follows:: 015-39069 015-39743 015-39742 015-39921 015-39922 015-39923 015-40310 015-40314 Ige and belief: DATE 04/08/2014

District I
1625 N. French Dr., Hobbs, NM.88240.
District II
811 S. First St., Artesia, NM 88210.
District III
1000 Rio Brazos Road, Aztec, NM 87410.
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Apache Corporation Á. Applicant 1945 Bluestem Road, Artesia, NM 88210 whose address is: 90 hereby requests an exception to Rule 19.15.18.12 for days or until Yr _____, for the following described tank battery (or LACT): D State Battery Yeso Name of Lease Name of Pool 17S Range Location of Battery: Unit Letter Section Township Number of wells producing into battery ____ 700 barrels per day, the estimated * volume В. Based upon oil production of 2.3M of gas to be flared is MCF; Value per day. C. Name and location of nearest gas gathering facility: DCP Artesia Distance Estimated cost of connection D. This exception is requested for the following reasons: This is an extension for the E. previous one that will expire April 30, 2014. OIL CONSERVATION DIVISION **OPERATOR** I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature (Printed Name Fatima Vasquez - Regulatory Analyst II. & Title_ Fatima.Vasquez@apachecorp.com E-mail Address (432) 818-1015 04/08/2014 Telephone No.

* Gas-Oil ratio test may be required to verify estimated gas volume.

Sol Attached CIA

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here 💋

6/18/2014

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin
Cabinet Secretary

Brett F. Woods, Ph.D.

Jami Bailey, Division Director Oil Conservation Division



March 7, 2014

Deputy Cabinet Secretary

FOR IMMEDIATE RELEASE
Contact: Jim Winchester (505)231-8800 E-Mail: <u>iim.winchester@state.nm.us</u>

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.