Office	State of New Mexico	Form C-103
District 1 - (575) 393-6161	Energy, Minerals and Natural Re	esources Revised August 1, 2011
1625 N. French:Dr., Hobbs, NM 88240 District II (575) 748-1283		WELL API NO.
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIV	I S Indicate Lyne of Lease
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis D	Or. STATE V FEE
District IV - (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		·
SUNDRY NOT	ICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO'NOT USE THIS FORM FOR PROPO	SALS TO DRILL OR TO DEEPEN OR PLUG BAC CATION FOR PERMIT" (FORM C-101) FOR SUC	D State Battery
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well Other	8. Well Number
2. Name of Operator	Oas well Other	9. OGRID Number
Apache Corporation		873
Address of Operator Solution Address of Operator Solution Address of Operator Address of Operator	200 Midland TV 70705	10. Pool name or Wildcat
	ooo waana, IX 79705	Yeso
4. Well Location Unit Letter	feet from the	line and feet from the line
Section 36	Township 17S Range 2	
Section 36	11. Elevation (Show whether DR, RKB,	
and the second of the second o	Tr. Lievadoji (Brioji Kriemek Dig Kirb)	The state of the s
12. Check A	Appropriate Box to Indicate Nature	of Notice, Report or Other Data
	ITENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK		MEDIAL WORK ALTERING CASING
TEMPORARILY ABANDON PULL OR ALTER CASING		MMENCE DRILLING OPNS. □ PAND Å. □ □ ING/CEMENT JOB □
DOWNHOLE COMMINGLE	MOLTIPLE COMPL CAS	ING/CEMENT JOB
		1
OTHER: Flare Gas	OTH	
13. Describe proposed or comp	oleted operations. (Clearly state all pertine	ent details, and give pertinent dates, including estimated date
13. Describe proposed or comp of starting any proposed we	oleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For	
 Describe proposed or comp of starting any proposed we proposed completion or rec 	oleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion.	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of
 Describe proposed or comp of starting any proposed we proposed completion or rec 	oleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of
13. Describe proposed or composed of starting any proposed we proposed completion or reconnecting an extension	pleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. In to temporarily flare the D State Battery. T	ent details, and give pertinent dates, including estimated date. Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:
13. Describe proposed or composed or composed or proposed completion or recomposed is requesting an extension of 30-015-31257	oleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. In to temporarily flare the D State Battery. To 5-32490	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:
13. Describe proposed or composed or composed or proposed completion or recomposed completion or recomposed is requesting an extension 30-015-31257 30-015-31421 30-01	pleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. In to temporarily flare the D State Battery. T	ent details, and give pertinent dates, including estimated date. Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:
13. Describe proposed or composed or composed with proposed completion or recomposed completion	bleted operations. (Clearly state all pertinologic). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. T 5-32490 30-015-38414 5-32491 30-015-38414 5-30975 30-015-38585	ent details, and give pertinent dates, including estimated date. Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921
13. Describe proposed or composed or composed completion or recompressed completion or recomposed completion or recompose	bleted operations. (Clearly state all pertinologic). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. T 5-32490 30-015-38414 5-32491 30-015-38414 5-32491 30-015-38414 5-30975 30-015-38585 5-31390 30-015-38469	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922
13. Describe proposed or composed or composed or proposed completion or recomposed completion or recompletion or recomposed completion or recompos	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. T 5-32490 30-015-38414 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38469 5-31586 30-015-38471	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923
13. Describe proposed or composed or composed with proposed completion or recomposed is requesting an extension 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-32482 30-015-31423 30-015-31423	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38585 5-31390 30-015-38469 5-31586 30-015-38471 5-31939 30-015-38588	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310
13. Describe proposed or composed or composed starting any proposed we proposed completion or recomposed in the proposed completion or recomposed completion or recomposed in the proposed in the p	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38489 5-31586 30-015-38471 5-31939 30-015-38470 30-015-38489 5-32484 30-015-38470	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311
13. Describe proposed or composed or composed starting any proposed we proposed completion or recomposed is requesting an extension 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31425	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38585 5-31390 30-015-38469 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38470 5-38408 30-015-38589	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39913 30-015-40310 30-015-40311
13. Describe proposed or composed or composed starting any proposed we proposed completion or recomposed is requesting an extension 30-015-31257 30-015-31421 30-015-30976 30-015-32649 30-015-31422 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31425	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38489 5-31586 30-015-38471 5-31939 30-015-38470 30-015-38489 5-32484 30-015-38470	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311
13. Describe proposed or composed of starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion or recomposed completion or recomposed completio	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38489 30-015-38469 15-31586 30-015-38470 15-31939 30-015-38588 15-32484 30-015-38589 15-38409 30-015-39068	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39913 30-015-40310 30-015-40311
13. Describe proposed or composed or starting any proposed we proposed completion or recomproposed completion or recompletion or recomproposed completion or recomproposed completion or recompletion or recompletion or recomproposed completion or recompletion or recomplet	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38585 5-31390 30-015-38469 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38470 5-38408 30-015-38589	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39913 30-015-40310 30-015-40311
13. Describe proposed or composed of starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion or recomposed completion or recomposed completio	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38489 30-015-38469 15-31586 30-015-38470 15-31939 30-015-38588 15-32484 30-015-38589 15-38409 30-015-39068	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39913 30-015-40310 30-015-40311
13. Describe proposed or composed with proposed completion or recompressed completion or recompressed in the proposed completion of recompressed in the proposed completion or recompletion or	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38485 30-015-38469 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date:	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-40310 30-015-40311 30-015-40314
13. Describe proposed or composed with proposed completion or recompressed completion or recompressed in the proposed completion of recompressed in the proposed completion or recompletion or	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38489 30-015-38469 15-31586 30-015-38470 15-31939 30-015-38588 15-32484 30-015-38589 15-38409 30-015-39068	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-40310 30-015-40311 30-015-40314
13. Describe proposed or composed with proposed completion or recompressed completion or recompressed in the proposed completion of recompressed in the proposed completion or recompletion or	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38485 30-015-38469 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date:	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-40310 30-015-40311 30-015-40314
13. Describe proposed or composed with proposed completion or recompressed completion or recompressed in the proposed completion of recompressed in the proposed completion or recompletion or	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38485 30-015-38469 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date:	ant details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40314 my knowledge and belief.
13. Describe proposed or composed with proposed completion or recompression of starting any proposed with proposed completion or recompression of starting any proposed with proposed completion or recompression of starting and extension of starting and	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38489 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38589 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date: Rig Release Date: TITLE Regulatory / American Ameri	ant details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40314 and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the Multiple Completions: Attach wellbore diagram of the Multiple Completions: Attach wellbore diagram of the Apieton Completions: Attach wellbore diagram of the Multiple Completions: Attach wellbore diagram of the Apieton Completions: Attach wellbore diagram of the Apieton Completions: Attach wellbore diagram of the Multiple Completions: Attach wellbore diagram of the Apieton Completion Completions: Attach wellbore diagram of the Apieton Completion Comp
13. Describe proposed or composed with proposed completion or recompression of starting any proposed with proposed completion or recompression of starting any proposed with proposed completion or recompression of starting and extension of starting and	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38489 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38589 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date: Rig Release Date: TITLE Regulatory / American Ameri	ent details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40314 my knowledge and belief.
13. Describe proposed or composed with proposed completion or recompression of starting any proposed with proposed completion or recompression of starting any proposed with proposed completion or recompression of starting and extension of starting and	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38489 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38589 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date: Rig Release Date: TITLE Regulatory / American Ameri	ant details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40314 and wellbore diagram of the API# for each well are as follows: Analyst II DATE 04/08/2014 DATE 04/08/2014
13. Describe proposed or composed with proposed completion or recompression of starting any proposed with proposed completion or recompression of starting any proposed with proposed completion or recompression of starting and extension of starting and	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 5-30975 30-015-38489 5-31586 30-015-38471 5-31939 30-015-38588 5-32484 30-015-38589 5-32484 30-015-38589 5-38409 30-015-39068 Rig Release Date: Rig Release Date: TITLE Regulatory / American Ameri	ant details, and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40314 and give pertinent dates, including estimated date Multiple Completions: Attach wellbore diagram of the Multiple Completions: Attach wellbore diagram of the Multiple Completions: Attach wellbore diagram of the Apieton Completions: Attach wellbore diagram of the Multiple Completions: Attach wellbore diagram of the Apieton Completions: Attach wellbore diagram of the Apieton Completions: Attach wellbore diagram of the Multiple Completions: Attach wellbore diagram of the Apieton Completion Completions: Attach wellbore diagram of the Apieton Completion Comp

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

Form C-129

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Apache Corporation Á. Applicant 1945 Bluestem Road, Artesia, NM 88210 whose address is: hereby requests an exception to Rule 19.15.18.12 for days or until Yr , for the following described tank battery (or LACT): D State Battery Yeso Name of Pool Name of Lease Location of Battery: Unit Letter Section ______ Township ___ Number of wells producing into battery ___ 700 barrels per day, the estimated * volume В. Based upon oil production of 2.3M of gas to be flared is MCF; Value _____ C. Name and location of nearest gas gathering facility: DCP Artesia Distance _____ Estimated cost of connection D, This exception is requested for the following reasons: E. previous one that will expire April 30, 2014. OIL CONSERVATION DIVISION **OPERATOR** I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above Approved Until is true and complete to the best of my knowledge and belief. Signature Printed Name Fatima Vasquez - Regulatory Analyst II & Title Fatima.Vasquez@apachecorp.com E-mail Address (432) 818-1015 04/08/2014 Telephone No.

* Gas-Oil ratio test may be required to verify estimated gas volume.

See Attached COA.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here A

6/18/2014

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin Cabinet Secretary

Jami Bailey, Division Director Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE
Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.