

Submit To Appropriate District Office
Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED
MAY 27 2014
SANTA FE, NM 87505

Form C-105
Revised August 1, 2011

1. WELL API NO.
30-015-40057

2. Type of Lease
STATE ☒ FEE ☐ FED/INDIAN

3. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)

☒ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name
Tarpan 33 Fee

6. Well Number:
2H

7. Type of Completion:
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator
COG OPERATING LLC

9. OGRID
229137

10. Address of Operator
One Concho Center
600 W. Illinois Ave. Midland, TX 79701

11. Pool name or Wildcat
Atoka; Glorieta – Yeso; 3250

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	33	18S	26E		150	South	1040	West	Eddy
BH:	D	33	18S	26E		353	North	905	West	Eddy

13. Date Spudded
2/4/14

14. Date T.D. Reached
2/15/14

15. Date Rig Released
2/17/14

16. Date Completed (Ready to Produce)
4/2/14

17. Elevations (DF and RKB, RT, GR, etc.) 3377' GR

18. Total Measured Depth of Well
7613

19. Plug Back Measured Depth
7560

20. Was Directional Survey Made?
Yes

21. Type Electric and Other Logs Run

22. Producing Interval(s), of this completion - Top, Bottom, Name
3302 - 7540 Yeso

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8	32	1225	11	1100sx	
5-1/2	17	7601	7-7/8	1100sx	

24. LINER RECORD

25. TUBING RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8	2504	

26. Perforation record (interval, size, and number)
3302 - 7540 .43 324 holes, Open

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL
3302 - 7540
AMOUNT AND KIND MATERIAL USED
Acidize w/38,695 gals 15% acid.
Frac w/1,936,496 gals gel, 218,905 gals WaterFrac, 168,338 gals treated water, 45,041# 100 mesh, 3,020,766# 20/40 brown sand, 554,590# 16/30 CRC.

28. PRODUCTION

Date First Production
4/9/14

Production Method (Flowing, gas lift, pumping - Size and type pump)
ESP pump

Well Status (Prod. or Shut-in)
Producing

Date of Test 4/11/14	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 158	Gas - MCF 70	Water - Bbl. 1778	Gas - Oil Ratio 443
Flow Tubing Press.	Casing Pressure 70	Calculated 24-Hour Rate	Oil - Bbl. 158	Gas - MCF 70	Water - Bbl. 1778	Oil Gravity - API - (Corr.) 39.7	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
Sold

30. Test Witnessed By
Ron Beasley

31. List Attachments
C102, C103, Deviation Report, C104, C144

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:
Latitude Longitude NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature
C Jackson

Printed Name
Chasity Jackson

Title
Regulatory Analyst

Date
5/12/14

E-mail Address
cjackson@concho.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 2640	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Yeso 2791	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology
			ps