Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR

OCO
Artesia
.4

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

	Expires: July	
<i>.</i>	Lease Serial No.	
	NISAKISAA AOOOO	

		_		-	_	
5.	Lease		•			

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						1		
						NMNM113927 6. If Indian, Allottee or Tribe Name		
	7. If Unit or CA/Agreement, Name and/or No.							
	PLICATE - Other instruc	ctions on rev	erse side.		7. If Unit or CA/Ag	greement, f	Name and/or No.	
Type of Well	8. Well Name and No. NOOSE FEDERAL COM 11H							
Name of Operator COG OPERATING LLC	Contact: E-Mail: kholly@co	KELLY J HOI	LLY	-	9. API Well No. 30-015-42501	I-00-X1		
3a. Address ONE CONCHO CENTER 600 MIDLAND, TX 79701) W ILLINOIS AVENUE	(include area code 5.4384	·)	10. Field and Pool, SEVEN RIVE	or Explora RS	itory -		
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description	1)			11. County or Paris	h, and Stat	e'	
Sec 35 T19S R25E SESE 015 32.610048 N Lat, 101.450044					EDDY COUNTY, NM			
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICATE	NATURE OF	NOTICE, RE	PORT, OR OTH	IER DAT	ΓA	
TYPE OF SUBMISSION	·		ТҮРЕ О	F ACTION				
☑ Notice of Intent☐ Subsequent Report	☐ Acidize ☐ Alter Casing ☐ Casing Repair	_	ture Treat Construction	☐ Producti ☐ Reclama			Vater Shut-Off Vell Integrity Other	
☐ Final Abandonment Notice	☐ Change Plans ☐ Convert to Injection	Plug	and Abandon		arily Abandon	Cha PD	nge to Original A	
13. Describe Proposed or Completed Op If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f COG Operating LLC respectfut The safety factors-brst/clps/te	ally or recomplete horizontally, rk will be performed or provide to operations. If the operation rebandonment Notices shall be final inspection.)	give subsurface the Bond No. or sults in a multipled only after all	locations and meas a file with BLM/BL e completion or rec requirements, inclu-	ured and true ve A. Required sub completion in a re ding reclamation	rtical depths of all pe sequent reports shall lew interval, a Form 3 h, have been complete ACC	rtinent mar be filed wi \$160-4 shaled, and the CEDIE	kers and zones. Ithin 30 days	
This change is necessary for A revised page 2 of the drilling		· ·		NM OIL CO	ONSER IA DISTR	IVATION &		
•		· .	·		AUG	0 4 20)14	
					RE	CEIVE	D	
14. I hereby certify that the foregoing is	Electronic Submission #	OPERATING L	.C. sent to the C	Carlsbad				
Name (Printed/Typed) KELLY J I	HOLLY		Title PERM	ITTING TECH	1			
Signature (Electronic S	Submission)		Date 07/17/2	2014				
	THIS SPACE F	OR FEDERA			SE			
						. [
Approved By WESLEY INGRAM	d Approval of this series 1		TitlePETROLI	EUM ENGINE	ER		Date 07/29/2014	
Conditions of approval, if any, are attache certify that the applicant holds legal or eq which would entitle the applicant to conditions.	uitable title to those rights in th		Office Carlsba	ad			;	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ATTACHMENT TO FORM 3160-3 COG Operating, LLC Noose Federal Com #11H Page 2 of 4

Sufficient mud materials will be kept at the well site to maintain mud properties and meet minimum lost circulation and weight increase requirements at all times.

Visual or electronic mud monitoring equipment shall be in place to detect volume changes indicating loss or gain of circulating fluid volume.

The mud program has been designed to minimize the volume of H₂S circulated to surface. Proper mud weights, safe drilling practices and the use of H₂S scavengers will minimize hazards when penetrating H₂S bearing zones.

6. Proposed Casing Program

Hole	Interval	OD					
Size	MD	Casing	Weight	Grade	Condition	Jt.	brst/clps/ten
11"	0-1200'	8 5/8" 0-1200'	32#	J55	New	LT&C	3.28/4.77/12.48
7 7/8"	1200'- 7604'	5 ½" 0-7604'	17#	L80	New	LT&C	1.33/4.35/7.65

7. Proposed Cement Program

8 5/8" SURFACE: (Cement circulated Surface)

	Description	Yield	Density	Water Requirements
Lead: 325 sks 0'-600' Excess 273%	Class "C" w/ 4% Gel + 2% CaCl2 +0.25 pps CF	1.75 cf/sk	11.8 ppg	14.4 gal/sk.
Tail: 200 sks 600'-1200' Excess 59%	Class C w/2% CaCl2	1.32 cf/sk	14.8 ppg	6.3 gal/sk.

Combined excess 161%