

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMLC055958

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side.7. If Unit or CA/Agreement, Name and/or No.
89100886701. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.
GB JACKSON SA 312. Name of Operator
BURNETT OIL COMPANY INCContact: LESLIE GARVIS
E-Mail: lgarvis@burnettoil.com9. API Well No.
30-015-04142-00-S13a. Address
801 CHERRY STREET UNIT 9
FORT WORTH, TX 76102-68813b. Phone No. (include area code)
Ph: 817-332-510810. Field and Pool, or Exploratory
GRAYBURG

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 13 T17S R30E NENW 660FNL 1980FWL

11. County or Parish, and State

EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

5/1/14 - CHECK WELL HAS 0 PSI ON TBG & CSG, RD AND REMOVED FLOWLINE, PROD MANIFOLD & POWER BOX, LEVEL/PREP LCTN, MIRU, ND STUFFING BOX & PROD MANIFOLD, LD POLISH ROD & LINER, TOH W 137 5/8" ROD'S & PUMP, NUBOP, SOOH LD 110 JTS OF 2 3/8" TBG.

5/2/14 - CHECK WELL PRESSURE 0 PSI, R/U 6 1/4" BIT & BIT SUB, TIH W/93 JTS OF 2 7/8" TBG TO 2960', R/U 6 1/4" BIT & 7" SCRAPER TO 2945', NOTIFIED CHERYL DEMONTI WITH NM BLM, INFORMED HER WE WHERE READY TO TIH W/ 7" CIBP, AND WILL BE READY TO SET FIRST PLUG @ 7:00 AM IN MORNING, SHE GAVE US THE OK, TIH W/ 7" CIBP SET IT @ 2940', TOH W/ SETTING TOOL.

5/5/14-TIH W 2 7/8" TBG OPEN ENDED, TAG TOP OF 7" CIBP @ 2940', RU CMT TRK, PUMP 120 BFW, CIRC HOLE CLEAN, MIX & PUMP 35 SX OF CLASS "C" + 2 % CACLZ @ 14.8 PPG, DISPLACED W 15.7 BFW, RD CEMENT PUMP, TOH W 10 STDS, SDON

Accepted as to plugging of the well bore.
Liability under bond is retained until
Surface restoration is completed.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #246567 verified by the BLM Well Information System
For BURNETT OIL COMPANY INC, sent to the Carlsbad
Committed to AFMSS for processing by LINDA DENNISTON on 05/27/2014 (14JA09935)

Name (Printed/Typed) LESLIE GARVIS

Title REGULATORY COORDINATOR

Signature (Electronic Submission)

Date 05/21/2014

NM OIL CONSERVATION**THIS SPACE FOR FEDERAL OR STATE OFFICE USE** ARTESIA DISTRICT

Approved By

ACCEPTEDJAMES A AMOS
Title SUPERVISOR EPS**JUL 14 2014**

Date 07/01/2014

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

RECEIVED

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Accepted for record
NMLC055958

Additional data for EC transaction #246567 that would not fit on the form

32. Additional remarks, continued

NOTE: OSCAR W/ NM BLM WAS ON LOCATION.

5/6/14-ARRIVED ON LOCATION, TIH W/ 2 7/8" TBG, TAGGED TOP OF CEMENT @ 2729', CALLED OSCAR W/ NM BLM GOT THE OK, TO MOVE UP TO NEXT PLUG, SPOTTED SALT WATER GEL FROM 2729' TO 1360', TOH W/ 2 7/8" TBG, R/U ROTARY WL, TIH SHOT 4 SQ HOLES @ 1360', TOH W/ WL, RD WL, TIH W/ 2 7/8" TBG TO 1372', PUMPED 125 SX CLASS "C" + 2% CACL2 CMT MIXED @ 14.8 PPG, DISPLACED W/ 3.5 BBL'S FW, TOH W/ 2 7/8" WOC, TIH TAGGED @ 820', CALLED OSCAR W/ NM BLM GOT THE OK, TO MOVE UP TO NEXT PLUG, SPOTTED 9 BBL'S SALT WATER GEL FROM 820' TO 600', TOH W/ 2 7/8" TBG, R/U ROTARY WL, TIH SHOT 4 SQ HOLE'S @ 600', TOH W/ WL, RD WL, TIH W/ 2 7/8" TBG TO 602', BREAK CIRC, PUMPED 100 SX CLASS "C" CMT MIXED @ 14.8 PPG, DISPLACED 2 BFW, TOH W/ 2 7/8" TBG,

5/7/14 - TIH W 2 7/8" TBG, TAG @ 196', CALL OSCAR 2 BLM, VERBAL APPROVAL TO CMT, SPOT 5.5 BBL'S SALT WATER FEL, TOH W TBG, RU ROTARY WL, TIH, SHOT 4 SQZ HOLES, TOH W WL, RD ROTARY WL, NDBOP, ND WH, RU 7" AD-1 PKR, SER PKR17' IN 7" CSG, BREAK CIRC, PUMP 60 SX CLASS "C" NEAT CEMENT @ 14.8 PPG, CIRC CEMENT TO SURFACE, REL PKR, POOH, TOP OFF 7" CSG, SD. NOTE: OSCAR W BLM WILL NEED PICTURE OF CEMENT TOP.

5/8/14- WELL IS PA, WILL ORDER CUT OFF, MARKER PLATE, & FINAL RECLAMATION.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMLC029338A
2. Name of Operator BURNETT OIL COMPANY INC Contact: LESLIE GARVIS E-Mail: lgarvis@burnettoil.com		6. If Indian, Allottee or Tribe Name
3a. Address 801 CHERRY STREET UNIT 9 FORT WORTH, TX 76102-6881	3b. Phone No. (include area code) Ph: 817-332-5108	7. If Unit or CA/Agreement, Name and/or No. 8910088670
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 13 T17S R30E NWNE 1319FNL 1321FEL		8. Well Name and No. GB JACKSON SA 29
		9. API Well No. 30-015-04146-00-S1
		10. Field and Pool, or Exploratory GRAYBURG
		11. County or Parish, and State EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operation has been determined that the site is ready for final inspection.)

3/20/14 MIRU W/O UNIT, BLEED DOWN CSG, REMOVE 2 3/8" X 6' TBG SUB FROM WELLHEAD.
3/21/14 - BLEED DN CSG, RU 4 3/4" BIT, TIH ON 2 7/8" G, TAG FILL @ 3401', TAG FILL @ 3401', CIRC HOLE
CLEAN W 120 BFW, SET 25 SX CLASS C + 2% CACL PLUG @ 3401'. NOTE: CONTACTED KENT CAFFALL W/BLM.

03/24/14 - RU 5 1/2" CSG SPEAR & SUB ON 6' X 2 7/8", SET SPEAR IN TOP JT OF 5 1/2" CSG, CSG PARTED,
CSG PART IS @ 687' CUT CSG @ 3228', TOH, NOTE: MICHAEL BAOLIEH W BLM & WITNESSED TAG OF CMT PLUG &
WITNESSED CUT OFF CSG.

03/31/14 - CUT OFF BELOW BRADENHEAD WELD ON 9 5/8 SLIP COLLAR ON 8 5/8 CSG COLLAR SD
4/3/14-CSG IS STUCK 100% FROM 1450' - 650', RECEIVED BLM APPROVAL TO CUT OFF @ 650', RU 7 1/4" JET

Accepted as to plugging of the well bore.
Liability under bond is retained until
surface restoration is completed.

RECLAMATION
DUE 10-18-14

Accepted for record
NMLC029338A

14. I hereby certify that the foregoing is true and correct. Electronic Submission #246554 verified by the BLM Well Information System For BURNETT OIL COMPANY INC, sent to the Carlsbad Committed to AFMSS for processing by LINDA DENNISTON on 05/27/2014 (14DLM2331SE)	
Name (Printed/Typed) LESLIE GARVIS	Title REGULATORY COORDINATOR
Signature (Electronic Submission)	Date 05/21/2014

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JAMES A AMOS Title SUPERVISOR EPS	Date 07/01/2014
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #246554 that would not fit on the form

32. Additional remarks, continued

CUTTER, LOST WEIGHT ON WEIGHT INDICATOR, POOH, CSG WAS FREE, POOH W JET CUTTER, RD WL, POOH, LD 9 5/8" SHORT JT, CHANGE ELEVATORS TO 8 5/8", POOH ABOUT 15', HIT ON BOTTOM OF WH, WAS NOT ABLE TO WORK 8 5/8" CSG THROUGHT THE WELLHEAD, SDON, NOTE: 8 5/8" CSG LOOK TO BE 22' JT BY COLLAR LOCATOR ON FREE POINT.

4/11/14 - PICK UP ON 8 5/8" CSG & CUT OFF 10" BRAIDEN HEAD, SET BOWL & 8 5/8" SLIPS AROUND 8 5/8" CSG, SECURE WITH CASING CLAMP, CUT 8 5/8" CASING ABOVE COLLAR ON 2 ND JT AND REMOVE 10" BRAIDEN HEAD, STRIP OVER 8 5/8" CSG WITH CUSTOM BUILT 13 3/8" SPOOL WITH 3' X 3' PLATE ON TOP, SET BOWL & SLIPS ON TOP OF PLATE TO SECURE CSG.

4/14/14 - START LD 8 5/8" CSG, COUND NOT GET 1ST JT TO UNSCREW, CALLED FOR WELDER & LUCKY SAFETY CONSULTANT TO ISSUE HOT WORK PERMIT, WO WELDER & LUCKY, CUT 1ST JT OF CSG, LD, START TO TOH W REMAINING 8 5/8" CSG, HAD TO CUT A TOTAL OF 4 JTS, THE REST UNSCREWED, LD 650' OF 8 5/8" CSG (30 1/2 JTS), SDON NOTIFIED KENT CAFFALL W/NMBLM OF CSG BEING LD, TO SET CMT PLUG ON 04/14/14.

4/15/14 - PUMP 165 SX CLASS C NEAT, SPOT A 398' CMT PLUG FROM 2698' TO 2300', TOH W 85 JTS 2 7/8" TBG, SDON. NOTE: NOTIFIED KENT CAFFALL WITH NM BLM ON CMT PLUG.

4/16/14 - TIH W 2 7/8" TBG TAG CMT AT 2130', CALLED NM BLM, NOTIFIED KENT & CHERYL, TAG @ 2130', RECEIVED APPROVAL FOR NEXT PLUG, NEW PRODCEDURE FOR PLUG FOR THE NEXT PLUG, SPOT SALT WATER GEL F 2130' TO 1390', TOH W/ 2 7/8" TBG, RU ROTARY WLU, RIH SHOT 4 SPF 15 INTERVALS, 1390', 1340', 1290', 1240', 1190', 1140', 1090', 1040', 990', 940', 890', 840', 790', 740', 690', RD ROTARY WLU, TIH W/2 7/8" TBG TO 1397', RU PACESETTER, BREAK CIRC, MIXED 220 SX CLASS C NEAT @ 14.8 PPG, SPOTTED CMT PLUG FROM 1397' - 600', POOH TO 600', CIRC HOLE CLEAN W/ 110 BFW, TOH W/ 2 7/8" TBG, SDON. NOTE: CHERYL DEMONTI 575-361-2634 NM BLM CONTACT

4/17/14- TIH W 2 7/8" TBG, TAG TOC @ 1016', LOAD HOLE W 7 BFW, MIX & PUMP 265 SX CLASS C + 2% CACL2 (1ST 130 SX HAD 2% CACL2) @ 1016', POOH TO 606', CIRC HOLE CLEAN W 3 BFW.

4/21/14-TIH W TBG,TAG CEMENT @ 616', CIRC HOLE W HOLE W SALT WATER GEL 60 BBL, TOH, RU WL, PERFORATE @ 580', 523', 473', 423', 373', 323', 273', 223', 173', 123', 73', DEEP PENETRATION SHOT @ 60', 4 SPF, RIH W TBG TO 606', RU PACE SETTERS, CIRC HOLE W 380 SX CLASS C NEAT @ 14.8 PPG, POOH, CEMENT FELL BACK 30', RIH, TOP OFF W 20 SX CEMENT TO SURFACE.

4/22/14- DUG OUT AROUND 10" CSG, FOUND NO 12" CSG, CALLED CHERYL DEMONTI W NM BLM, RECEIVED PERMSSION TO COMPLETE PA
NOTE: IN CONVERSATION W CHERYL WE LET HER KNOW THAT THE CEMENT WAS 1' FROM THE TOP OF THE INSIDE OF THE 10" & UP AROUND THE OUT SIDE OF THE 10? ? 8? DOWN, 10" CSG WAS THE PRIMARY CSG, WILL WELD DRY HOLE MARKER ON AND DIG OUT ANCHORS, WILL ORDER FINAL RECLAMTION OF WELLPAD SITE.