Office	State of New Mexico	Form C-103
District 1 - (575) 393-6161	Energy, Minerals and Natural Resources	Revised August 1, 2011
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283		WELL API NO.
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	5. Indicate Type of Lease
District III - (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.	STATE FEE
<u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
-1220 S. St. Francis Dr., Santa Fe, NM 87505		
SUNDRY NOTIC	CES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOS DIFFERENT RESERVOIR! USE "APPLIC	ALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A ATION FOR PERMIT" (FORM C-101) FOR SUCH	A State 42 Battery
PROPOSALS.)	•	8. Well Number
Type of Well: Oil Well Name of Operator	Gas Well Other	9. OGRID Number
Apache Corporation		873
3. Address of Operator		10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 30	00 Midland, TX 79705	Yeso
4. Well Location		,
Unit Letter K	feet from theline and	feet from theline
Section 26	Township 17S Range 28E	NMPM County Eddy
2 Commercial Park	11. Elevation (Show whether DR, RKB, RT, GR, e	(c.)
74		a ship a same same same same same same same sa
Charle A	ppropriate Box to Indicate Nature of Notic	a Papart or Other Date
12. CHECK A	ppropriate box to indicate nature of notice	e, Report of Other Data
NOTICE OF IN		JBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WO	
TEMPORARILY ABAÑDON 🔲		DRILLING OPNS. P AND A
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MULTIPLE COMPL CASING/CEME	ENT JOB
DOWNHOLE COMMINGLE		•
OTHER: Flare Permit	OTHER:	<u>``</u>
13. Describe proposed or compl	leted operations. (Clearly state all pertinent details,	and give pertinent dates, including estimated date
13. Describe proposed or complete of starting any proposed wo	eted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple (and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
13. Describe propôsed or compl	eted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple (and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
13. Describe proposed or complete of starting any proposed wo proposed completion or reco	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple ompletion.	Completions: Attach wellbore diagram of
13. Describe proposed or complete of starting any proposed wo proposed completion or reco	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple completion. to flare gas from the A State wells. Intermittent flari	Completions: Attach wellbore diagram of
Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple completion. to flare gas from the A State wells. Intermittent flari	Completions: Attach wellbore diagram of
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured p	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple completion. to flare gas from the A State wells. Intermittent flaring to flaring.	Completions: Attach wellbore diagram of ng will occur due to Frontier's repair and plant
Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple completion. to flare gas from the A State wells. Intermittent flaring to flaring. 30-015-38584 A State #54 30-015-38965 A State #56	Completions: Attach wellbore diagram of
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the state of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple completion. to flare gas from the A State wells. Intermittent flaring of the flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61	Completions: Attach wellbore diagram of ng will occur due to Frontier's repair and plant 30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the start of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple completion. to flare gas from the A State wells. Intermittent flaring of the flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62	Completions: Attach wellbore diagram of ng will occur due to Frontier's repair and plant 30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the start of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple of the following state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple of the following state and state wells. Intermittent flaring to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and plant 30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the state of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple of the following of the A State wells. Intermittent flaring to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and occur due to Frontier's repair and occur due to Frontier'
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the start of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple of the following state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple of the following state and state wells. Intermittent flaring to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and plant 30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the state of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple of the following of the A State wells. Intermittent flaring to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and occur due to Frontier's repair and occur due to Frontier'
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the state of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple operation. Ito flare gas from the A State wells. Intermittent flaring of the flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64 30-015-41178 A State #65	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and occur due to Frontier's repair and occur due to Frontier'
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the state of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple of the following of the A State wells. Intermittent flaring to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and occur due to Frontier's repair and occur due to Frontier'
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the problems. A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46 30-015-38582 A State #51 Spud Date:	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple of See Rule 19:15.7.14 NMAC. For Multiple 19:15.7.14 NMA	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and pl
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the problems. A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46 30-015-38582 A State #51 Spud Date:	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple operation. Ito flare gas from the A State wells. Intermittent flaring of the flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41187 A State #64 30-015-41178 A State #65	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and pl
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the problems. A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46 30-015-38582 A State #51 Spud Date:	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple of See Rule 19:15.7.14 NMAC. For Multiple 19:15.7.14 NMA	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and pl
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the start of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple operation. Ito flare gas from the A State wells. Intermittent flaring to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41178 A State #64 30-015-41178 A State #65 Rig Release Date:	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the problems. A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46 30-015-38582 A State #51 Spud Date:	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple of See Rule 19:15.7.14 NMAC. For Multiple 19:15.7.14 NMA	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and pl
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the start of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple operation. Ito flare gas from the A State wells. Intermittent flaring to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41178 A State #64 30-015-41178 A State #65 Rig Release Date: TITLE Regulatory Analyst II	30-015-41126 A State #66 30-015-41127 A State #67 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41180 A State #75 30-015-41130 A State #76 30-015-41131 A State #77 30-015-41055 A State #78
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the start of	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple operation. Ito flare gas from the A State wells. Intermittent flaring to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41178 A State #64 30-015-41178 A State #65 Rig Release Date: TITLE Regulatory Analyst II	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and pl
13. Describe proposed or complete of starting any proposed we proposed completion or recomplete. Apache is requesting an extension problems. Gas will be measured possible of the problems. A State #42 30-015-38546 A State #43 30-015-38547 A State #44 30-015-41147 A State #45 30-015-38579 A State #46 30-015-38582 A State #51 Spud Date: I hereby certify that the information SIGNATURE Type or print name Fatima Vasquez	leted operations. (Clearly state all pertinent details, rk). SEE RULE 19:15.7.14 NMAC. For Multiple operation. Ito flare gas from the A State wells. Intermittent flaring to flaring. 30-015-38584 A State #54 30-015-38965 A State #56 30-015-40838 A State #61 30-015-41050 A State #62 30-015-41125 A State #63 30-015-41178 A State #64 30-015-41178 A State #65 Rig Release Date: TITLE Regulatory Analyst II	Completions: Attach wellbore diagram of any will occur due to Frontier's repair and plant and pl

A See Attached CoA's

District I'
1625 N. French Dr., Hobbs, NM 88240
District III
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Apache Corporation Applicant Α. 1945 Bluestem Road, Artesia, NM 88210 90 hereby requests an exception to Rule 19.15.18.12 for days or until Yr , for the following described tank battery (or LACT): Name of Lease A State 42 Battery Name of Pool Yeso Location of Battery: Unit Letter _ _ K __Section ____26 __Township _ 17S Number of wells producing into battery 1600 Based upon oil production of barrels per day, the estimated * volume В. of gas to be flared is ____ 2.4 M MCF; Value ______per day. C. Name and location of nearest gas gathering facility: Frontier Empire Abo Unit Distance ____ Estimated cost of connection . D. This exception is requested for the following reasons: ____ This is for an extension to the E. previous one that will expire April 30, 2014. **OPERATOR** OIL CONSERVATION DIVISION I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature Printed Name Fatima Vasquez - Regulatory Analyst II & Title Fatima Vasquez@apachecorp.com E-mail Address (432) 818-1015 Telephone No.

Asee Attached COA's

^{*} Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- **2.** Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here f(0)

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Balley, Division Director Oil Conservation Division



March 7, 2014

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.