

Original Chart A Hachy - Filed On-Line

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

OCD Artesia

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM0354232

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
OXY USA WTP LP
Contact: DAVID STEWART
E-Mail: david_stewart@oxy.com

3a. Address
P.O. BOX 50250
MIDLAND, TX 79710

3b. Phone No. (include area code)
Ph: 432-685-5717
Fx: 432-685-5742

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 34 T21S R27E NENW 660FNL 1980FWL
32.441910 N Lat, 104.179970 W Lon

8. Well Name and No.
ELIZONDO A FEDERAL 4

9. API Well No.
30-015-21931

10. Field and Pool, or Exploratory
BURTON FLAT MORROW

11. County or Parish, and State
EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Deepen
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Fracture Treat
	<input type="checkbox"/> Production (Start/Resume)
	<input type="checkbox"/> Reclamation
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Well Integrity
	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans
	<input type="checkbox"/> Plug and Abandon
	<input checked="" type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Water Disposal
	<input type="checkbox"/> Convert to Injection
	<input type="checkbox"/> Plug Back

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletable horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletable in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

TD-11775' PBDT-11287' Perfs 11387-11542' CIBP-11337'

OXY USA WTP LP respectfully requests a 4 year temporary abandonment of this well for further evaluation of possible recompletable potential. Oxy has begun implementing a project to evaluate the recompletable potential of the Strawn/Penn and Wolfcamp formations in the Burton Flats area. The project entails recompletable one well and analyzing the results to prove viability in the area. The recompletable program involves inspecting wellbore casing integrity, completing the well with a multiple stage fracture design and testing the formations potential. The completion of the first well is currently planned for the second quarter 2014. From the results of the project, Oxy will evaluate and determine the potential for recompletable of this well.

APPROVED FOR 12 MONTH PERIOD
ENDING 3-21-15

1. POOH w/ prod equipment, RIH & set CIBP @ 11337', dumped bailed total 6sx cmt to 11287'.

Accepted for record RE 9/3/14
NMOGD

NM OIL CONSERVATION
ARTESIA DISTRICT

AUG 28 2014

RECEIVED

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #240734 verified by the BLM Well Information System
For OXY USA WTP LP, sent to the Carlsbad

Name (Printed/Typed) DAVID STEWART Title SR. REGULATORY ADVISOR

Signature (Electronic Submission) Date 04/01/2014

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By James L. Amos Title SAET Date 8-20-14

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CFD

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

Additional data for EC transaction #240734 that would not fit on the form

32. Additional remarks, continued

2. Notified BLM/NMOCD of casing integrity test.

3. RU pump truck 3/21/14, circulate well with treated water, pressure test casing to 540# for 30 min. Test witnessed by Paul Swartz.




Test for TA surface & intrad. vents
during test. Had string blow for
2 min.
Operator: T. J. S.
BR. 747

APRIL 1956
WELLS
5006
5007
5008
5009
5010
5011
5012
5013
5014
5015
5016
5017
5018
5019
5020
5021
5022
5023
5024
5025
5026
5027
5028
5029
5030
5031
5032
5033
5034
5035
5036
5037
5038
5039
5040
5041
5042
5043
5044
5045
5046
5047
5048
5049
5050
5051
5052
5053
5054
5055
5056
5057
5058
5059
5060
5061
5062
5063
5064
5065
5066
5067
5068
5069
5070
5071
5072
5073
5074
5075
5076
5077
5078
5079
5080
5081
5082
5083
5084
5085
5086
5087
5088
5089
5090
5091
5092
5093
5094
5095
5096
5097
5098
5099
5100

W. J. S. [Signature]

OXY USA WTP LP - Current
Elizondo A Federal #4
API No. 30-015-21931



17-1/2" hole @ 600'
13-3/8" csg @ 600'
w/ 600sx-TOC-Surf-Circ

12-1/4" hole @ 3020'
8-5/8" csg @ 3020'
w/ 1500sx-TOC-Surf-Circ

7-7/8" hole @ 11775'
5-1/2" csg @ 11775'
w/ 750sx-TOC-8940'-TS

CIBP @ 11337' w/ 6sx cmt to 11287'

Perfs @ 11387-11542'

PB-11731'

TD-11775'