OCD-ARTESIA

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

В	Lease Serial No.						
SUNDRY Do not use thi	NMNM0531277A						
abandoned wei	6. If Indian, Allottee or Tribe Name						
SUBMIT IN TRI	7. If Unit or CA/Agreement, Name and/or No.						
Type of Well ☐ Gas Well ☐ Oth	8. Well Name and No. FNR 26 FEDERAL 2H						
2. Name of Operator	9. API Well No.						
OXY USA INCORPORATED			30-015-41647-00-X1				
3a. Address 5 GREENWAY PLAZA STE 1 HOUSTON, TX 77046-0521	3b. Phone No. (include area code) Ph: 432-685-5717 Fx: 432-685-5742			10. Field and Pool, or Exploratory FORTY NINER RIDGE			
4. Location of Well (Footage, Sec., T.		11. County or Parish, and State					
Sec 26 T23S R30E NWSW 20 32.274201 N Lat, 103.858722		:	EDDY COUNTY, NM				
12. CHECK APPR	ROPRIATE BOX(ES) TO	INDICATE	NATURE OF 1	NOTICE, RI	EPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION		TYPE OF ACTION					
Notice of Intent	☐ Acidize	Deepen Prod		☐ Producti	ion (Start/Resume)	■ Water Shut-Off	
Subsequent Report	☐ Alter Casing	_	☐ Fracture Treat ☐ Recla			☐ Well Integrity	
· .	Casing Repair		□ New Construction □ Reco			Other Production Facility	
☐ Final Abandonment Notice	☐ Change Plans☐ Convert to Injection☐	· ·			☐ Temporarily Abandon Cha		
Comm	Illy or recomplete horizontally, gk will be performed or provide to operations. If the operation restandonment Notices shall be filenal inspection.) uests to install a temporar #2H Please see below for the verified on the first load on, test results and meter for the verified on the first load on, test results and meter for the verified on the first load on, test results and meter for the verified on the first load on the first load on the first load on the verified on the first load of the verified on the first load of the verified on the first load of the verified on the v	give subsurface I the Bond No. on the Bond No.	ocations and measurable with BLM/BIA completion or recompletion or recompletio	red and true very Required sub- Required sub- Impletion in a naing reclamation on Coriolis R 26 Federal BLM for CCEPIEC NIM ATTAC Information Carlsbad n 10/02/2014	ntical depths of all pertinsequent reports shall be ew interval, a Form 316, have been completed, NM OIL OARTE: OCTOR OF APPI System (15DW00002SE)	consent markers and zones. filed within 30 days for 4 shall be filed once and the operator has consent the operator has c	
Name (Printed/Typed) DAVID ST		GULATORY		·			
Signature (Electronic Su	ıbmission)		Date 10/01/20)14			
	THIS SPACE FOI	R FEDERAI	OR STATE (OFFICE US	E		
Approved By DUNCAN WHITLOCK onditions of approval, if any, are attached ertify that the applicant holds legal or equit	TitleEPS			Date 10/02/2014			
hich would entitle the applicant to conduct	Office Carlsbad	·					

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #267486 that would not fit on the form

32. Additional remarks, continued

Jbox, "conduit connections

2700C12ABUEAZX ? Serial No. 3196280
Micro Motion Coriolis MVD multivariable flow and
Density transmitter, 9 wire remote transmitter with
Integral core processor, 18-30 VDC and 85-235 VAC
Self switching, dual line display, one MA, one frequency,
RS 485, UL Listed, English Quick Reference, Petroleum Measurement

Coriolis LACT Meter Conditions of Approval FNR 26 Federal 2H, 3001541647 NM0531277A, Sec. 26 NWSW, T23S, R30E

- 1. Approval is for meter number <u>CMF300M355NRAUE2222 Serial No. 142822883973</u> and transmitter number <u>2700C12ABUEAZX- Serial No. 3196280</u>.
- 2. The Coriolis meter shall be designed, installed and operated in accordance with all applicable API standards, including API 5.6, as may be amended or revised from time to time.
- 3. The metering facility shall include a temperature probe to monitor the actual oil temperature during custody transfer. This information will be recorded and used in calculating the volume of oil metered during each transaction.
- 4. The meter shall have a non-resettable totalizer.
- 5. The custody transfer meter shall be proven monthly in conformance with Onshore Oil and Gas Order No. 4.III.D. The meter proving is to be witnessed by BLM, contact 575-361-2822; a minimum of 24 hours prior to meter proving. Meter proving records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 6. A copy of the monthly meter proving will be submitted to the appropriate BLM office within 30 days of proving.
- 7. The run ticket associated with each oil transfer shall include the measured or calculated BS&W, oil gravity, temperature recorded during the transfer and beginning & ending totalizer readings. Such records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 8. A copy of run ticket shall be submitted to the appropriate BLM office within 30 days of ticket generation and will be made available for audit upon request.
- 9. Operator to maintain tank gauging data to be used as a comparison with the LACT meter readings.
- 10. All other provisions of the Onshore Oil and Gas Orders, especially No. 3 and No. 4 shall be met.
- 11. This approval may be subject to future review and if determined inadequate with regards to accurate measurement, the approval will be withdrawn.
- 12. Upon installation of LACT, submit an updated facility diagram as per Onshore Order No. 3.

JDW 10.2.2014