
F 21/0 5		نې			OCD-A	RTESL	A _	
Form 3160-5 (August 2007)	' DE	UNITED STATES DEPARTMENT OF THE INTERIOR					FORM APPROVED OMB NO. 1004-0135	
BUREAU OF LAND MANAGEMEN					C		5. Lease Serial No. NMNM58809	
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						6. If Indian, Allottee or Tribe Name		
							7. If Unit or CA/Agre	ement Name and/or N
SUBMIT IN TRIPLICATE - Other instructions on reverse side.						NMNM127280		
1. Type of Well Image: Solution of Well Image: Solution of Gas Well Image: Other							8. Well Name and No. JR`S HORZ FEDERAL COM 6H	
2. Name of Operator Contact: AMANDA AVERY COG OPERATING LLC E-Mail: aavery@concho.com							9. API Well No. 30-015-37904-00-S1	
3a. Address 3b. Phone No. (include area code) ONE CONCHO CENTER 600 W ILLINOIS AVENUE Ph: 575-748-6940 MIDLAND, TX 79701 Ph: 575-748-6940						2)	10: Field and Pool, or Exploratory CORRAL CANYON	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish			
Sec 10 T26S R29	9E NENW 330	FNL 1980FWL					EDDY COUNT	Y, NM
	-							
.	r	OPRIATE BOX(ES) TO) IND	DICATE NA			EPORT, OR OTHE	R DATA
TYPE OF SUBMI	ISSION				TYPE O	F ACTION		
□ Notice of Intent		Acidize		Deepen	•		tion (Start/Resume)	□ Water Shut-O
🛛 Subsequent Repo	ort	Alter Casing Casing Repair		-	onstruction	□ Reclan □ Recom		Well Integrity Other
		- 0 I		I I New CC		ug and Abandon		
🗖 Final Abandonm	ent Notice	🗖 Change Plans				_	•	Site Facility Dia
 Describe Proposed or If the proposal is to de Attach the Bond under 	Completed Oper eepen directional r which the work	Convert to Injection ation (clearly state all pertinen ly or recomplete horizontally, will be performed or provide	give su the Bo	Plug and Plug Ba Plug Ba ls, including e ibsurface loca nd No. on file	d Abandon ck stimated startin tions and meas with BLM/BL	Tempo Water og date of any p ured and true v A. Required su	orarily Abandon Disposal proposed work and appro- retrical depths of all pertir losequent reports shall be	Site Facility Dia m/Security Plan kimate duration thereo ent markers and zone: filed within 30 days
 Describe Proposed or If the proposal is to de Attach the Bond under following completion 	Completed Oper eepen directional r which the work of the involved c oleted: Final Aba te is ready for fin	Convert to Injection ation (clearly state all pertined by or recomplete horizontally, will be performed or provide operations. If the operation re ndonment Notices shall be fil al inspection.)	give su the Boi sults in	Plug and Plug Ba ls, including e ibsurface loca nd No. on file a multiple co	d Abandon ck stimated startin tions and meas with BLM/BL mpletion or rec	Tempo Water bg date of any p ured and true v A. Required su ompletion in a	brarily Abandon Disposal proposed work and approvertical depths of all pertir ubsequent reports shall be new interval, a Form 316	Site Facility Dia m/Security Plan kimate duration thereo ent markers and zones filed within 30 days 0-4 shall be filed once
 Describe Proposed or If the proposal is to de Attach the Bond under following completion testing has been comp determined that the sit 	Completed Oper sepen directional r which the work of the involved c bleted: Final Aba te is ready for fin ned Site Facilit MCCEPTO	Convert to Injection ation (clearly state all pertined by or recomplete horizontally, will be performed or provide operations. If the operation re ndonment Notices shall be fil al inspection.)	give su the Boi sults in	Plug and Plug Ba ls, including e ibsurface loca nd No. on file a multiple co	d Abandon ck stimated startin tions and meas with BLM/BL mpletion or rec irements, inclus Ac	Tempo Water g date of any p ured and true v A. Required su ompletion in a ding reclamatic	brarily Abandon Disposal proposed work and approvertical depths of all pertir ubsequent reports shall be new interval, a Form 316	Site Facility Diag m/Security Plan wimate duration thereon ent markers and zones filed within 30 days i0-4 shall be filed once and the operator has
 Describe Proposed or If the proposal is to de Attach the Bond under following completion testing has been comp determined that the sit 	Completed Oper sepen directional r which the work of the involved c bleted: Final Aba te is ready for fin ned Site Facilit MCCEPTO	Convert to Injection ation (clearly state all pertinent by or recomplete horizontally, will be performed or provide operations. If the operation re ndonment Notices shall be fil al inspection.) by Diagram.	give su the Boi sults in	Plug and Plug Ba ls, including e ibsurface loca nd No. on file a multiple co	d Abandon ck stimated startin tions and meas with BLM/BL mpletion or rec irements, inclus Ac	Tempo Water org date of any p ured and true v A. Required su ompletion in a ding reclamatic	r Record Purpos Ibject to Onsite I	Site Facility Dia m/Security Plan wimate duration thereo nent markers and zones filed within 30 days i0-4 shall be filed once and the operator has
 Describe Proposed or If the proposal is to de Attach the Bond under following completion testing has been comp determined that the sit 	Completed Oper sepen directional r which the work of the involved c bleted: Final Aba te is ready for fin ned Site Facilit Mission Acception Nist	Convert to Injection ation (clearly state all pertinent ly or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices shall be fil al inspection.) ty Diagram.	give su the Boi sults in ed only 249708 PERAT	Plug and Plug Ba ls, including e ibsurface loca nd No. on file a multiple co after all requ ster all requ	d Abandon ck stimated startin tions and meas with BLM/BL mpletion or rec irements, inclus A c A r Da	Tempo Water g date of any p ured and true v A. Required su ompletion in a ding reclamatic proval Su te:	rarily Abandon Disposal proposed work and approventical depths of all pertir absequent reports shall be new interval, a Form 316 on, have been completed, r Record Purpos abject to Onsite I glio 114 modeling	Site Facility Dia m/Security Plan wimate duration thereo nent markers and zone: filed within 30 days i0-4 shall be filed once and the operator has
 Describe Proposed or If the proposal is to de Attach the Bond under following completion testing has been comp determined that the sit Please see attach 	Completed Oper repen directional r which the work of the involved c leted: Final Aba te is ready for fin ned Site Facilit ACCE NIM	Convert to Injection ation (clearly state all pertine) by or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices shall be fil al inspection.) ty Diagram.	give su the Boi sults in ed only 249708 PERAT	Plug and Plug Ba ls, including e ibsurface loca nd No. on file a multiple co after all requ ster all requ	d Abandon ck stimated startin tions and meas with BLM/BL mpletion or rec irements, includ A C A T Da the BLM We sent to the C Y QUEEN on	Tempo Water or Water or Water with a drue v A. Required su ompletion in a ding reclamation oproval Su te:	rarily Abandon Disposal proposed work and approventical depths of all pertir absequent reports shall be new interval, a Form 316 on, have been completed, r Record Purpos abject to Onsite I glio 114 modeling	Site Facility Dia m/Security Plan wimate duration thereo nent markers and zones filed within 30 days i0-4 shall be filed once and the operator has
 Describe Proposed or If the proposal is to de Attach the Bond under following completion testing has been comp determined that the sit Please see attach 14. I hereby certify that the 	Completed Oper sepen directional r which the work of the involved c leted: Final Aba te is ready for fin ned Site Facilit ACCEPTER NIM	Convert to Injection ation (clearly state all pertinent by or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices shall be fil al inspection.) by Diagram.	give su the Boi sults in ed only 249708 PERAT	Plug and Plug Ba ls, including e ibsurface loca nd No. on file a multiple co after all requ after all requ sverified by TING LLC, g by CATH	d Abandon ck stimated startin tions and meas with BLM/BL mpletion or rec irements, inclus Ac Ar Da the BLM We sent to the C Y QUEEN on le AUTHC	Tempo Water g date of any p ured and true v A. Required su ompletion in a ding reclamatic proval Su te:	r Record Purpos bject to Onsite I <u>2005</u> Proposed work and approx tertical depths of all pertir absequent reports shall be new interval, a Form 316 on, have been completed, r Record Purpos bject to Onsite I <u>21/0 / 14</u> n System 14CQ0503SE)	Site Facility Dia m/Security Plan wimate duration thereo nent markers and zones filed within 30 days i0-4 shall be filed once and the operator has
 13. Describe Proposed or If the proposal is to de Attach the Bond under following completion testing has been comp determined that the sit Please see attach 14. I hereby certify that the Name (Printed/Typed) 	Completed Oper sepen directional r which the work of the involved c bleted: Final Aba te is ready for fin ned Site Facilit Mittan he foregoing is tr Com AMANDA A	Convert to Injection ation (clearly state all pertinent by or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices shall be fil al inspection.) by Diagram.	give su the Bo sults in ed only 249708 PERAT cessin	Plug and Plug Ba Is, including e ibsurface loca nd No. on file a multiple co after all requ ster all requ sverified by TING LLC, g by CATH Tit	d Abandon ck stimated startin tions and meas with BLM/BL mpletion or rec irements, inclus Ac Ar Da the BLM We sent to the C Y QUEEN on le AUTHC te 06/16/2	Tempo Water g date of any p ured and true v A. Required su ompletion in a ding reclamatic proval Su te:	rarily Abandon Disposal proposed work and approventical depths of all pertir absequent reports shall be new interval, a Form 316 on, have been completed, r Record Purpos Ibject to Onsite I Juo I 19 Marco 19 Mar	Site Facility Dia m/Security Plan wimate duration thereo nent markers and zone: filed within 30 days i0-4 shall be filed once and the operator has
 13. Describe Proposed or If the proposal is to de Attach the Bond under following completion testing has been comp determined that the sit Please see attach 14. I hereby certify that the Name (Printed/Typed) 	Completed Oper sepen directional r which the work of the involved c bleted: Final Aba te is ready for fin ned Site Facilit Mittan he foregoing is tr Com AMANDA A	Convert to Injection ation (clearly state all pertinently will be performed or provide operations. If the operation re- ndonment Notices shall be fill al inspection.) ty Diagram. 9-26-19 NY MacCond COD we and correct. Electronic Submission #2 For COG O umitted to AFMSS for pro- VERY bmission)	give su the Bo sults in ed only 249708 PERAT cessin	Plug and Plug Ba Is, including e ibsurface loca nd No. on file a multiple co after all requ ster all requ sverified by TING LLC, g by CATH Tit	d Abandon ck stimated startin tions and meas with BLM/BL mpletion or rec irements, inclus Ac Ar Da the BLM We sent to the C Y QUEEN on le AUTHC te 06/16/2	Tempo Water g date of any p ured and true v A. Required su ompletion in a ding reclamatic proval Su te:	rarily Abandon Disposal proposed work and approventical depths of all pertir absequent reports shall be new interval, a Form 316 on, have been completed, r Record Purpos Ibject to Onsite I Juo I 19 Marco 19 Mar	Site Facility Dia m/Security Plan wimate duration thereo nent markers and zones filed within 30 days i0-4 shall be filed once and the operator has
 13. Describe Proposed or If the proposal is to de Attach the Bond under following completion testing has been comp determined that the sit Please see attach 14. I hereby certify that the Name (<i>Printed/Typed</i>) Signature 	Completed Oper sepen directional r which the work of the involved c bleted: Final Aba te is ready for fin ned Site Facilit ACCEPTION NM he foregoing is th Corr AMANDA A (Electronic Sul	Convert to Injection ation (clearly state all pertinent ly or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices shall be fil al inspection.) ty Diagram. <i>P-JG-/Y</i> <i>N Note Cond</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>Note Cond</i> <i>P-JG-/Y</i> <i>Cod Cod</i> <i>P-DG-/Y</i> <i>Cod Cod</i> <i>P-D</i>	give su the Boi sults in ed only 249708 PERAT cessin	Plug and Plug Ba Is, including e ibsurface loca nd No. on file a multiple co after all requ B verified by TING LLC, g by CATH Tit Dat DERAL C	d Abandon ck stimated startin tions and meas with BLM/BL mpletion or rec irements, inclus Ac Ar Da the BLM We sent to the C Y QUEEN on le AUTHC te 06/16/2	Tempo Water g date of any p ured and true v A. Required su ompletion in a ding reclamatic proval Su te:	rarily Abandon Disposal proposed work and approventical depths of all pertir absequent reports shall be new interval, a Form 316 on, have been completed, r Record Purpos Ibject to Onsite I Juo I 19 Marco 19 Mar	Site Facility Dia m/Security Plan wimate duration thereo nent markers and zones filed within 30 days i0-4 shall be filed once and the operator has
 13. Describe Proposed or If the proposal is to de Attach the Bond under following completion testing has been comp determined that the sit Please see attach 14. I hereby certify that the Name (<i>Printed/Typed</i>) Signature Approved By Conditions of approval, if at 	Completed Oper sepen directional r which the work of the involved c leted: Final Aba te is ready for fin ned Site Facilit Corr AMANDA A (Electronic Sul ny, are attached. Ids legal or equiti	Convert to Injection ation (clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices shall be fil al inspection.) ty Diagram. <i>Q-JG-IY</i> <i>Art tacored</i> <i>Q-JG-IY</i> <i>Art tacored</i> <i>Dob</i> we and correct. Electronic Submission # For COG O mitted to AFMSS for pro- VERY bmission) THIS SPACE FC Approval of this notice does able title to those rights in the	give su the Boi sults in ed only 249708 PERAT cessin	Plug and Plug Ba Is, including e ibsurface loca nd No. on file a multiple co after all requ sverified by TING LLC, Ig by CATHY Tit Date DERAL C	d Abandon ck stimated startin tions and meas with BLM/BL mpletion or rec irements, includ A C A T D a the BLM We sent to the C Y QUEEN on le AUTHC the 06/16/2 DR STATE	Tempo Water g date of any p ured and true v A. Required su ompletion in a ding reclamatic proval Su te:	rarily Abandon Disposal proposed work and approventical depths of all pertir absequent reports shall be new interval, a Form 316 on, have been completed, r Record Purpos Ibject to Onsite I Juo I 19 Marco 19 Mar	Site Facility Diag m/Security Plan ximate duration thereon filed within 30 days i0-4 shall be filed once and the operator has es. nspection.

.



JR'S Horz Federal Com #6H NMNM92177 30-015-37904 10/26S/29E Eddy County

1 -

1. Production Phase (OT#1)

A. Valves #1,#2,#4,#5,#7, and #8 Open

- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #2, and #3 Positioned:
 - 1. Valves #1, #3, & #4 Closed and sealed

Production Phase (OT #2)

- A. Valves #1, #2, #4, #5, #7, and #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #1, and #3 Positioned:
 - 1. Valves #1, #3 & #4 Closed and Sealed

Production Phase (OT #3)

- A. Valves #1,#2,#4,#5,#7, & #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #1, and #2, Positioned:
 - 1. Valves #1, #3 & #4 Closed and Sealed

II. Sales Phase (OT#1)

- A. Valves #1, #2 and #4 Closed and Sealed
- B. Valve #3 on OT #1 Open
- C. Valves on OT #2, and #3 Positioned:
 - 1. Valve #1, and #2, Open
 - 2. Valve #3 Closed and Sealed

Sales Phase (OT#2)

- A. Valves #1, #2 and #4 Closed and Sealed
- B. Valve #3 on OT #2 Open
- C. Valves on OT #1, and #3 Positioned:
 - 1. Valve #1, and #2 Open
 - 2. Valve #3 Closed and Sealed

Sales Phase (OT#3)

- A. Valves #1, #2 and #4 Closed and Sealed
- B. Valve #3 on OT #3 Open
- C. Valves on OT #1, and #2 Positioned:
 - 1 Valve #1, and #2 Open
 - 2. Valve #3 Closed and Sealed