Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals

Lease Serial No. NMNM0480904B

☐ Production (Start/Resume)

☐ Temporarily Abandon

Reclamation

□ Recomplete

■ Water Disposal

6. If Indian, Allottee or Tribe Name

abandoned well. Oscionni o 100-5 (Al D) for Such proposuls.			
SUBMIT IN TRIPLICATE - Other instructions on reverse side.			7. If Unit or CA/Agreement, Name and/or No. NMNM71027X
Type of Well	er		8. Well Name and No. ROSS DRAW UNIT 39
Name of Operator RKI EXPLORATION & PRODU		HEATHER BREHM kixp.com	9. API Well No. 30-015-42296
3a. Address 210 PARK AVENUE, SUITE 9 OKLAHOMA CITY, OK 73102		3b. Phone No. (include area code) Ph: 405-949-2221	10. Field and Pool, or Exploratory ROSS DRAW; DELAWARE, EAST
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description,)	11. County or Parish, and State
Sec 22 T26S R30E Mer NMP SWNE 1650FNL 2310FEL 32.015080 N Lat, 103.520168 W Lon			EDDY COUNTY, NM
12. CHECK APPR	OPRIATE BOX(ES) TO	INDICATE NATURE OF NOTIC	E, REPORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION			NC

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Accepted for record

□ Plug Back

□ Deepen

☐ Fracture Treat

■ New Construction

□ Plug and Abandon

SURFACE SUNDRY

■ Notice of Intent

Subsequent Report

☐ Final Abandonment Notice

WELL SPUD ON 6/21/2014

ON 6/22/2014 DRILLED 17.5" HOLE TO 860' AND RAN 19 JTS OF 3/8" 54.5# J-55 ST&C CASING. Set shoe @ 856? & FC @ 810?. Test lines to 2000 psi.

Lead = 700 sx Standard Lite mixed at 13.5 ppg & 1.75 cuft/sk.

Tail = 200 sx Standard mixed @ 14.8 ppg & 1.34 cuft/sk.

Displace w/ 125 bbls of FW. Final circulating pressure 340 psi @ 3 bpm, bumped plug to 840 psi, released pressure, recovered 1/2 bbl of fluid, floats held. Full returns throughout job, circ 75 bbls of cmt to surface.

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

□ Acidize

☐ Alter Casing

□ Casing Repair

Change Plans ☐ Convert to Injection

NM OIL CONSERVATION

■ Water Shut-Off

Drilling Operations

■ Well Integrity

Other

ARTESIA DISTRICT

OCT 1 4 2014

				ECEIVED		
14. I hereby certify that th	e foregoing is true and correct. Electronic Submission #261753 verifie For RKI EXPLORATION & PRO					
Name (Printed/Typed)	HEATHER BREHM	Title	REGULATORY ANALYST			
Signature	(Electronic Submission)	Date	09/08/2014 Is will			
	THIS SPACE FOR FEDERAL OR STATE OF BIM approvals					
certify that the applicant hol-	ny, are attached. Approval of this notice does not warrant or ds legal or equitable title to those rights in the subject lease icant to conduct operations thereon.	Title Office	STATE OF BLM approvals will Pending BLM approvals will subsequently be reviewed and scanned			
Title 18 U.S.C. Section 1001	and Title 43 U.S.C. Section 1212, make it a crime for any pe	rson kno	wingly willfully to make to any departme	ent or agency of the United		

UNITED STATES

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No. NMNM0480904B

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.

abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No. NMNM71027X		
Type of Well				8. Well Name and No. ROSS DRAW UNIT 39			
Name of Operator RKI EXPLORATION & PROD	Contact: HEA	THER BI	REHM		9. API Well No. 30-015-42296		
3a. Address 210 PARK AVENUE, SUITE 9 OKLAHOMA CITY, OK 73102	000 Ph:	Phone No.: 405-94	(include area code 9-2221)	10. Field and Pool, or Exploratory ROSS DRAW; DELAWARE, EAS		
4. Location of Well (Footage, Sec., T	, R., M., or Survey Description)				11. County or Parish, and State		
Sec 22 T26S R30E Mer NMP 32.015080 N Lat, 103.520168					EDDY COUNTY, NM		
12. CHECK APPE	ROPRIATE BOX(ES) TO INI	DICATE	NATURE OF 1	NOTICE, RE	EPORT, OR OTHER	R DATA	
TYPE OF SUBMISSION			ТҮРЕ О	F ACTION			
□ Notice of Intent	☐ Acidize	☐ Deep	pen	☐ Producti	on (Start/Resume)	■ Water Shut-Off	
☐ Notice of Intent	☐ Alter Casing	☐ Frac	ture Treat	Reclamation		■ Well Integrity	
Subsequent Report	□ Casing Repair	■ New	Construction	☐ Recomp	lete	⊠ Other	
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon		☐ Temporarily Abandon		Drilling Operations	
	☐ Convert to Injection	☐ Plug	Back	■ Water D	isposal		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fine INTERMEDIATE SUNDRY ON 6/27/2014 DRILLED 12.25 3493? & shoe @ 3540?. Test Lead = 1100 sx Standard Lite Tail = 200 sx Standard mixed Displaced w/265 bbls of FW. Final bumped plug with 1820 psi, refull returns throughout job, cir Test casing to 1500 for 30 mir	operations. If the operation results in andonment Notices shall be filed onlinal inspection.) 5" HOLE TO 3540'. Ran 80 joint lines to 2000 psi. mixed @ 12.9 ppg & 1.92 cuft @ 14.8 & 1.33 cuft/sk. Final circulating pressure 1260 eleased pressure, recovered 1 c 85 bbls of cmt to surface h. Test good.	n a multiple y after all r nts of 9 5 t/sk.) psi @ 3 bbl of flu	e completion or receequirements, included the complete that the co	empletion in a ning reclamation C casing. Set	ew interval, a Form 3160, have been completed, a	nd the operator has RVATION RICT	
Name (Printed/Typed) HEATHER	Electronic Submission #26174 For RKI EXPLORATION		DUČTION, sent t	o the Carlsba	d		
Name (Printed/Typed) HEATHEF	KOKENIVI		THE REGUL	ATORY AN	4131		
Signature (Electronic S	Submission)		Date 09/08/2	014	- als will		
	THIS SPACE FOR F	EDERA	L OR STATE	OFFICE	approvais		
Approved By Conditions of approval, if any, are attached. Approval of this notice does not warrant or ertify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Citle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any processing the section 1001 and 1110 and						agency of the United	
States any false, fictitious or fraudulent	statements or representations as to an	y matter wi	thin its jurisdiction				

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No. NMNM0480904B

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an 6. If Indian, Allottee or Tribe Name abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - O	7. If Unit or CA/Agreement, Name and/or No. NMNM71027X	
Type of Well		8. Well Name and No. ROSS DRAW UNIT 39
Name of Operator RKI EXPLORATION & PRODUCTIONE-Mail	9. API Well No. 30-015-42296	
3a. Address 210 PARK AVENUE, SUITE 900 OKLAHOMA CITY, OK 73102	3b. Phone No. (include area code) Ph: 405-949-2221	10. Field and Pool, or Exploratory ROSS DRAW; DELAWARE, EAST
4. Location of Well (Footage, Sec., T., R., M., or Surve	ey Description)	11. County or Parish, and State
Sec 22 T26S R30E Mer NMP SWNE 1650F 32.015080 N Lat, 103.520168 W Lon	NL 2310FEL	EDDY COUNTY, NM

12. CHECK APP	ROPRIATE BOX(ES) TO I	NDICATE NATURE OF	NOTICE, REPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION	YPE OF SUBMISSION TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing	☐ Fracture Treat	□ Reclamation	Well Integrity	
Subsequent Report	□ Casing Repair	■ New Construction	☐ Recomplete	Other	
☐ Final Abandonment Notice	☐ Change Plans	Plug and Abandon	☐ Temporarily Abandon	Drilling Operations	
•	☐ Convert to Injection	□ Plug Back	☐ Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

PRODUCTION SUNDRY

On 6/30/2014 Drilled 73875" hole to 7506' and Ran a total of 176 joints 5 1/2 17# hcp-110 Buttress Csg. Set shoe @ 7406, FC @ 7452, DV Tool @ 5493.

1st stage cmt 320 sx AregoPVL mixed @ 10.5 ppg & 2.24 cuft/sk. Final circulating psi 770 psi @ 3 bpm, bumped plug to 1430 psi, released psi, recovered 1 bbl of fluid. Floats held. Full returns during 1st stage.

2nd stage cmt 475 sx AregoPVL mixed at 10.5 ppg & 2.24 cuft/sk Final circulating psi 540 psi, bumped plug and closed DV tool with 2040 psi. Full returns during 2nd stage cement job.

NM OIL CONSERVATION ARTESIA DISTRICT

Accepted for record LED NIMOCD 10/28/14

OCT 1 4 2014

14. I hereby certify that t	he foregoing is true and correct. Electronic Submission #261751 verifie For RKI EXPLORATION & PRO	d by the	ne BLM Well Information System ON, sent to the Carlsbad	
Name (Printed/Typed)	HEATHER BREHM	Title	REGULATORY ANALYST	
Signature	(Electronic Submission) THIS SPACE FOR FEDERA	Date	09/08/2014 R STAT pending BLM approvals will pending BLM approvals will subsequently be reviewed and scanned and scanned	<u>. </u>
Approved By Conditions of approval, if a	ny, are attached. Approval of this notice does not warrant or	Title	subsequences and scanned	
certify that the applicant ho which would entitle the app	lds legal or equitable title to those rights in the subject lease licant to conduct operations thereon.	Office	be	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					NMNM0480904B If Indian, Allottee or Tribe Name		
SUBMIT IN TRI	7. If Unit or CA/Agreement, Name and/or No. NMNM71027X						
Type of Well	8. Well Name and No ROSS DRAW U						
Name of Operator RKI EXPLORATION & PROD	Contact:	HEATHER BREHM rkixp.com		9. API Well No. 30-015-42296			
3a. Address 210 PARK AVENUE, SUITE S OKLAHOMA CITY, OK 73102	35. Phone No. (include area c Ph: 405-949-2221						
4. Location of Well (Footage, Sec., 7 Sec 22 T26S R30E Mer NMP 32.015080 N Lat, 103.520168		11. County or Parish, and State EDDY COUNTY, NM					
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICATE NATURE C	F NOTICE, RI	EPORT, OR OTHE	ER DATA		
TYPE OF SUBMISSION		TYPI	E OF ACTION				
□ Notice of Intent ☑ Subsequent Report □ Final Abandonment Notice 13. Describe Proposed or Completed Op If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f COMPLETION SUNDRY Completion activities began of 7/1/2014 Drill out DV Tool @5 7/15/2014 TIH w/ combo logg 7/16/2014 Pressured well to 8	ally or recomplete horizontally, rk will be performed or provide a operations. If the operation rebandonment Notices shall be fil inal inspection.) n 7/10/2014 5492', Tagged PBTD @74 ing tool to 7451', Estimate	nt details, including estimated state give subsurface locations and must the Bond No. on file with BLM/esults in a multiple completion or led only after all requirements, in 453' ed TOC at 2,145'	Reclamation Recomp Recomp Water D Recomp Water D Recomp Recomposition Required subsequence of the subsequenc	olete arily Abandon Disposal oposed work and approviced depths of all pertices seequent reports shall bewinterval, a Form 31	nent markers and zones. e filed within 30 days 60-4 shall be filed once , and the operator has		
minutes. Good test. Begin Fra 7/30/2014 Perf/Frac 6 Stages TOTALS 16/30 WHITE 361,380 lbs 16/30 SLC 60,000 lbs	ac Prep.	or oo minutes. Worklost 12	to poig in oc	OCT 1	USERVATION DISTRICT 4 2014		
14. I hereby certify that the foregoing is	Electronic Submission #	261759 verified by the BLM ATION & PRODUCTION, ser		ı System			
Name (Printed/Typed) HEATHER	Title REG	BULATORY AN	ALYST				
Signature · (Electronic S		Date 09/0	18/2014 TE C Pending	BLM approvals volumently be review of anned	ed		
Approved By Conditions of approval, if any, are attache certify that the applicant holds legal or eq which would entitle the applicant to conditions.	uitable title to those rights in th		and so	anned	Date		