Submit 1 Copy To Appropriate District Office	State of New Mexic	0		Form C	C-103
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources		Revised July 18, 2013 WELL API NO.		
District II – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION D	IVISION 30	-015-42754		
<u>District III</u> – (505) 334-6178	1220 South St. Francis	15 1	ndicate Type of Lea STATE 🛛	ase FEE	
District IV - (505) 476-3460	<u>District IV</u> – (505) 476-3460 Santa Fe, NM 87505 6. Stat				
1220 S. St. Francis Dr., Santa Fe, NM 87505			D-5866		
SUNDRY NO7 (DO NOT USE THIS FORM FOR PROP DIFFERENT RESERVOIR. USE "APPI	BACK TO A H	7. Lease Name or Unit Agreement Name Humidor BMO State Com			
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well 🔲 Other	8. V 2H	Vell Number I		
2. Name of Operator			GRID Number		
Yates Petroleum Corporation 3. Address of Operator		025575 10. Pool name or Wildcat			
105 South Fourth Street, Artesia,		Willow Lake; Bone Spring, West			
4. Well Location					
Unit Letter <u>E</u> : Unit Letter D	2625feet from theNorth230feet from theNorth	line and 400 line and 660	_ feet from the feet from the	West West	line line
Section <u>23</u>	Township <u>24S</u> Range	·=····	_	County	
Section $\underline{14}$	Township <u>24S</u> Range	<u>27E</u> NMI		County	
Manual Andrews	11. Elevation <i>(Show whether DR, RK</i> 3,219' GI			A CONTRACT OF	
of starting any proposed v proposed completion or re] D pleted operations. (Clearly state all pert vork). SEE RULE 19.15.7.14 NMAC. F		pertinent dates, inc ons: Attach wellbo NM OIL C ARTE		ted date
			R	ECEIVED	
			······		
Spud Date: 10/28/1	4 Rig Release Date:				
		L			
SIGNATURÉ <u>Laura V</u> Type or print name <u>Laura V</u> For State Use Only APPROVED BY:		of my knowledge and t ory Reporting Technic @yatespetroleum.com	ian DATE <u>No</u> PHONE:	ovember 4, 201 575-748-4272 /1-6-28/4	2
Conditions of Approval (if any):	4				
\$ See Atta	had COAs		· .		

Permit Conditions of Approval

API: 30-015-42754

	OCD Reviewer	Condition
\rightarrow	CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string