OIL CO 122 S TICES AND REPO DSALS TO DRILL OI ICATION FOR PERM Gas Well () 3000 Midland, TX feet f Tow 11. Elevation of Appropriate Bo NTENTION TO PLUG AND AE CHANGE PLA MULTIPLE CO	from the <u></u>	I DIVISION ncis Dr. 7505 UG BACK TO A OR SUCH line and ange 28E ; <i>RKB</i> , <i>RT</i> , <i>GR</i> lature of Not	WELL AF 5. Indicat ST/ 6. State O 7. Lease P D State Ba 8. Well N 9. OGRIE 873 10. Pool r Yeso I NMPM 2. etc.) tice, Report or SUBSEQUEN WORK E DRILLING OPN	e Type of Lease <u>ATE</u> FEE il & Gas Lease No. Vame or Unit Agreement Not ttery umber D Number vame or Wildcat feet from the County Eddy Other Data T REPORT OF: □ ALTERING CASING
122         S         CICES AND REPONSALS TO DRILL OF         DSALS TO DRILL OF         Gas Well         Hold Base         Gas Well         Houg And Ase         HULTIPLE CO	20 South St. Fra Santa Fe, NM 8 ORTS ON WELLS OR TO DEEPEN OR PL MIT" (FORM C-101) F Other Cother Co	ncis Dr. 7505 UG BACK TO A OR SUCH line and ange 28E ; <i>RKB</i> , <i>RT</i> , <i>GR</i> lature of Not REMEDIAL V COMMENCE CASING/CEI	5. Indicat ST. 6. State O 7. Lease N D State Ba 8. Well N 9. OGRIE 873 10. Pool r Yeso NMPM 7, etc.) tice, Report or SUBSEQUEN WORK E DRILLING OPN	ATE  FEE  il & Gas Lease No.  Name or Unit Agreement No  ttery umber Number Number name or Wildcat  feet from the County Eddy  Other Data  T REPORT OF: ALTERING CASING S. P AND A
TICES AND REPONDSALS TO DRILL OF DILL OF DILLO AND	Santa Fe, NM 8 ORTS ON WELLS R TO DEEPEN OR PL MIT" (FORM C-101) F Other Other C 79705 from the rnship 17S R (Show whether DR OX to Indicate N O: BANDON O: DMPL U	7505 UG BACK TO A OR SUCH line and ange 28E <i>RKB, RT, GR</i> lature of Not REMEDIAL V COMMENCE CASING/CEI	STA         6. State O         7. Lease N         D State Ba         8. Well N         9. OGRIE         873         10. Pool r         Yeso         NMPM         9. etc.)         tice, Report or         SUBSEQUEN         WORK         E DRILLING OPN	ATE  FEE  il & Gas Lease No.  Vame or Unit Agreement N  ttery  umber  Number  Number  ame or Wildcat  feet from the County Eddy  Other Data  T REPORT OF: ALTERING CASIN S. P AND A
TICES AND REPONSALS TO DRILL OF DISALS TO DRILL OF ICATION FOR PERM Gas Well 3000 Midland, TX 	ORTS ON WELLS R TO DEEPEN OR PL MIT" (FORM C-101) F Other C 79705 from the roship 17S R (Show whether DR OX to Indicate N O: BANDON ANS OMPL VI	UG BACK TO A OR SUCH	7. Lease N D State Ba 8. Well N 9. OGRIE 873 10. Pool r Yeso NMPM 2, etc.) tice, Report or SUBSEQUEN WORK E DRILLING OPN	Vame or Unit Agreement N ttery umber Number Number Tame or Wildcat feet from the County Eddy Other Data T REPORT OF: ALTERING CASIN S. P AND A
OSALS TO DRILL OF         ICATION FOR PERM         Gas Well       0         3000       Midland, TX         Second Midland, TX       feet f         Tow       11. Elevation         Appropriate Base       NTENTION TO         PLUG AND AE       CHANGE PLA         MULTIPLE CO       MULTIPLE CO	R TO DEEPEN OR PL	UG BACK TO A OR SUCH	D State Ba 8. Well N 9. OGRIE 873 10. Pool r Yeso NMPM 2. etc.) tice, Report or SUBSEQUEN WORK E DRILLING OPN	ttery umber Number Number ame or Wildcat feet from the County Eddy Other Data T REPORT OF: ALTERING CASIN S. P AND A
Gas Well ( Gas Well ( 3000 Midland, TX =feet f Tow 11. Elevation Appropriate Ba NTENTION TO PLUG AND AE CHANGE PLA MULTIPLE CO	MIT" (FORM C-101) F Other C 79705 from the mship 17S R (Show whether DR OX to Indicate N OX to Indicate N OX to Indicate N OX TO INDICATE DANS D DMPL D	Iine and ange 28E , <i>RKB, RT, GR</i> ature of Not REMEDIAL V COMMENCE CASING/CEI	D State Ba 8. Well N 9. OGRIE 873 10. Pool r Yeso NMPM 2. etc.) tice, Report or SUBSEQUEN WORK E DRILLING OPN	ttery umber Number Number ame or Wildcat feet from the County Eddy Other Data T REPORT OF: ALTERING CASIN S. P AND A
3000 Midland, TX feet f Tow 11. Elevation Appropriate Ba NTENTION Ta PLUG AND AE CHANGE PLA MULTIPLE CO	from the mship 17S R (Show whether DR ox to Indicate N O: BANDON ANS OMPL V	ange 28E ; <i>RKB, RT, GR</i> lature of Not REMEDIAL V COMMENCE CASING/CEI	9. OGRIE 873 10. Pool r Yeso NMPM , etc.) tice, Report or SUBSEQUEN WORK E DRILLING OPN	Number name or Wildcat feet from the County Eddy Other Data T REPORT OF: ALTERING CASING S. P AND A
Appropriate Bo TOW 11. Elevation Appropriate Bo NTENTION TO PLUG AND AB CHANGE PLA MULTIPLE CO	from the <u></u>	ange 28E ; <i>RKB, RT, GR</i> lature of Not REMEDIAL V COMMENCE CASING/CEI	873 10. Pool r Yeso NMPM <i>p. etc.)</i> tice, Report or SUBSEQUEN WORK E DRILLING OPN	feet from the County Eddy Other Data T REPORT OF: ALTERING CASIN SP AND A
Appropriate Bo TOW 11. Elevation Appropriate Bo NTENTION TO PLUG AND AB CHANGE PLA MULTIPLE CO	from the <u></u>	ange 28E ; <i>RKB, RT, GR</i> lature of Not REMEDIAL V COMMENCE CASING/CEI	Yeso NMPM , etc.) tice, Report or SUBSEQUEN WORK E DRILLING OPN	feet from the County Eddy Ther Data T REPORT OF: ALTERING CASIN S. P AND A
Appropriate Bo TOW 11. Elevation Appropriate Bo NTENTION TO PLUG AND AB CHANGE PLA MULTIPLE CO	from the <u></u>	ange 28E ; <i>RKB, RT, GR</i> lature of Not REMEDIAL V COMMENCE CASING/CEI	I NMPM , etc.) tice, Report or SUBSEQUEN WORK E DRILLING OPN	County Eddy Other Data T REPORT OF: ALTERING CASIN S. P AND A
Tow 11. Elevation Appropriate Ba NTENTION TO PLUG AND AE CHANGE PLA MULTIPLE CO	Anship 17S R (Show whether DR OX to Indicate N O: BANDON ANS OMPL	ange 28E ; <i>RKB, RT, GR</i> lature of Not REMEDIAL V COMMENCE CASING/CEI	NMPM , etc.) tice, Report or SUBSEQUEN WORK E DRILLING OPN	County Eddy Other Data T REPORT OF: ALTERING CASIN S. P AND A
Tow 11. Elevation Appropriate Ba NTENTION TO PLUG AND AE CHANGE PLA MULTIPLE CO	Anship 17S R (Show whether DR OX to Indicate N O: BANDON ANS OMPL	ange 28E ; <i>RKB, RT, GR</i> lature of Not REMEDIAL V COMMENCE CASING/CEI	NMPM , etc.) tice, Report or SUBSEQUEN WORK E DRILLING OPN	County Eddy Other Data T REPORT OF: ALTERING CASIN S. P AND A
Appropriate Bo NTENTION TO PLUG AND AE CHANGE PLA MULTIPLE CO	(Show whether DR ox to Indicate N O: BANDON ANS OMPL	RKB, RT, GR	tice, Report or BUBSEQUEN WORK DRILLING OPN	Other Data T REPORT OF: ALTERING CASIN S. P AND A
Appropriate Bo NTENTION TO PLUG AND AB CHANGE PLA MULTIPLE CO	ox to Indicate N O: BANDON ANS OMPL	ature of Not REMEDIAL V COMMENCE CASING/CEI	tice, Report or SUBSEQUEN WORK E DRILLING OPN	T REPORT OF:
NTENTION TO PLUG AND AE CHANGE PLA MULTIPLE CO	O: BANDON    ANS    OMPL	S REMEDIAL V COMMENCE CASING/CEI	SUBSEQUEN WORK E DRILLING OPN	T REPORT OF:
NTENTION TO PLUG AND AE CHANGE PLA MULTIPLE CO	O: BANDON    ANS    OMPL	S REMEDIAL V COMMENCE CASING/CEI	SUBSEQUEN WORK E DRILLING OPN	T REPORT OF:
PLUG AND AE CHANGE PLA MULTIPLE CC	BANDON  ANS OMPL	REMEDIAL V COMMENCE CASING/CEI	WORK E DRILLING OPN	ALTERING CASIN S. P AND A
MULTIPLE CC		CASING/CEI		
			MENT JOB	
-1-4-4				
Dieted operations.	. (Clearly state all		s. and give pertin	ent dates, including estimat
				Attach wellbore diagram of
n to temporarily fla	are the D State Bat	tery. The API#	for each well are	as follows:
15-32490	30-015-3841	1	30-015-39069	
15-32483	30-015-3841	2	30-015-39743	
15-32491	30-015-3841		30-015-39742	
15-30975 15-31390	30-015-3858 30-015-3846		30-015-39921 30-015-39922	RECEIV
15-31586			30-015-39923	
15-31939			30-015-40310	APR 1020
15-38409			30-015-40313	NMOCD ART
	Rig Release D	ate:		
		L	**	]
above is true and	d complete to the b	est of my know	vledge and belief.	
	TITLE Regul	atory Analyst II		DATE 04/08/2014
ez				PHONE: (432) 818-10
$\sum d$		$\overline{\mathbf{x}}$	^	
SOL	<i>[)</i> /5	TH YL	CUIS()	DATE 4-10-14
		in y		DATE 4-10-19
Attached	1 1 - 11			
	15-31939 15-32484 15-38408 15-38409	15-31939       30-015-3858         15-32484       30-015-3847         15-38408       30-015-3858         15-38409       30-015-3906         Rig Release D:         above is true and complete to the b         TITLE Regul         az       E-mail address         Data       TITLE Data         Data       TITLE Data	15-31939       30-015-38588         15-32484       30-015-38470         15-38408       30-015-38589         15-38409       30-015-39068         Rig Release Date:         above is true and complete to the best of my know         TITLE       Regulatory Analyst II         E-mail address:       Fatima.Vasque         TITLE       District of the sector of the sect	15-31939       30-015-38588       30-015-40310         15-32484       30-015-38470       30-015-40311         15-38408       30-015-38589       30-015-40313         15-38409       30-015-39068       30-015-40314         Rig Release Date:         TITLE Regulatory Analyst II         E-mail address: Fatima.Vasquez@apachecorp.com         TITLE Distribution

•

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

### **APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12**

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Α.	Applicant Apache Corporation,						
	whose address is						
	hereby requests an exception to Rule 19.15.18.12 for days or until						
	, Yr, for the following described tank battery (or LACT):						
	Name of Lease D State Battery Name of Pool Yeso						
	Location of Battery: Unit LetterSection36TownshipRange						
	Number of wells producing into battery41						
B.	Based upon oil production of barrels per day, the estimated * volume						
	of gas to be flared isMCF; Valueper day.						
C.	Name and location of nearest gas gathering facility: DCP Artesia						
D.	Distance Estimated cost of connection						
Е.	This exception is requested for the following reasons:						
,	previous one that will expire April 30, 2014.						
OPERATOR I hereby certify th Division have been is true and complete	nat the rules and regulations of the Oil Conservation en complied with and that the information given above eterto, the best of my knowledge and belief.						
Signature	By RDaile						
Printed Name & Title	Fatima Vasquez - Regulatory Analyst II Title DIST HSylwish						
E-mail Addres	Fatima.Vasquez@apachecorp.com $Date - \frac{4}{10} - \frac{14}{10}$						
Date 04/08/2	2014 Telephone No. (432) 818-1015 See Attached COMS						

Gas-Oil ratio test may be required to verify estimated gas volume.

## NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

#### **CONDITIONS OF APPROVAL for FLARING or VENTING GAS**

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- **5.** Flares WILL NOT be left unattended.
- No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here  $\mathcal{R}$ 11

State of New Mexico Energy, Minerals and Natural Resources Department

Jami Bailey, Division Director

**Oil Conservation Division** 

Susana Martinez Governor

David Martin Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

# Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa\_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.



#### State of New Mexico Energy, Minerals and Natural Resources Department

Jami Bailey, Division Director

**Oil Conservation Division** 

Susana Martinez Governor

David Martin Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

## Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: <u>http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa\_monthly.pdf</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

> 1220 South St. Francis Drive • Santa Fe, New Mexico 87505 Phone (505) 476-3460 • Fax (505) 476-3462 • www.emnrd.state.nm.us/ocd

