Submit 1 Copy To Appropriate District Office	State of New Mexic		Form C-103
<u>District 1</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283 81] S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Energy, Minerals and Natural OIL CONSERVATION D 1220 South St. Franci Santa Fe, NM 8750	IVISION s Dr.	WELL API NO. 30-015-38456 5. Indicate Type of Lease STATE FED 6. State Oil & Gas Lease No.
	CES AND REPORTS ON WELLS BALS TO DRILL OR TO DEEPEN OR PLUG	BACK TO A	 Lease Name or Unit Agreement Name Marbob State
PROPOSALS.)	ATION FOR PERMIT" (FORM C-101) FOR S	SUCH -	8. Well Number 6H
2. Name of Operator Read & Stevens, Inc.			9. OGRID Number 18917
3. Address of Operator P.O. BOX 1518, Roswell, NM 8820)2-1518		10. Pool name or Wildcat Scanlon Draw; Bone Spring 55510
4. Well Location Unit Letter H : 1700		75 feet from the	
Section 19	Township19SRange11. Elevation (Show whether DR, Rights3354GL	29E NMPN KB, RT, GR, etc.)	M County Eddy
12. Check A	ppropriate Box to Indicate Natu	ure of Notice, I	Report or Other Data
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER:	PLUG AND ABANDON F CHANGE PLANS C MULTIPLE COMPL C	REMEDIAL WORK COMMENCE DRIL CASING/CEMENT	
13. Describe proposed or comp	leted operations. (Clearly state all per rk). SEE RULE 19.15.7.14 NMAC.	tinent details, and	give pertinent dates, including estimated date appletions: Attach wellbore diagram of
02/05/2015- Set 120ft 20" Cor	ductor	·	
Spud Date:	Rig Release Date:	:	
I hereby certify that the information	above is true and complete to the best	of my knowledge	and belief.
SIGNATURE:	7 TITLE:Engineer		DATE: 02/05/2015
Type or print name: Adolfo Cruz	E-mail address: adolfo.cruz@mojoer		HONE: 9728762160
For State Use Only APPROVED BY:	Dall TITLE DIST	Tày	Bener a/5/2015
··· 、 •/			

see Attenhed COA

C101Conditions

Permit Conditions of Approval

API: 30-015-38456

	OCD Reviewer	Condition
\rightarrow	CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string.